

A Digital, Time Saving Alternative to U-Tube Pressure Measurement!

■ **EM201 (Dual input)**

Dual scale: 40" water gauge and 100 mBar .001" wg resolution below 9.999"

■ **Ruggedized with sturdy metal fittings**

■ **Rubber-boot with built-in magnet**

■ **Features**


- Three Scale: InWG, mBar and PSI
- Min/Max
- Data hold
- Auto power off
- Back-lit display
- Three year limited warranty

■ **EM151 (Single input)**

Measures positive and negative pressure to 20" water gauge

■ **Features**

- Three Scale: InWG, mBar and PSI
- Auto power off
- Rubber-boot with built-in magnet
- .01" resolution below 9.99"



EM151





EM151/201 • Electronic Manometer

EM151

Measurement range: -20" to +20" WG
 Accuracy: $\pm 1.0\%$ FS
 Resolution: 0.01" -9.99" to +9.99" WG
 0.1" < -10", > +10" WG
 Operating range: 32° -104°F (0° - 40°C),
 10 - 90% RH
 non condensing
 Battery Life: 50 hours min with
 alkaline battery

EM201

Measurement range: -40" to +40" WG
 -100 to +100 mBar
 Accuracy: ± 0.02 "WG < 2"WG
 $\pm 1\%$ RDG > 2"WG
 Resolution: 0.001" -9.999" to +9.999" WG
 0.01" for < -10" or > +10"
 WG
 Operating range: 32° -104°F (0° - 40°C),
 10 - 90% RH
 non condensing
 Battery Life: 40 hours min with
 alkaline battery



Standard Accessories:

Brass Fitting..... BF100

Optional Accessories:

Soft Carrying Case.....AC319

Pressure Conversions

Multiply	BY	To Get
In. of H2O	1.868	mmHG
In. of H2O	0.074	In HG
In. of H2O	0.249	kPa
In. of H2O	249.1	Pascals
In. of H2O	2.491	mBar
In. of H2O	0.036	PSI
In. of H2O	25.40	mmH2O

Distributed By:



1-800-547-5740 • Fax: (503) 643-6322
 www.ueitest.com • Email: info@ueitest.com

IN CANADA

Vancouver: Phone: 1-877-475-0648 • (604) 278-4511 • Fax: (604) 278-8299
 Toronto: Phone: 1-877-475-0648 • Fax: (905) 238-5117

IN EUROPE

Phone: +44 1707 375550 • Fax: +44 1707 393277

