

# Model E101

### **Food Waste Disposer**

#### Submittal Sheet

- 1 year parts and in-home service warranty†
- · Quick Lock® mounting for fast, easy installation
- Galvanized steel grinding elements with two stainless steel 360° swivel lugs
- Stainless steel sink flange with positive seal plastic stopper
- · Overload protector manual reset
- Permanently lubricated upper and lower bearings
- · Cushioned anti-splash baffle
- · Dishwasher drain connection
- Exclusive self-service wrench

## Sample Specification

Food Waste Disposer(s) shall be Evergrind™ Model E101, continuous feed, with 1/3 H.P. motor, galvanized steel grinding elements with two stainless steel 360° swivel lugs. Self-service wrench.

Warranty - 1 year parts and in-home service.

† The complete Evergrind™ warranty is included in the Care & Use Booklet, packed with each unit.

### **Specifications**

Type of Feed	Continuous
On/Off Control	Wall Switch
Motor	Single Phase
НР	1/3
Volts	120
HZ	60
RPM	1725
Amp. (Avg. Load)	5.7
Time Rating	Intermittent
Lubrication	Permanently Lubricated Upper & Lower Bearings
Shipping Weight (Approx.)	12 lbs. 8 oz.
Unit Finish	Waterborne Grey Enamel
Overall Height	11-3/8"
Grind Chamber Capacity	26 oz.
Motor Protection	Manual Reset Overload
Average Water Usage	Approx. 1 Gallon per Person Per Day
Average Electrical Usage	3-4 KWh per Year
Drain Connection	1-1/2" Cushioned Slip Joint
Dishwasher Drain Connection	Yes


### **Job Specifications**

outlet to end of tailpipe.

\*\* Length of tailpipe from center line of disposer

NOTE: Plumb waste line to prevent standing water in disposer motor housing.

sinks are used.





Food waste disposers can provide an environmentally responsible alternative to transporting food waste to landfills. And they can help reduce greenhouse gas emissions. At capable wastewater treatment plants, food waste can be recycled to produce renewable energy. Additionally, capable wastewater treatment plants can process food waste into fertilizer. (Check the plant in your area.)

www.insinkerator.com/green













The Emerson logo is a trademark and service mark of Emerson Electric Co. The mounting collar configuration is a trademark of Emerson Electric Co. Quick Lock® is a registered trademark of Emerson Electric Co.

InSinkErator may make improvements and/or changes in the specifications at any time, in its sole discretion, without notice or obligation and further reserves the right to change or discontinue models.