



Engineering Data for 903, 904, 933, 934 (Double Deflection A) Series

| SIZE | VELOCITY | | 300 | 400 | 500 | 600 | 700 | 800 | 1000 | 1200 | 1400 |
|----------------|------------------------------------|------------|------------------|------------------|------------------|----------------|----------------|----------------|--------------|--------------|--------------|
| | DUCT PT. | | 0.004 | 0.008 | 0.013 | 0.018 | 0.025 | 0.033 | 0.051 | 0.074 | 0.1 |
| 8x6 12x4 | Eff. Area 0.241 ft ² | CFM | 75 | 95 | 120 | 145 | 170 | 195 | 240 | 290 | 340 |
| | | NC | <20 | <20 | <20 | 20 | 25 | 30 | 35 | 40 | 45 |
| | | Throw(ft.) | 5.5 6 6.5 | 7 8 9 | 9 10 11 | 10 12 14 | 12 14 16 | 13.5 16 18 | 16 19 22 | 18 21 24 | 21 24 27 |
| 10x6 16x4 | Eff. Area 0.314 ft ² | CFM | 95 | 125 | 155 | 190 | 220 | 250 | 315 | 375 | 440 |
| | | NC | <20 | <20 | <20 | 20 | 25 | 30 | 35 | 40 | 45 |
| | | Throw(ft.) | 6.5 7 7.5 | 8 9 10 | 11 12 13 | 12 14 16 | 14.5 17 20 | 16 19 22 | 19 24 29 | 22 28 34 | 26 33 40 |
| 12x6 18x4 | Eff. Area 0.380 ft ² | CFM | 115 | 150 | 190 | 230 | 265 | 305 | 380 | 455 | 530 |
| | | NC | <20 | <20 | <20 | 20 | 25 | 30 | 35 | 40 | 45-50 |
| | | Throw(ft.) | 7 8 9 | 10 11 12 | 11.5 13 14.5 | 13.5 16 18 | 16 19 22 | 18 21 24 | 22 27 32 | 26 32 38 | 30 37 44 |
| 10x8 14x6 | Eff. Area 0.449 ft ² | CFM | 135 | 180 | 225 | 270 | 315 | 360 | 450 | 540 | 630 |
| | | NC | <20 | <20 | <20 | 20 | 25 | 30 | 35 | 40 | 45-50 |
| | | Throw(ft.) | 8 9 10 | 11 12 13 | 13.5 15 17 | 15.5 18 21 | 17 20 23 | 20 23 27 | 23 29 35 | 28 35 42 | 33 41 49 |
| 12x8 24x4 | Eff. Area 0.538 ft ² | CFM | 160 | 215 | 270 | 325 | 375 | 430 | 540 | 645 | 755 |
| | | NC | <20 | <20 | <20 | 20 | 25 | 30 | 35 | 40 | 45-50 |
| | | Throw(ft.) | 9 10 11 | 11.5 13 14.5 | 14.5 16 18 | 17 20 23 | 20 23 27 | 22 26 30 | 26 32 38 | 31 39 47 | 36 45 54 |
| 10x10 18x6 | Eff. Area 0.560 ft ² | CFM | 170 | 225 | 280 | 335 | 390 | 450 | 560 | 670 | 785 |
| | | NC | <20 | <20 | <20 | 20 | 25 | 30 | 35 | 40 | 45-50 |
| | | Throw(ft.) | 8 9 10 | 10 11 12 | 12.5 14 15.5 | 14.5 17 20 | 17 20 23 | 20 23 27 | 22 28 34 | 27 34 41 | 31 39 47 |
| 12x12 14x10 | Eff. Area 0.806 ft ² | CFM | 240 | 320 | 405 | 485 | 565 | 645 | 805 | 965 | 1130 |
| | | NC | <20 | <20 | <20 | 20 | 25 | 30 | 35-40 | 40-50 | 50> |
| | | Throw(ft.) | 9 10 11 | 11.5 13 14.5 | 15.5 17 19 | 17 20 23 | 20 23 27 | 22 26 30 | 26 33 40 | 32 40 48 | 37 46 55 |
| 14x12 20x8 | Eff. Area 0.887 ft ² | CFM | 265 | 355 | 445 | 530 | 620 | 710 | 890 | 1065 | 1240 |
| | | NC | <20 | <20 | <20 | 20 | 25 | 30 | 35-40 | 40-50 | 50> |
| | | Throw(ft.) | 10 11 12 | 12.5 14 15.5 | 16 18 20 | 18 21 24 | 21 25 29 | 24 28 32 | 29 36 43 | 34 43 52 | 40 50 60 |
| 14x14 20x10 | Eff. Area 1.12 ft ² | CFM | 335 | 450 | 560 | 670 | 785 | 895 | 1120 | 1345 | 1570 |
| | | NC | <20 | <20 | 20 | 25 | 30 | 30-35 | 35-40 | 40-45 | 50> |
| | | Throw(ft.) | 11.5 13 14.5 | 16 18 20 | 20 22 24 | 22 26 30 | 26 31 37 | 30 35 40 | 35 44 53 | 42 52 62 | 49 61 73 |
| 18x12 26x8 | Eff. Area 1.17 ft ² | CFM | 350 | 470 | 585 | 700 | 820 | 935 | 1170 | 1405 | 1640 |
| | | NC | <20 | <20 | 20 | 25 | 30 | 30-35 | 35-40 | 40-45 | 50> |
| | | Throw(ft.) | 11.5 13 14.5 | 16 18 20 | 20 22 24 | 23 27 31 | 26 31 37 | 31 36 41 | 35 44 53 | 42 53 64 | 53 62 74 |



Engineering Data for 903, 904, 933, 934 (Double Deflection A) Series

| SIZE | VELOCITY | | 300 | 400 | 500 | 600 | 700 | 800 | 1000 | 1200 | 1400 |
|----------------|-----------------------------------|------------|----------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|---------------|
| | DUCT PT. | | 0.004 | 0.008 | 0.013 | 0.018 | 0.025 | 0.033 | 0.051 | 0.074 | 0.1 |
| 24x12 28x10 | Eff. Area 1.65 ft ² | CFM | 495 | 660 | 825 | 990 | 1155 | 1320 | 1650 | 1980 | 2310 |
| | | NC | <20 | <20 | 20 | 25 | 30 | 30-35 | 35-40 | 40-45 | 50> |
| | | Throw(ft.) | 14.5 16 18 | 19 21 23 | 23 26 29 | 27 32 37 | 32 37 43 | 36 42 48 | 42 53 64 | 50 63 76 | 59 74 89 |
| 18x18 32x10 | Eff. Area 1.89 ft ² | CFM | 565 | 755 | 945 | 1135 | 1325 | 1510 | 1890 | 2270 | 2645 |
| | | NC | <20 | <20 | 20 | 25 | 30 | 30-35 | 35-40 | 40-45 | 50> |
| | | Throw(ft.) | 14.5 16 18 | 20 22 24 | 24 27 30 | 28 33 38 | 32 38 44 | 37 44 51 | 44 55 66 | 53 66 79 | 62 77 94 |
| 30x12 26x14 | Eff. Area 2.10 ft ² | CFM | 630 | 840 | 1050 | 1260 | 1470 | 1680 | 2100 | 2520 | 2940 |
| | | NC | <20 | <20 | 20 | 25 | 30 | 30-35 | 35-40 | 45-50 | 50> |
| | | Throw(ft.) | 16 18 20 | 22 24 26 | 26 29 32 | 30 35 40 | 35 41 47 | 40 47 54 | 47 59 71 | 57 71 85 | 66 82 98 |
| 36x12 32x14 | Eff. Area 2.49 ft ² | CFM | 745 | 995 | 1245 | 1495 | 1745 | 1990 | 2490 | 2990 | 3485 |
| | | NC | <20 | <20 | 20 | 25 | 30 | 30-35 | 35-40 | 45-50 | 50> |
| | | Throw(ft.) | 17 19 21 | 23 26 29 | 29 32 35 | 33 39 45 | 38 45 52 | 44 52 60 | 52 65 78 | 62 78 94 | 73 91 109 |



Engineering Data for 903, 904, 933, 934 (Double Deflection B) Series

| SIZE | VELOCITY | | 300 | 400 | 500 | 600 | 700 | 800 | 1000 | 1200 | 1400 | | | | | | | | | | | | | | | | | | |
|----------------|------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|----|------|------|----|------|-------|----|------|-------|----|----|-------|----|----|-------|----|----|
| | DUCT PT. | | 0.004 | 0.008 | 0.013 | 0.018 | 0.025 | 0.033 | 0.051 | 0.074 | 0.1 | | | | | | | | | | | | | | | | | | |
| 8x6 12x4 | Eff. Area 0.216 ft ² | CFM | 65 | | | 85 | | | 110 | | | 130 | | | 150 | | | 175 | | | 215 | | | 260 | | | 300 | | |
| | | NC | <20 | | | <20 | | | <20 | | | 20 | | | 25 | | | 30 | | | 35 | | | 40 | | | 45 | | |
| | | Throw(ft.) | 3.5 | 4 | 4.5 | 5.5 | 6 | 6.5 | 6.5 | 7 | 7.5 | 7 | 8 | 9 | 8.5 | 10 | 11.5 | 9.5 | 11 | 12.7 | 11 | 14 | 17 | 13.5 | 17 | 20 | 16 | 20 | 24 |
| 10x6 16x4 | Eff. Area 0.281 ft ² | CFM | 85 | | | 110 | | | 140 | | | 170 | | | 195 | | | 225 | | | 280 | | | 335 | | | 390 | | |
| | | NC | <20 | | | <20 | | | <20 | | | 20 | | | 25 | | | 30 | | | 35 | | | 40 | | | 45 | | |
| | | Throw(ft.) | 4.5 | 5 | 5.5 | 6.5 | 7 | 7.5 | 7 | 8 | 9 | 8.5 | 10 | 11.5 | 11 | 13 | 15 | 12 | 14 | 16 | 13.5 | 17 | 20 | 16 | 20 | 24 | 19 | 24 | 29 |
| 12x6 18x4 | Eff. Area 0.341 ft ² | CFM | 100 | | | 135 | | | 170 | | | 205 | | | 240 | | | 275 | | | 340 | | | 410 | | | 475 | | |
| | | NC | <20 | | | <20 | | | <20 | | | 20 | | | 25 | | | 30 | | | 35 | | | 40 | | | 45-50 | | |
| | | Throw(ft.) | 5.5 | 6 | 6.5 | 6.5 | 7 | 7.5 | 8 | 9 | 10 | 9.5 | 11 | 12.5 | 11 | 13 | 15 | 13 | 15 | 17 | 15 | 19 | 23 | 18 | 23 | 28 | 21 | 26 | 31 |
| 10x8 14x6 | Eff. Area 0.402 ft ² | CFM | 120 | | | 160 | | | 200 | | | 240 | | | 280 | | | 320 | | | 400 | | | 480 | | | 565 | | |
| | | NC | <20 | | | <20 | | | <20 | | | 20 | | | 25 | | | 30 | | | 35 | | | 40 | | | 45-50 | | |
| | | Throw(ft.) | 5.5 | 6 | 6.5 | 7 | 8 | 9 | 9 | 10 | 11 | 10 | 12 | 14 | 13 | 15 | 17 | 14.5 | 17 | 20 | 17 | 21 | 25 | 20 | 25 | 30 | 23 | 29 | 35 |
| 12x8 24x4 | Eff. Area 0.482 ft ² | CFM | 145 | | | 195 | | | 240 | | | 290 | | | 335 | | | 385 | | | 480 | | | 580 | | | 675 | | |
| | | NC | <20 | | | <20 | | | <20 | | | 20 | | | 25 | | | 30 | | | 35 | | | 40 | | | 45-50 | | |
| | | Throw(ft.) | 6.5 | 7 | 7.5 | 8 | 9 | 10 | 10 | 11 | 12 | 11 | 13 | 15 | 13 | 15 | 17 | 15 | 18 | 21 | 18 | 22 | 26 | 22 | 27 | 32 | 25 | 31 | 37 |
| 10x10 18x6 | Eff. Area 0.502 ft ² | CFM | 150 | | | 200 | | | 250 | | | 300 | | | 350 | | | 400 | | | 500 | | | 600 | | | 705 | | |
| | | NC | <20 | | | <20 | | | <20 | | | 20 | | | 25 | | | 30 | | | 35 | | | 40 | | | 45-50 | | |
| | | Throw(ft.) | 5.5 | 6 | 6.5 | 7 | 8 | 9 | 9 | 10 | 11 | 10 | 12 | 14 | 12 | 14 | 16 | 14 | 16 | 18 | 16 | 20 | 24 | 19 | 24 | 29 | 22 | 28 | 34 |
| 12x12 14x10 | Eff. Area 0.722 ft ² | CFM | 215 | | | 290 | | | 360 | | | 435 | | | 505 | | | 580 | | | 720 | | | 865 | | | 1010 | | |
| | | NC | <20 | | | <20 | | | <20 | | | 20 | | | 25 | | | 30 | | | 35-40 | | | 45-50 | | | 50 | | |
| | | Throw(ft.) | 6.5 | 7 | 7.5 | 9 | 10 | 11 | 11 | 12 | 13 | 12 | 14 | 16 | 14.5 | 17 | 20 | 16 | 19 | 22 | 19 | 24 | 29 | 23 | 29 | 35 | 26 | 33 | 40 |
| 14x12 20x8 | Eff. Area 0.795 ft ² | CFM | 240 | | | 320 | | | 400 | | | 475 | | | 555 | | | 636 | | | 795 | | | 955 | | | 1115 | | |
| | | NC | <20 | | | <20 | | | <20 | | | 20 | | | 25 | | | 30 | | | 35-40 | | | 45-50 | | | 50 | | |
| | | Throw(ft.) | 11 | 12 | 13 | 13.5 | 15 | 17 | 17 | 19 | 21 | 20 | 23 | 27 | 23 | 27 | 31 | 27 | 31 | 36 | 30 | 39 | 46 | 37 | 46 | 55 | 43 | 54 | 65 |
| 14x14 20x10 | Eff. Area 1.00 ft ² | CFM | 300 | | | 400 | | | 500 | | | 600 | | | 700 | | | 800 | | | 1000 | | | 1200 | | | 1400 | | |
| | | NC | <20 | | | <20 | | | 20 | | | 25 | | | 30 | | | 30-35 | | | 35-40 | | | 40-45 | | | 50> | | |
| | | Throw(ft.) | 8 | 9 | 10 | 11 | 12 | 13 | 13.5 | 15 | 17 | 14.5 | 17 | 20 | 17 | 20 | 23 | 20 | 23 | 27 | 23 | 29 | 35 | 28 | 35 | 42 | 33 | 41 | 50 |
| 18x12 26x8 | Eff. Area 1.05 ft ² | CFM | 315 | | | 420 | | | 525 | | | 630 | | | 735 | | | 840 | | | 1050 | | | 1260 | | | 1470 | | |
| | | NC | <20 | | | <20 | | | 20 | | | 25 | | | 30 | | | 30-35 | | | 35-40 | | | 40-45 | | | 50> | | |
| | | Throw(ft.) | 8 | 9 | 10 | 11 | 12 | 13 | 13.5 | 15 | 17 | 15 | 18 | 21 | 18 | 21 | 24 | 20 | 24 | 28 | 23 | 29 | 35 | 28 | 35 | 42 | 33 | 41 | 49 |



Engineering Data for 903, 904, 933, 934 (Double Deflection B) Series

| SIZE | VELOCITY | | 300 | 400 | 500 | 600 | 700 | 800 | 1000 | 1200 | 1400 |
|----------------|-----------------------------------|------------|------------------|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | DUCT PT. | | 0.004 | 0.008 | 0.013 | 0.018 | 0.025 | 0.033 | 0.051 | 0.074 | 0.1 |
| 24x12 28x10 | Eff. Area 1.48 ft ² | CFM | 445 | 590 | 740 | 890 | 1035 | 1185 | 1480 | 1775 | 2070 |
| | | NC | <20 | <20 | 20 | 25 | 30 | 30-35 | 35-40 | 40-45 | 50> |
| | | Throw(ft.) | 10 11 12 | 12.5 14 15.5 | 16 18 20 | 18 21 24 | 21 25 29 | 24 28 32 | 23 29 35 | 34 43 52 | 40 50 60 |
| 18x18 32x10 | Eff. Area 1.69 ft ² | CFM | 505 | 675 | 845 | 1015 | 1185 | 1350 | 1690 | 2030 | 2365 |
| | | NC | <20 | <20 | 20 | 25 | 30 | 30-35 | 35-40 | 40-45 | 50> |
| | | Throw(ft.) | 10 11 12 | 13.5 15 17 | 17 19 21 | 19 22 25 | 22 26 30 | 25 30 35 | 30 37 44 | 36 45 54 | 42 52 62 |
| 30x12 26x14 | Eff. Area 1.88 ft ² | CFM | 565 | 750 | 940 | 1130 | 1315 | 1505 | 1880 | 2255 | 2630 |
| | | NC | <20 | <20 | 20 | 25 | 30 | 30-35 | 35-40 | 45-50 | 50> |
| | | Throw(ft.) | 13.5 15 17 | 18 20 22 | 23 25 28 | 26 31 36 | 31 36 41 | 35 41 47 | 41 51 61 | 49 61 73 | 57 71 85 |
| 36x12 32x14 | Eff. Area 2.23 ft ² | CFM | 670 | 890 | 1115 | 1340 | 1560 | 1785 | 2230 | 2675 | 3120 |
| | | NC | <20 | <20 | 20 | 25 | 30 | 30-35 | 35-40 | 45-50 | 50> |
| | | Throw(ft.) | 11.5 13 14.5 | 16 18 20 | 20 22 24 | 23 27 31 | 26 31 36 | 31 36 41 | 36 45 54 | 43 54 65 | 50 62 74 |



Engineering Data for 903, 904, 933, 934 (Double Deflection C) Series

| SIZE | VELOCITY | | 300 | 400 | 500 | 600 | 700 | 800 | 1000 | 1200 | 1400 |
|----------------|------------------------------------|------------|---------------|---------------|---------------|-----------------|-----------------|-----------------|------------------|-----------------|------------------|
| | DUCT PT. | | 0.005 | 0.01 | 0.016 | 0.023 | 0.031 | 0.041 | 0.064 | 0.093 | 0.125 |
| 8x6 12x4 | Eff. Area 0.190 ft ² | CFM | 55 | 75 | 95 | 115 | 135 | 150 | 190 | 230 | 265 |
| | | NC | <20 | <20 | <20 | 20 | 25 | 30 | 35 | 40 | 45 |
| | | Throw(ft.) | 2.5 3 3.5 | 3.5 4 4.5 | 4.5 5 5.5 | 5 6 7 | 6 7 8 | 7 8 9 | 8 10 12 | 9.5 12 14.5 | 10.5 13 15.5 |
| 10x6 16x4 | Eff. Area 0.248 ft ² | CFM | 75 | 100 | 125 | 150 | 175 | 200 | 250 | 300 | 350 |
| | | NC | <20 | <20 | <20 | 20 | 25 | 30 | 35 | 40 | 45 |
| | | Throw(ft.) | 2.5 3 3.5 | 4.5 5 5.5 | 5.5 6 6.5 | 6 7 8 | 7 8 9 | 7.5 9 10.5 | 9 11 13 | 11 14 17 | 13 16 19 |
| 12x6 18x4 | Eff. Area 0.300 ft ² | CFM | 90 | 120 | 150 | 180 | 210 | 240 | 300 | 360 | 420 |
| | | NC | <20 | <20 | <20 | 20 | 25 | 30 | 35 | 40 | 45-50 |
| | | Throw(ft.) | 3.5 4 4.5 | 4.5 5 5.5 | 5.5 6 6.5 | 6 7 8 | 7 8 9 | 8.5 10 11.5 | 9.5 12 14.5 | 11 14 17 | 13.5 17 20 |
| 10x8 14x6 | Eff. Area 0.355 ft ² | CFM | 105 | 140 | 180 | 215 | 250 | 285 | 355 | 425 | 495 |
| | | NC | <20 | <20 | <20 | 20 | 25 | 30 | 35 | 40 | 45-50 |
| | | Throw(ft.) | 3.5 4 4.5 | 4.5 5 5.5 | 6.5 7 7.5 | 7 8 9 | 8.5 10 11.5 | 9.5 10 11.5 | 10.5 13 15.5 | 13 16 19 | 15 19 23 |
| 12x8 24x4 | Eff. Area 0.425 ft ² | CFM | 130 | 170 | 210 | 255 | 300 | 340 | 425 | 510 | 595 |
| | | NC | <20 | <20 | <20 | 20 | 25 | 30 | 35 | 40 | 45-50 |
| | | Throw(ft.) | 3.5 4 4.5 | 5 5.5 6.5 | 6.5 7 7.5 | 7 8 9 | 8.5 10 11.5 | 9.5 11 12.5 | 11 14 17 | 13.5 17 20 | 16 20 24 |
| 10x10 18x6 | Eff. Area 0.442 ft ² | CFM | 135 | 175 | 220 | 265 | 310 | 355 | 442 | 530 | 620 |
| | | NC | <20 | <20 | <20 | 20 | 25 | 30 | 35 | 40 | 45-50 |
| | | Throw(ft.) | 3.5 4 4.5 | 4.5 5 5.5 | 6.5 7 7.5 | 7 8 9 | 7.5 9 10.5 | 9.5 11 12.5 | 10.5 13 15.5 | 13 16 19 | 15 19 23 |
| 12x12 14x10 | Eff. Area 0.638 ft ² | CFM | 190 | 255 | 320 | 385 | 445 | 510 | 640 | 765 | 895 |
| | | NC | <20 | <20 | <20 | 20 | 25 | 30 | 35-40 | 40-45 | 50> |
| | | Throw(ft.) | 4.5 5 5.5 | 5.5 6 6.5 | 7 8 9 | 8.5 10 11.5 | 9.5 11 12.5 | 11 13 15 | 13 16 19 | 15 19 23 | 18 22 26 |
| 14x12 20x8 | Eff. Area 0.701 ft ² | CFM | 210 | 280 | 350 | 420 | 490 | 560 | 700 | 840 | 980 |
| | | NC | <20 | <20 | <20 | 20 | 25 | 30 | 35-40 | 40-45 | 50> |
| | | Throw(ft.) | 4.5 5 5.5 | 5.5 6 6.5 | 7 8 9 | 8.5 10 11.5 | 9.5 11 12.5 | 11 13 15 | 13 16 19 | 15 19 23 | 16 20 24 |
| 14x14 20x10 | Eff. Area .885 ft ² | CFM | 265 | 355 | 440 | 530 | 620 | 710 | 885 | 1060 | 1240 |
| | | NC | <20 | <20 | 20 | 25 | 30 | 30-35 | 35-40 | 40-45 | 50> |
| | | Throw(ft.) | 4.5 5 5.5 | 6.5 7 7.5 | 8 9 10 | 9.5 11 12.5 | 10 12 14 | 12 14 16 | 14.5 18 22 | 17 21 25 | 20 25 30 |
| 18x12 26x8 | Eff. Area .924 ft ² | CFM | 275 | 370 | 460 | 555 | 645 | 740 | 925 | 1110 | 1295 |
| | | NC | <20 | <20 | 20 | 25 | 30 | 30-35 | 35-40 | 40-45 | 50> |
| | | Throw(ft.) | 5.5 6 6.5 | 6.5 7 7.5 | 8 9 10 | 9.5 11 12.5 | 11 13 15 | 13 15 17 | 15 19 23 | 18 22 26 | 21 26 31 |



Engineering Data for 903, 904, 933, 934 (Double Deflection C) Series

| SIZE | VELOCITY | | 300 | 400 | 500 | 600 | 700 | 800 | 1000 | 1200 | 1400 |
|----------------|-----------------------------------|------------|---------------|--------------|------------------|----------------|----------------|----------------|--------------|--------------|--------------|
| | DUCT PT. | | 0.005 | 0.01 | 0.016 | 0.023 | 0.031 | 0.041 | 0.064 | 0.093 | 0.125 |
| 24x12 28x10 | Eff. Area 1.30 ft ² | CFM | 390 | 520 | 650 | 780 | 910 | 1040 | 1300 | 1560 | 1820 |
| | | NC | <20 | <20 | 20 | 25 | 30 | 30-35 | 35-40 | 40-45 | 50> |
| | | Throw(ft.) | 5.5 6 6.5 | 7 8 9 | 9 10 11 | 10 12 14 | 13 15 17 | 14.5 17 20 | 17 21 25 | 20 25 30 | 23 29 35 |
| 18x18 32x10 | Eff. Area 1.49 ft ² | CFM | 445 | 595 | 745 | 895 | 1045 | 1190 | 1490 | 1790 | 2085 |
| | | NC | <20 | <20 | 20 | 25 | 30 | 30-35 | 35-40 | 40-45 | 50> |
| | | Throw(ft.) | 6.5 7 7.5 | 9 10 11 | 11 12 13 | 12 14 16 | 14.5 17 20 | 16 19 22 | 19 24 29 | 23 29 35 | 26 33 40 |
| 30x12 26x14 | Eff. Area 1.66 ft ² | CFM | 500 | 665 | 830 | 995 | 1160 | 1330 | 1660 | 1990 | 2325 |
| | | NC | <20 | <20 | 20 | 25 | 30 | 30-35 | 35-40 | 45-50 | 50> |
| | | Throw(ft.) | 7 8 9 | 9 10 11 | 11 12 13 | 12 15 17 | 14.5 17 20 | 17 20 23 | 20 25 30 | 24 30 36 | 28 35 42 |
| 36x12 32x14 | Eff. Area 1.98 ft ² | CFM | 595 | 790 | 990 | 1190 | 1385 | 1585 | 1980 | 2375 | 2770 |
| | | NC | <20 | <20 | 20 | 25 | 30 | 30-35 | 35-40 | 45-50 | 50> |
| | | Throw(ft.) | 7 8 9 | 10 11 12 | 12.5 14 15.5 | 14.5 17 20 | 16 19 22 | 19 22 25 | 22 28 34 | 26 33 40 | 31 39 47 |