



RANGAIRE

MFG

Since 1948, Rangaire Manufacturing Company has been a trusted partner and source for manufactured military and consumer products. Since our founding, we have manufactured and distributed turn-key products for a number of trusted brands in the electronics, appliances, ventilation, and building products industries.

Headquartered in Cleburne, Texas, USA, Rangaire Manufacturing Company boasts a 215,000 square foot facility that offers customers a single source for product manufacturing and distribution. We market our own brands while also providing expertise, manufacturing, and distribution for a number of private-label products and OEM parts for a variety of industries.

Today, our keystone product is the Jensen Medicine Cabinet, a collection of medicine cabinets designed and marketed for both new construction and remodel and renovation. Whether our customers seek quality medicine cabinets at low cost, or custom-designed cabinets worthy of any luxury accommodation, our cabinets promise functionality and value for any installation.

Rangaire's history is one of technical expertise, manufacturing excellence and relentless customer focus. While our product lines have evolved, we remain committed to providing high-quality, high-value products at competitive prices. We view our role not as a supplier, but as a partner for our customers. Our success depends on our ability to make you successful, which includes inventory management, lead time optimization, quality solutions, and cost effective products. We realize that our customers are our top priority, and we work hard to bring value to our partnerships around the world. We look forward to earning your trust and supporting your success.

www.RangaireMFG.com

Rangaire Manufacturing Company, LP

501 South Wilhite Street, Cleburne, TX 76031 • 800-325-8351



Style, craftsmanship... Storage Solutions!

MEDICINE CABINETS

Ovals

- 4 Metro Oval
- 4 Cameo
- 4 Dunhill

Arches, Faceted & Octagons

- 5 Le Baccarat
- 5 Metro Arch
- 6 Sonata
- 6 Baker Street
- 6 Metro Octagon
- 6 Mirage

Rectangles – Frameless

- 8 Gallery
- 10 Metro Deluxe
- 10 Metro Classic
- 12 Meridian – Electric
- 12 Mirror on Mirror
- 13 Studio IV

Rectangles – Frameless Oversize

- 14 Gallery Oversize
- 14 Metro Deluxe Oversize
- 15 Metro Classic Oversize
- 15 Simplicity
- 16 Horizon
- 16 Ashland

Rectangles – Frameless Basic

- 18 Cove
- 18 S-cube
- 18 Galena
- 19 Illusion
- 19 Horizon
- 20 Ultra
- 20 Perfect Square

Builder Series

- 20 Builder Series
- 21 Focus
- 21 Topsider

Rectangles – Framed

- 22 Studio V
- 22 Barrington
- 23 Ashton
- 24 Hampton
- 25 Hudson
- 26 City
- 28 Soho
- 28 Mission
- 28 Prairie
- 29 Sheridan
- 29 Grant

Rectangles – Framed Oversize

- 30 Granville
- 30 Harmony
- 31 Contempora
- 31 Commodore
- 31 Beauty Glide

Rectangles – Framed Basic

- 32 Modular Shelf
- 32 Styleline
- 33 Builder Series
- 33 Styleline
- 33 S-cube
- 33 Topsider

Specialty Applications

- 34 Corner Mount Corner
- 34 Narrow Body Pillar, Low Profile, Illusion, Bel Aire
- 34 Federal Specification Federal Spec, Styleline

Lighted

- 36 455FL
- 36 555IL
- 37 Styleline II
- 37 Lafayette
- 38 Granville
- 39 Ensign
- 39 Flair
- 39 Ashland

MULTI-USE CABINETS

- 40 Security Cabinet
- 40 Louver
- 40 Hideaway
- 41 Hampton Locking

MIRRORS

- 42 Theft-Proof
- 42 PEM Series

ACCESSORIES

- 42 Ganging Kits
- 42 Surface Mount Kits
- 42 Cosmetic Boxes

DESIGN SOLUTIONS

- 44 Choose, Create, Compose and Complement

FINISHES

- 46 Frame & Housing Finishes

CODES/GLOSSARY

- 48 Code Definitions
- 50 Model Number Index
- 51 Collection Name Index



Traditional, Contemporary, Classic, or unassuming Transitional... Whatever your style, Jensen has a mirrored cabinet that lets you express it. Whether remodeling or building, the selection is vast and provides options for most installations. Flexible features meet your needs including fast installation, aesthetic centerpiece, extra viewing space, extra storage, or even hidden storage. Install a Jensen cabinet today.



Metro Oval S368244OVWH



Cameo
1358



Metro Oval
S368244OVWH
Side mirror kit included
for surface mount applications
Snap fit shelf supports



Dunhill
1370M
Maple Frame (MP01)



Dunhill
1370WH
Classic White Frame (PT02)



Le Baccarat
LBC10
Multi-faceted mirror with
concealed door
Magnifying mirror
Interior back panel mirror
Stainless shelf supports



Metro Arch
52WH244PA
Interior back panel mirror
Right-hand door swing (RH)

Framed and Frameless

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Housing	Finish Frame	Mirror/Lens	Shelves		Handing (Door Swing)	Hinge		
	w	h	d	w	h	d	(Body Depth)	Style/Material				Qty	Material		Type	Type	Degree
Metro Oval																	
Recess or Surface Mount																	
S368244OVWH	24	35-7/8	4-1/2	14-1/4	24	4	4	WB/ST	PT01	FMLS	1 BVL	3	GL	ADJ	LH/RH	HG01	125
Side mirror kit included – for use in surface mount applications																	
Recess Mount																	
52WH184PV	21-1/4	31-1/4	4-1/2	14-1/4	18	3-1/2	-	WB/ST	PT01	FMLS	1/2 BVL	2	GL	ADJ	LH/RH	HG01	90
Cameo – Recess Mount																	
1358	24	36	4-1/2	14	24	3-1/2	-	HY/ST	PT01	FMLS	1/2 BVL	2	ST	ADJ	LH/RH	HG01	-
Dunhill – Recess Mount																	
1370	21	31	5-1/2	14	18	3-1/2	-	HY/ST	PT01	OK01	-	2	GL	ADJ	LH/RH	HG01	90
1370M	21	31	5-1/2	14	18	3-1/2	-	HY/ST	PT01	MP01	-	2	GL	ADJ	LH/RH	HG01	-
1370WH	21	31	5-1/2	14	18	3-1/2	-	HY/ST	PT01	PT02	-	2	GL	ADJ	LH/RH	HG01	-
Le Baccarat – Recess Mount																	
LBC10	24	35-3/8	4-3/8	16-1/2	25-1/4	3-7/8	-	WB/SS	SS4	FMLS	1/2 BVL	2	GL	ADJ	RH	HG12	115
Metro Arch – Recess or Surface Mount*																	
52WH244PA	15	31-1/4	5	14-1/4	24	4	4	WB/ST	PT01	FMLS	1/2 BVL	3	GL	ADJ	RH	HG12	125

For code definitions, see pg. 48-49

* Cabinets intended for Surface Mount applications require a Surface Mount Kit, see pg. 42



Baker Street Arch 830C
shown with Cherry
Frame (CY01)



Metro Octagon 52WH244PT



Sonata
258
1/2" beveled mirror



Baker Street
830C
Cherry Frame (CY01)



Mirage
1456



Metro Octagon
52WH244PT
Interior back panel mirror


Framed and Frameless

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing (Body Depth)	Housing Style/Material	Housing	Finish Frame	Mirror/Lens	Shelves Qty	Shelves Material	Shelves Type	Handing (Door Swing)	Hinge Type	Hinge Degree
	w	h	d	w	h	d											
Sonata – Recess Mount																	
258	16	32	4-1/2	14	24	3-1/2	-	HY/ST	PT01	FMLS	1/2 BVL	3	PC	ADJ	RH	HG01	90
Baker Street – Recess Mount																	
830C	17-7/16	33-7/8	5-1/4	14	24	3-1/2	-	HY/ST	PT01	CY01	-	3	GL	ADJ	RH	HG01	90
Metro Octagon – Recess or Surface Mount*																	
52WH244PT	15	31-1/4	5	14-1/4	24	4	4	WB/ST	PT01	FMLS	1/2 BVL	3	GL	ADJ	LH/RH	HG12	125
Mirage – Recess Mount																	
1454	18	27	4-1/2	12	18	3-1/2	-	WB/ST	PT01	FMLS	1/2 BVL	2	PC	ADJ	LH/RH	HG01	90
1456	17-3/8	32	4-1/2	14	24	3-1/2	-	HY/ST	PT01	FMLS	1/2 BVL	2	ST	ADJ	LH/RH	HG01	-

For code definitions, see pg. 48-49

For finishes, see pg. 47

* Cabinets intended for Surface Mount applications require a Surface Mount Kit, see pg. 42





Gallery 72SS344D



Gallery

72SS244D + Surface Mount Kit 760024
25" tall, 5" deep
Surface mount application shown
Surface mount kit includes side mirrors and mounting bracket*



Gallery

72WH344D
35" tall,
beveled mirror
Recess mount
application shown



25" or 35" tall, 4" or 6" deep

Gallery is available in two cabinet styles:
A. Fabricated stainless steel cabinet with a black door.
B. Enameled white steel cabinet with a white door.

Reversible mounting allows left- or right-hand (170°) door swing.

Exterior mirror is premium float glass that provides a deep rich reflection.

Adjustable glass shelves for superior light reflection.

Snap-fit shelf supports lock glass shelves in place.

Interior back panel mirror.

Interior door mirror.

Integral recessed door finger pull.

Full perimeter bumper cushions the door for a quiet close.

Gallery Frameless



Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Housing	Finish Frame	Mirror/Lens	Shelves Qty	Shelves Material	Shelves Type	Handing (Door Swing)	Hinge	
	w	h	d	w	h	d	(Body Depth)	Style/Material								Type	Degree
Gallery																	
Recess or Semi-Recess Mount*																	
72SS246D	15	25	7	14-1/4	24	4+**	6	WB/SS	SS4	FMLS	1 BVL	3	GL	ADJ	LH/RH	HG02	170
72SS346D	15	35	7	14-1/4	34	4+**	6	WB/SS	SS4	FMLS	1 BVL	4	GL	ADJ	LH/RH	HG02	170
Recess or Surface Mount*																	
72SS244D	15	25	5	14-1/4	24	4	4	WB/SS	SS4	FMLS	1 BVL	3	GL	ADJ	LH/RH	HG02	170
72SS344D	15	35	5	14-1/4	34	4	4	WB/SS	SS4	FMLS	1 BVL	4	GL	ADJ	LH/RH	HG02	170
72WH244D	15	25	5	14-1/4	24	4	4	WB/ST	PT01	FMLS	1 BVL	3	GL	ADJ	LH/RH	HG02	170
72WH344D	15	35	5	14-1/4	34	4	4	WB/ST	PT01	FMLS	1 BVL	4	GL	ADJ	LH/RH	HG02	170

** 4" wall opening depth required for Semi-Recess Mount applications, 6" wall opening depth required for Recess Mount applications

* Cabinets intended for Surface Mount applications require a Surface Mount Kit, see pg. 42

For code definitions, see pg. 48-49

For finishes, see pg. 47





Metro Classic 52WH244PF shown with Surface Mount Kit 760024



Metro Deluxe
52WH244DP

25" or 35" tall, 4" deep

Metro Deluxe reversible installation allows right- or left-hand (170°) door opening.

Exterior mirrors are premium float glass ensuring distortion-free viewing and a rich reflection. Available in both polished or 1/2" beveled trim options.

Interior mirrors on the back of the cabinet and the inside door add light and functionality.

Glass shelves provide light reflection, strength and easy cleaning.

Snap-fit shelf supports ensure glass shelves stay in place, but can be easily removed for cleaning.

14-1/4" wide wall openings allow for easy retrofit installations or between studs for new construction.

Fabricated steel construction features a durable rust-resistant finishing process.

Corner bumpers cushion the door for a soft, quiet close.



Metro Classic
52WH244P

25" or 35" tall, 4" deep

Metro Classic reversible installation allows right- or left-hand (125°) opening.

Exterior mirrors are premium float glass ensuring distortion-free viewing and a rich reflection. Available in either polished or 1/2" beveled trim options.

Glass shelves provide superior light reflection, strength and easy cleaning.

Snap-fit shelf supports ensure shelves stay in place, but can be easily removed for cleaning.

14-1/4" wide wall openings allow for easy retrofit installations or between studs for new construction.

Fabricated steel construction features a durable rust-resistant finishing process.

Corner bumpers cushion the door for a soft, quiet close.



Metro Deluxe
52WH244DPF +
Surface Mount Kit 760024
25" cabinet with pencil polish mirror
Surface mount application shown



Metro Classic
52WH344P



Mount Multiple cabinets together to create functional wall mirror. See pg. 44 for Ganging Attachment Kits.

Frameless

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Housing	Finish Frame	Mirror/Lens	Qty	Shelves		Handing (Door Swing)	Hinge	
	w	h	d	w	h	d	(Body Depth)	Style/Material					Material	Type		Type	Degree
Metro Deluxe																	
Recess or Surface Mount*																	
52WH244DP	15	25	5	14-1/4	24	4	4	WB/ST	PT01	FMLS	1/2 BVL	3	GL	ADJ	LH/RH	HG02	170
52WH344DP	15	35	5	14-1/4	34	4	4	WB/ST	PT01	FMLS	1/2 BVL	4	GL	ADJ	LH/RH	HG02	170
52WH244DPF	15	25	5	14-1/4	24	4	4	WB/ST	PT01	FMLS	POL1	3	GL	ADJ	LH/RH	HG02	170
52WH344DPF	15	35	5	14-1/4	34	4	4	WB/ST	PT01	FMLS	POL1	4	GL	ADJ	LH/RH	HG02	170

Metro Classic – Recess or Surface Mount*


52WH244P	15	25	5	14-1/4	24	4	4	WB/ST	PT01	FMLS	1/2 BVL	3	GL	ADJ	LH/RH	HG12	125
52WH344P	15	35	5	14-1/4	34	4	4	WB/ST	PT01	FMLS	1/2 BVL	4	GL	ADJ	LH/RH	HG12	125
52WH244PF	15	25	5	14-1/4	24	4	4	WB/ST	PT01	FMLS	POL1	3	GL	ADJ	LH/RH	HG12	125
52WH344PF	15	35	5	14-1/4	34	4	4	WB/ST	PT01	FMLS	POL1	4	GL	ADJ	LH/RH	HG12	125

* Cabinets intended for Surface Mount applications require a Surface Mount Kit, see pg. 42

For code definitions, see pg. 48-49



Meridian - Electric 704317



Meridian - Electric
704325
Cabinets can be mounted in tandem vertically and horizontally. *Ganging Kits required, see pg. 42)



Mirror on Mirror
1450BC
Clear beveled center mirror with grey, beveled background mirror



Studio IV
S468244SS

- 25" or 35" tall, 4" deep
- Reversible installation allows right- or left-hand (170°) door opening, with comfort grip edge.
- Exterior mirror is premium float glass ensuring distortion-free viewing and a rich reflection—1" bevel.
- Interior mirrors on the back of the cabinet and the inside door add light and functionality.
- Adjustable glass shelves provide light reflection, strength and easy cleaning.
- Snap-fit shelf supports ensure glass shelves stay in place, but can be easily removed for cleaning.
- 14-1/4" wide wall openings allow for easy retrofit installations or between studs for new construction.
- Fabricated stainless steel cabinet bodies.
- Corner bumpers cushion the door for a soft, quiet close.

Frameless

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Housing	Finish Frame	Mirror/Lens	Shelves Qty	Shelves Material	Shelves Type	Handing (Door Swing)	Hinge	
	w	h	d	w	h	d	(Body Depth)	Style/Material								Type	Degree
Meridian - Electric, Recess or Surface Mount*																	
704301	15	25	5	14-1/4	24	4	4	WB/ST	PT01	FMLS	1/2 BVL	2	GL	ADJ	LH/RH	HG12	170
704309	15	35	5	14-1/4	34	4	4	WB/ST	PT01	FMLS	1/2 BVL	3	GL	ADJ	LH/RH	HG12	170
704317	15	25	5	14-1/4	24	4	4	WB/ST	PT01	FMLS	POL1	2	GL	ADJ	LH/RH	HG12	170
704325	15	35	5	14-1/4	34	4	4	WB/ST	PT01	FMLS	POL1	3	GL	ADJ	LH/RH	HG12	170
Studio IV - Recess or Surface Mount*																	
S468244SS	15	25	5	14-1/4	24	4	4	WB/SS	SS4	FMLS	1 BVL	3	GL	ADJ	LH/RH	HG02	170
S468344SS	15	35	5	14-1/4	34	4	4	WB/SS	SS4	FMLS	1 BVL	4	GL	ADJ	LH/RH	HG02	170
Mirror on Mirror - Recess Mount																	
1450BC	16	26	5	14	18	3-1/2	-	WB/ST	PT01	FMLS	1/2 BVL	2	PC	ADJ	LH/RH	HG01	90

For code definitions, see pg. 48-49

* Cabinets intended for Surface Mount applications require a Surface Mount Kit, see pg. 42



Oversize cabinets feature a larger mirror, greater storage space and better proportion with a larger vanity.



Gallery 72SS304D

- 30" tall, 4" deep
- Fabricated stainless steel cabinet with a black door (shown right).
- Reversible mounting allows left- or right-hand (125°) door opening.
- Exterior mirror is premium float glass that provides a deep rich reflection—framed in a 1/2" beveled trim.
- Adjustable glass shelves for superior light reflection.
- Snap-fit shelf supports lock glass shelves in place.
- Interior mirrors on the back of the cabinet and the inside door add light and functionality.
- Integral recessed door finger pull.
- A rubber bumper around the perimeter cushions the door for a quiet close.



Gallery Oversize
72SS304D
10" wider than typical medicine cabinet, the 4 shelves provide 180 square inches of extra storage space

- 25" or 30" tall, 4" deep
- Reversible installation allows left- or right-hand (170°) door opening.
- Exterior mirror ensures a distortion-free, rich reflection and is available in either polished or 1/2" beveled trim options.
- Interior mirrors on the door and cabinet back to add light and functionality.
- Adjustable glass shelves provide light reflection, strength and easy cleaning.
- Snap-fit shelf supports ensure glass shelves stay in place, but can be easily removed for cleaning.
- Fabricated steel construction features a durable rust-resistant finishing process.
- Corner bumpers cushion the door for a soft, quiet close.



Metro Deluxe Oversize
52WH254DPF

- 30" tall, 4" deep
- Reversible installation allows left- or right-hand (170°) door opening.
- Exterior mirror ensures a distortion-free, rich reflection and is available in either polished or 1/2" beveled trim options.
- Bright white enamel interior.
- Adjustable glass shelves provide light reflection, strength and easy cleaning.
- Snap-fit shelf supports ensure glass shelves stay in place, but can be easily removed for cleaning.
- Fabricated steel construction features a durable rust-resistant finishing process.
- Corner bumpers cushion the door for a soft, quiet close.



Metro Classic Oversize
52WH304PF



Simplicity
530924

Frameless Oversize

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing (Body Depth)	Housing Style/Material	Housing	Finish Frame	Mirror/Lens	Shelves		Handing (Door Swing)	Hinge		
	w	h	d	w	h	d						Qty	Material Type		Type	Type	Degree
Gallery Oversize – Recess or Surface Mount*																	
72SS304D	24	30	5	23-1/4	29	4	4	WB/SS	SS4	FMLS	1/2 BVL	4	GL	ADJ	LH/RH	HG12	125
Metro Deluxe Oversize – Recess or Surface Mount*																	
52WH254DP	20	25	5	19-1/4	24	-	4	WB/ST	PT01	FMLS	1/2 BVL	3	GL	ADJ	LH/RH	HG02	170
52WH304DP	24	30	5	23-1/4	29	-	4	WB/ST	PT01	FMLS	1/2 BVL	4	GL	ADJ	LH/RH	HG02	170
52WH254DPF	20	25	5	19-1/4	24	-	4	WB/ST	PT01	FMLS	POL1	3	GL	ADJ	LH/RH	HG02	170
52WH304DPF	24	30	5	23-1/4	29	-	4	WB/ST	PT01	FMLS	POL1	4	GL	ADJ	LH/RH	HG02	170
Metro Classic Oversize – Recess or Surface Mount*																	
52WH304P	24	30	5	23-1/4	29	-	4	WB/ST	PT01	FMLS	1/2 BVL	4	GL	ADJ	LH/RH	HG12	125
52WH304PF	24	30	5	23-1/4	29	-	4	WB/ST	PT01	FMLS	POL1	4	GL	ADJ	LH/RH	HG12	125
Simplicity – Recess Mount																	
530924	24	30	4-7/8	21-1/2	27-1/2	3-1/2	-	WB/ST	PT01	FMLS	1/2 BVL	2	GL	ADJ	LH/RH	HG01	90

For code definitions, see pg. 48-49

* Cabinets intended for Surface Mount applications require a Surface Mount Kit, see pg. 42



Horizon 255030 shown with
Vanity Light H043090



Horizon
255036
Fabricated steel body with durable
rust resistant finish
Adjustable steel shelves
36" Horizon models have wider center
door, all other models have equal
sized doors

Horizon
255024
Fabricated steel body with durable
rust-resistant finish
Adjustable steel shelves



Ashland
755288
Dowel and glue construction
Particle board body
CARB 93120 Phase I
compliant for formaldehyde


Frameless Oversize

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing (Body Depth)	Housing Style/Material	Finish Housing	Finish Frame	Mirror/Lens	Shelves		Handing (Door Swing)	Hinge		
	w	h	d	w	h	d						Qty	Material Type		Type	Type	Degree
Horizon – Recess Mount																	
255024	24	24	5	21-3/4	20-3/8	3-1/2	-	WB/ST	PT01	FMLS	1/2 BVL	2	ST	ADJ	-	HG05	90
255030	30	28-1/4	5	27-3/4	24-3/4	3-1/2	-	WB/ST	PT01	FMLS	1/2 BVL	2	ST	ADJ	-	HG05	90
255036	36	28-1/4	5	33-3/4	24-3/4	3-1/2	-	WB/ST	PT01	FMLS	1/2 BVL	2	ST	ADJ	-	HG05	90
255048	48	28-1/4	5	45-3/4	24-3/4	3-1/2	-	WB/ST	PT01	FMLS	1/2 BVL	2	ST	ADJ	-	HG05	90
Horizon – Surface Mount																	
255224	24	24	5-1/4	-	-	-	-	WB/ST	PT01	FMLS	1/2 BVL	2	ST	FX	-	HG05	-
255230	30	28-1/4	5-1/4	-	-	-	-	WB/ST	PT01	FMLS	1/2 BVL	2	ST	FX	-	HG05	-
255236	36	28-1/4	5-1/4	-	-	-	-	WB/ST	PT01	FMLS	1/2 BVL	2	ST	FX	-	HG05	-
255248	48	28-1/4	5-1/4	-	-	-	-	WB/ST	PT01	FMLS	1/2 BVL	2	ST	FX	-	HG05	-
Ashland – Surface Mount																	
755272	24	24	4-3/4	-	-	-	-	FMLS/WD	PT02	FMLS	1/2 BVL	2	WD	FX	-	HG12/HG24	-
755280	30	24	4-3/4	-	-	-	-	FMLS/WD	PT02	FMLS	1/2 BVL	2	WD	FX	-	HG12/HG24	-
755288	36	28	4-3/4	-	-	-	-	FMLS/WD	PT02	FMLS	1/2 BVL	2	WD	FX	-	HG12/HG24	-
755296	48	28	4-3/4	-	-	-	-	FMLS/WD	PT02	FMLS	1/2 BVL	2	WD	FX	-	HG12/HG24	-


For code definitions, see pg. 48-49
Ashland lighted cabinets, see pg. 39

Size Options

Available in multiple sizes.
Please see chart for additional information.
(Ashland shown)



Medicine cabinet mirror doors open as shown.
Door swing can not be changed.





Cove
1035P24WHG
Rubberized magnet closure



S-cube
868P24SS
Solid stainless steel construction
Stainless steel shelves
Beveled mirror



Galena
1448
Stainless steel housing
Glass shelves



Illusion
629SS
Low profile 1/4" projection from wall
Magnetic touch latch



Horizon
B7233B85PC
Plastic housing
1/2" beveled mirror
Positive catch latch



Horizon
868P34WHG
Steel housing
Glass shelves

Frameless Basic

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Housing	Finish Frame	Mirror/Lens	Shelves			Handing (Door Swing)	Hinge	
	w	h	d	w	h	d	(Body Depth)	Style/Material				Qty	Material	Type		Type	Degree
Cove – Recess Mount																	
1035P24WH	16	26	4-1/2	14	24	3-1/2	-	WB/ST	PT01	FMLS	POL1	2	ST	ADJ	LH/RH	HG01	-
1035P34WH	16	36	4-1/2	14	34	3-1/2	-	WB/ST	PT01	FMLS	POL1	3	ST	ADJ	LH/RH	HG01	-
1035P24WHG	16	26	4-1/2	14	24	3-1/2	-	HY/ST	PT01	FMLS	POL1	3	GL	ADJ	LH/RH	HG01	-
1035P34WHG	16	36	4-1/2	14	34	3-1/2	-	WB/ST	PT01	FMLS	POL1	3	GL	ADJ	LH/RH	HG01	-
S-cube – Recess Mount																	
868P24SS	16	26	4-1/2	14	24	3-1/2	-	WB/SS	SS4	FMLS	1/2 BVL	3	SS	ADJ	LH/RH	HG01	-
Galena – Recess Mount																	
1447	16	20	4-1/2	14	18	3-1/2	-	WB/SS	SS4	FMLS	1/2 BVL	2	GL	ADJ	LH/RH	HG01	-
1448	16	26	4-1/2	14	24	3-1/2	-	WB/SS	SS4	FMLS	1/2 BVL	3	GL	ADJ	LH/RH	HG01	-
868P24SSG	16	26	4-1/2	14	24	3-1/2	-	WB/SS	SS4	FMLS	1/2 BVL	3	GL	ADJ	LH/RH	HG01	-
Illusion – Recess Mount																	
629SS	15	36	3-3/4	14	34-1/4	3-1/2	-	WB/SS	SS4	FMLS	POL1	4	GL	ADJ	LH/RH	HG05	90

For code definitions, see pg. 48-49
For finishes, see pg. 47

Frameless Basic

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Housing	Finish Frame	Mirror/Lens	Shelves			Handing (Door Swing)	Hinge	
	w	h	d	w	h	d	(Body Depth)	Style/Material				Qty	Material	Type		Type	Degree
Horizon – Recess Mount																	
B7233B85PC*	16	22	3-5/8	14	18	-	-	PC	PT01	FMLS	1/2 BVL	2	PC	ADJ	LH/RH	HG01	90
B773385	16	26	3-5/8	14	24	3-1/2	-	PC	PT01	FMLS	1/2 BVL	3	PC	ADJ	LH/RH	HG01	90
868M22XWHZ	16	22	4-1/4	14	18	3-1/4	3-3/4	PC	PT01	FMLS	1/2 BVL	2	PC	ADJ	LH/RH	HG01	-
1453ADJ	16	20	3-3/4	14	18	3	-	PC	PT01	FMLS	1/2 BVL	2	PC	ADJ	LH/RH	HG01	90
1459	16	26	4-3/4	14	24	3-1/2	-	HY/ST	PT01	FMLS	1/2 BVL	2	ST	ADJ	LH/RH	HG01	-
1459BP2	2 pack of 1459																
1459MOD**	16	26	4-1/2	14	24	3-1/2	-	HY/ST	PT01	FMLS	1/2 BVL	6	PC	MOD	LH/RH	HG01	-
1451	16	26	4-3/4	14	18	3-1/2	-	WB/ST	PT01	FMLS	1/2 BVL	2	PC	ADJ	LH/RH	HG01	90
868P34WH	16	36	4-1/2	14	34	3-1/2	4	WB/ST	PT01	FMLS	1/2 BVL	2	ST	ADJ	LH/RH	HG01	-
868P34WHG	16	36	4-1/2	14	34	3-1/2	4	WB/ST	PT01	FMLS	1/2 BVL	3	GL	ADJ	LH/RH	HG01	-
Surface Mount																	
B72338501	16	22	4-1/4	-	-	-	-	PC	PT01	FMLS	1/2 BVL	2	PC	FX	LH/RH	HG01	90

For code definitions, see pg. 48-49
* B7233B85PC includes positive catch latch

** 1459MOD includes 6 half shelves. For similar interior image, see 468MOD on pg. 32



Ultra
869P24WHG
Spring loaded touch latch
90° stop hinge



Perfect Square
823P24WH
90° stop hinge



Builder Series
781061
24" plastic housing
Beveled mirror

Builder Series
781029
18" plastic housing
Polished edge mirror



Focus
B7733
Plastic housing
Adjustable shelves



Focus
1438
Drawn body with
rust-resistant finish

Focus
1430
Formed and welded steel housing
with rust-resistant finish



Topsider
268P26WH

Frameless Basic

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Housing	Finish Frame	Mirror/Lens	Shelves		Handing (Door Swing)	Hinge		
	w	h	d	w	h	d	(Body Depth)	Style/Material				Qty	Material		Type	Type	Degree
Ultra – Recess Mount																	
869P24WH	15	26	4-1/2	14	24	4	4	WB/ST	PT01	FMLS	POL1	2	ST	ADJ	LH/RH	HG05	90
869P34WH	15	36	4-1/2	14	34	4	4	WB/ST	PT01	FMLS	POL1	2	ST	ADJ	LH/RH	HG05	90
869P24WHG	15	26	4-1/2	14	24	4	4	WB/ST	PT01	FMLS	POL1	3	GL	ADJ	LH/RH	HG05	90
869P34WHG	15	36	4-1/2	14	34	4	4	WB/ST	PT01	FMLS	POL1	3	GL	ADJ	LH/RH	HG05	90
Perfect Square – Recess Mount																	
807P24WH	16	26	4-1/2	14	24	4	4	HY/ST	PT01	FMLS	POL1	2	ST	ADJ	LH/RH	HG01	90
823P24WH	16	26	4-1/2	14	24	4	4	HY/ST	PT01	FMLS	1/2 BVL	3	ST	ADJ	LH/RH	HG01	90
Builder Series – Recess Mount																	
781029	16	22	3-3/4	14	18	2-3/4	3-5/8	PC	PT01	FMLS	POL1	2	PC	FX	LH/RH	HG01	-
781053	16	26	3-3/4	14	24	2-3/4	3-5/8	PC	PT01	FMLS	POL1	3	PC	FX	LH/RH	HG01	-
781037	16	22	3-3/4	14	18	2-3/4	3-5/8	PC	PT01	FMLS	1/2 BVL	2	PC	FX	LH/RH	HG01	-
781061	16	26	3-3/4	14	24	2-3/4	3-5/8	PC	PT01	FMLS	1/2 BVL	3	PC	FX	LH/RH	HG01	-

For code definitions, see pg. 48-49

Frameless Basic

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Housing	Finish Frame	Mirror/Lens	Shelves		Handing (Door Swing)	Hinge		
	w	h	d	w	h	d	(Body Depth)	Style/Material				Qty	Material		Type	Type	Degree
Focus – Recess Mount																	
B7233	16	22	3-3/4	14	18	2-5/8	-	PC	PT01	FMLS	POL1	2	PC	ADJ	LH/RH	HG01	-
B7733	16	26	3-5/8	14	24	3-1/2	-	PC	PT01	FMLS	POL1	3	PC	ADJ	LH/RH	HG01	90
1438	16	26	4-1/2	14	24	3-1/2	-	HY/ST	PT01	FMLS	POL1	2	ST	ADJ	LH/RH	HG01	-
1438BP2	2 pack of 1438																
835P24WHD*	16	26	4-1/2	14	24	3-1/2	-	HY/ST	PT01	FMLS	POL1	6	PC	MOD	LH/RH	HG01	-
835P24WHD BP2	2 pack of 835P24WHD																
1430	16	22	4-3/4	14	18	3-1/2	-	WB/ST	PT01	FMLS	POL1	2	PC	ADJ	LH/RH	HG01	90
835P34WH	16	36	4-1/2	14	34	3	3-1/2	WB/ST	PT01	FMLS	POL1	2	ST	ADJ	LH/RH	HG01	-
835P34WHD**	16	36	4-1/2	14	34	3-1/2	4	WB/ST	PT01	FMLS	POL1	8	PC	MOD	LH/RH	HG01	-
Topsider – Surface Mount																	
235P26WH	16	26	5	-	-	-	-	WB/ST	PT01	FMLS	POL1	3	ST	FX2	LH/RH	HG01	-
268P26WH	16	26	5	-	-	-	-	WB/ST	PT01	FMLS	1/2 BVL	3	ST	FX2	LH/RH	HG01	-

For code definitions, see pg. 48-49

* Includes 6 adjustable half shelves. For similar interior, see 468MOD on pg. 32

** Includes 8 adjustable half shelves. For similar interior, see 468MOD on pg. 32



Studio V S568N244SSNP shown with Satin Nickel Frame (NI4)



Studio V
S568N244SSNP
Satin Stainless Steel formed housing (WB/SS)

- 25" or 35" tall
- Features a fabricated stainless steel cabinet with a black door.
- Framed 1/2" beveled front mirror.
- Adjustable glass shelves for superior light reflection.
- Snap-fit shelf supports lock glass shelves in place.
- Interior mirrors on the back of the cabinet and the inside door add light and functionality.
- Reversible mounting allows left- or right-hand (170°) opening.



Studio V
S568N244SSBZP
Oil Rubbed Bronze Frame (ORB)



Barrington
56SS184CSN
Satin Nickel Frame (NI4)



Ashton
625N244BZPX
Oil Rubbed Bronze Frame (ORB)
Drawn body with rust-resistant finish



Ashton
625N244SNPX
Satin Nickel Frame (NI4)

Framed

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Housing	Finish Frame	Mirror/Lens	Shelves			Handing (Door Swing)	Hinge	
	w	h	d	w	h	d	(Body Depth)	Style/Material				Qty	Material	Type		Type	Degree
Studio V																	
Recess or Surface Mount*																	
S568N244SSNP	15	25	-	14-1/4	24	4	4	WB/SS	SS4	NI4	1/2 BVL	3	GL	ADJ	LH/RH	HG02	170
S568N244SSBZP	15	25	-	14-1/4	24	4	4	WB/SS	SS4	ORB	1/2 BVL	3	GL	ADJ	LH/RH	HG02	170
S568N244SSWHP	15	25	-	14-1/4	24	4	4	WB/SS	SS4	PT03	1/2 BVL	3	GL	ADJ	LH/RH	HG02	170
S568N344SSNP	15	35	-	14-1/4	34	4	4	WB/SS	SS4	NI4	1/2 BVL	4	GL	ADJ	LH/RH	HG02	170
S568N344SSBZP	15	35	-	14-1/4	34	4	4	WB/SS	SS4	ORB	1/2 BVL	4	GL	ADJ	LH/RH	HG02	170
S568N344SSWHP	15	35	-	14-1/4	34	4	4	WB/SS	SS4	PT03	1/2 BVL	4	GL	ADJ	LH/RH	HG02	170

Ashton

Recess Mount

625N244BZPX	15-3/4	25-1/2	5	14	24	3-1/2	-	HY/ST	PT01	ORB	-	3	GL	ADJ	LH/RH	HG01	110
625N244SNPX	15-3/4	25-1/2	5	14	24	3-1/2	-	HY/ST	PT01	NI4	-	3	GL	ADJ	LH/RH	HG01	110

Barrington

Recess or Surface Mount*

56SS184CSN	15	19	5	14	18	3-3/4	-	WB/ST	PT01	NI4	-	2	GL	ADJ	LH/RH	HG01	-
------------	----	----	---	----	----	-------	---	-------	------	-----	---	---	----	-----	-------	------	---

Side mirror kit included - for use in surface mount applications

For code definitions, see pg. 48-49

For finishes, see pg. 47

* Cabinets intended for Surface Mount applications require a Surface Mount Kit, see pg. 42



Hampton
625N244SNC
Satin Nickel Frame (NI4)



Hampton
625N244BZC
Oil Rubbed Bronze Frame (ORB)



Hampton
625N244WHC
Gloss White Frame (PT03)

Hampton
625N244COC
Satin Copper Frame (CU4)

25-1/2" tall, 3-1/2" deep

Available with a drawn steel body finished with a white rust-resistant finish.


Innovative magnetic soft-close door secure system.

Three adjustable glass shelves.

Durable lances support shelves.

Reversible mounting allows left- or right-hand opening.

Piano hinge provides smooth operation.



Hudson
781005
Satin Chrome Frame (CH4)
Plastic housing



Hudson
781013
Matte Black Frame (BK11)
Plastic housing


Framed

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Housing	Finish Frame	Mirror/Lens	Shelves			Handing (Door Swing)	Hinge	
	w	h	d	w	h	d	(Body Depth)	Style/Material				Qty	Material	Type		Type	Degree
Hampton - Recess Mount																	
625N244SNC	15-3/4	25-1/2	5	14	24	3-3/4	-	HY/ST	PT01	NI4	-	3	GL	ADJ	LH/RH	HG01	110
625N244BZC	15-3/4	25-1/2	5	14	24	3-3/4	-	HY/ST	PT01	ORB	-	3	GL	ADJ	LH/RH	HG01	110
625N244COC	15-3/4	25-1/2	5	14	24	3-3/4	-	HY/ST	PT01	CU4	-	3	GL	ADJ	LH/RH	HG01	110
625N244WHC	15-3/4	25-1/2	5	14	24	3-3/4	-	HY/ST	PT01	PT03	-	3	GL	ADJ	LH/RH	HG01	110
Hudson - Recess Mount																	
781005	16	20	4-1/8	14	18	2-3/4	3-5/8	PC	PT01	CH4	-	2	PC	FX	LH/RH	HG01	90
781013	16	20	4-1/8	14	18	2-3/4	3-5/8	PC	PT01	BK11	-	2	PC	FX	LH/RH	HG01	90

For code definitions, see pg. 48-49

For finishes, see pg. 47

Hampton 625N244BZC shown with Oil Rubbed Bronze Frame (ORB)





City 62BK244CCN shown in Chestnut Frame (CN01)



City
62BK244CBK
Matte Black Frame (BK11)



City
62BK244CCY
Dark Cherry Frame (CY01)



City
62BK244CCN
Chestnut Frame (CN01)



City
62BK244CMP
Maple Frame (MP01)



26-1/2" tall, 4" deep

- Powder-coated satin-black (BK11) cabinet.
- Reversible mounting allows left- or right-hand (170°) door opening.
- Exterior mirror is premium float glass that provides a deep rich reflection—flat-front available in City.
- Adjustable glass shelves for superior light reflection.
- Snap-fit shelf supports lock glass shelves in place.
- Interior mirrors on the back of the cabinet and the inside door add light and functionality.
- Rubber bumpers cushion the door for a quiet close.

Framed

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Housing	Finish Frame	Mirror/Lens	Shelves		Handing (Door Swing)	Hinge		
	w	h	d	w	h	d	(Body Depth)	Style/Material				Qty	Material		Type	Type	Degree
City - Recess or Surface Mount*																	
62BK244CBK	16-1/2	26-1/2	5-1/4	14-1/4	24	4	4	WB/ST	BK11	BK11	-	3	GL	ADJ	LH/RH	HG12	170
62BK244CCY	16-1/2	26-1/2	5-1/4	14-1/4	24	4	4	WB/ST	BK11	CY01	-	3	GL	ADJ	LH/RH	HG12	170
62BK244CCN	16-1/2	26-1/2	5-1/4	14-1/4	24	4	4	WB/ST	BK11	CN01	-	3	GL	ADJ	LH/RH	HG12	170
62BK244CMP	16-1/2	26-1/2	5-1/4	14-1/4	24	4	4	WB/ST	BK11	MP01	-	3	GL	ADJ	LH/RH	HG12	170

For code definitions, see pg. 48-49

For finishes, see pg. 47

* Surface Mount applications require Surface Mount Kit, see pg. 42



Soho
850C
Dark Cherry
Frame (CY01)

Soho
850M
Light Maple Frame
(MP01)



Mission
9000C
Dark Cherry
Frame (CY01)

Prairie
8120
Classic White Frame
(PT02)



Sheridan
780989
Espresso Finish
(ESP02)

Sheridan
755467
Honey Oak
Finish (OK01)

Sheridan
755459
Classic White Finish (PT02)
CARB93120 Phase I
compliant for formaldehyde



Grant
8778
Honey Oak
Frame (OK01)

Framed

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Housing	Finish Frame	Mirror/Lens	Qty	Shelves		Handing (Door Swing)	Hinge	
	w	h	d	w	h	d	(Body Depth)	Style/Material					Type	Material		Type	Type
Soho – Recess Mount																	
850C	17-3/16	27-7/16	5-1/4	14	24	3-1/2	-	HY/ST	PT01	CY01	1/2 BVL	3	GL	ADJ	LH/RH	HG01	90
850M	17-3/16	27-7/16	5-1/4	14	24	3-1/2	-	HY/ST	PT01	MP01	1/2 BVL	3	GL	ADJ	LH/RH	HG01	90
Mission – Recess Mount																	
9000C	17-3/16	33-7/16	5-1/8	14	24	3-1/2	-	HY/ST	PT01	CY01	1/2 BVL	3	GL	ADJ	RH	HG01	90
Prairie – Recess Mount																	
8128	17-3/8	27-3/8	5-1/4	14	24	3-1/2	-	HY/ST	PT01	PT02	-	3	PC	ADJ	LH/RH	HG01	90
8120	17-3/8	27-3/8	5-1/4	14	18	3-1/2	-	HY/ST	PT01	PT02	-	2	PC	ADJ	LH/RH	HG01	90

For code definitions, see pg. 48-49

Framed

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Housing	Finish Frame	Mirror/Lens	Qty	Shelves		Handing (Door Swing)	Hinge	
	w	h	d	w	h	d	(Body Depth)	Style/Material					Type	Material		Type	Type
Sheridan – Surface Mount																	
780989	15	19	4-3/4	-	-	-	-	FMLS/WD	ESP02	ESP02	-	1	WD	FX	LH/RH	HG24	-
755459	15	19	4-3/4	-	-	-	-	FMLS/WD	PT02	PT02	-	1	WD	FX	LH/RH	HG24	-
755467	15	19	4-3/4	-	-	-	-	FMLS/WD	OK01	OK01	-	1	WD	FX	LH/RH	HG24	-
Grant – Recess Mount																	
8773	16-1/4	22	4-5/8	14	18	2-1/2	-	PC	PT01	OK01	-	2	PC	FX	LH/RH	HG04	-
8778	16-1/4	26-1/4	5-3/8	14	24	3-1/2	-	HY/ST	PT01	OK01	-	3	PC	ADJ	LH/RH	HG01	-

For code definitions, see pg. 48-49

For finishes, see pg. 47



Granville
740613
Classic White Finish (PT02)
Solid wood frame
CARB93120 Phase I
compliance for formaldehyde



Granville
740621
Honey Oak
Finish (OK01)
Integral mounting bars



Harmony
533124
Polished Chrome Frame (CH8)




Contempora
B703850
Polished Stainless
Steel Frame (SS8)
Recess mount option



Contempora
B704850
Polished Stainless Steel Frame (SS8)



Commodore
VM224M
Polished Stainless Steel Frame (SS8)
Sliding mirror doors



Beauty Glide
SB330
Polished Stainless Steel Frame (SS8)
Optional mirror handles included

Framed Oversize

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing (Body Depth)	Housing Style/Material	Finish Housing	Finish Frame	Mirror/Lens	Qty	Shelves Material	Type	Handing (Door Swing)	Hinge	
	w	h	d	w	h	d										Type	Degree
Granville – Surface Mount																	
740589	24	24	4-3/4	-	-	-	-	FMLS/WD	PT02	PT02	-	2	WD	FX	-	HG03	-
740957	30	26	4-3/4	-	-	-	-	FMLS/WD	PT02	PT02	-	2	WD	FX	-	HG03	-
740605	36	30	4-3/4	-	-	-	-	FMLS/WD	PT02	PT02	-	2	WD	FX	-	HG03	-
740613	48	30	4-3/4	-	-	-	-	FMLS/WD	PT02	PT02	-	2	WD	FX	-	HG03	-
740621	24	24	4-3/4	-	-	-	-	FMLS/WD	OK01	OK01	-	2	WD	FX	-	HG03	-
740639	30	24	4-3/4	-	-	-	-	FMLS/WD	OK01	OK01	-	2	WD	FX	-	HG03	-
740647	36	30	4-3/4	-	-	-	-	FMLS/WD	OK01	OK01	-	2	WD	FX	-	HG03	-
740655	48	30	4-3/4	-	-	-	-	FMLS/WD	OK01	OK01	-	2	WD	FX	-	HG03	-
Harmony – Recess Mount																	
533124	24	30	5-7/8	21-1/2	27-1/2	3-1/2	-	WB/ST	PT01	CH8	-	2	GL	ADJ	LH/RH	HG01	90

For code definitions, see pg. 48-49
Granville Lighted Cabinets, see pg. 38


Framed Oversize

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing (Body Depth)	Housing Style/Material	Finish Housing	Finish Frame	Mirror/Lens	Qty	Shelves Material	Type	Handing (Door Swing)	Hinge	
	w	h	d	w	h	d										Type	Degree
Contempora Recess Mount																	
B703850	24-5/8	19-3/16	4	23-3/8	18	3-1/2	-	WB/ST	PT01	SS8	-	2	ST	ADJ	-	-	-
Contempora Surface Mount																	
B704850	24	19-1/4	4	-	-	-	-	WB/ST	PT01	SS8	-	2	ST	FX2	-	-	-
Commodore – Surface Mount																	
J1645P48CH	48	32	4-1/4	-	-	-	-	WB/ST	CH8	SS8	Mirror doors	-	-	-	-	-	-
VM224M	24-1/4	32	4-1/8	-	-	-	-	WB/ST	CH8	SS8	Mirror doors	-	-	-	-	-	-
VM230M	30-1/4	32	4-1/8	-	-	-	-	WB/ST	CH8	SS8	Mirror doors	-	-	-	-	-	-
VM236M	36-1/4	32	4-1/8	-	-	-	-	WB/ST	CH8	SS8	Mirror doors	-	-	-	-	-	-
Beauty Glide – Recess Mount																	
SB330	31-3/8	21-3/8	5-1/4	30-1/4	19-3/4	3-1/2	-	WB/ST	PT01	SS8	-	2	GL	ADJ	-	-	-

For code definitions, see pg. 48-49
For finishes, see pg. 47

Size Options

Granville is available in multiple sizes. Please see chart for additional information.



Granville mirror doors open as shown. Door swing cannot be changed.



Modular Shelf
468MOD
6 half shelves adjust to multiple configurations without tools



Styleline
840P34CH
Formed and welded steel housing



Styleline
468BC
Drawn steel body with rust-resistant finish



Styleline
840M18CH
Plastic housing
Adjustable plastic shelves



Styleline
84018CH
Formed and welded steel housing with rust-resistant finish



Styleline
84024BRG
Polished Brass Frame (BR8)



S-cube
84024SS
Solid Stainless Steel housing and shelves



Builder Series
781021
Plastic housing
Fixed shelves

Styleline
614
Surface mount plastic housing



Topsider
26018CH
Surface mount



Styleline
420BC
Polished Stainless Steel Frame (SS8)

Framed Basic

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Finish			Shelves		Handling	Hinge		
	w	h	d	w	h	d	(Body Depth)	Style/Material	Housing	Frame	Mirror/Lens	Qty	Material	Type	(Door Swing)	Type	Degree
Modular Shelf – Recess Mount																	
468MOD	16	26	4-1/2	14	24	3-1/2	-	HY/ST	PT01	SS8	-	6	PC	MOD	LH/RH	HG01	-
468MODBP2	2 pack of 468MOD																
S-cube – Recess Mount																	
84024SS	16	26	4-1/2	14	24	3-1/2	-	WB/SS	SS4	SS8	-	3	SS	ADJ	LH/RH	HG01	-
Styleline – Stainless Trim Recess Mount																	
401ADJ*	16	20	3-3/4	14	18	2-1/2	-	PC	PT01	SS8	-	2	PC	ADJ	LH/RH	HG04	-
407ADJ*	16	22	3-3/4	14	18	3	-	PC	PT01	SS8	-	2	PC	ADJ	LH/RH	HG01	-
B772193	16	26	3-7/8	14	23-3/4	3	-	PC	PT01	SS8	-	3	PC	ADJ	LH/RH	HG01	-
840M18CH	16	22	3-3/4	14	18	3	-	PC	PT01	SS8	-	2	PC	ADJ	LH/RH	HG01	-
840M18CH/2	2 pack of 840M18CH																
84024CHG	16	26	4-1/2	14	24	3-1/2	-	HY/ST	PT01	SS8	-	2	GL	ADJ	LH/RH	HG01	-
84024CHGBP2	2 pack of 84024CHG																
468BC	16	26	4-1/2	14	24	3-1/2	-	HY/ST	PT01	SS8	-	3	ST	ADJ	LH/RH	HG01	-
468BCBP2	2 pack of 468BC																
84018CH	16	22	4-1/2	14	18	3-1/2	-	WB/ST	PT01	SS8	-	2	ST	ADJ	LH/RH	HG01	-
420BC	16-1/8	22-3/16	4-1/2	14	20	3-3/4	-	WB/ST	PT01	SS8	-	2	ST	ADJ	LH/RH	HG01	-
490	18	24	5	16	20-1/4	3-1/2	-	WB/ST	PT01	SS8	-	3	PC	ADJ	LH/RH	HG01	90
495	20	30	5	17-1/4	26-1/4	3-1/2	-	WB/ST	PT01	SS8	-	3	PC	ADJ	LH/RH	HG01	90
840P34CH	16	36	4-1/2	14	34	3-1/2	-	WB/ST	PT01	SS8	-	3	ST	ADJ	LH/RH	HG01	-
Styleline – Brass Trim Recess Mount																	
84024BRG	16	26	4-1/2	14	24	3-1/2	-	HY/ST	PT01	BR8	-	3	GL	ADJ	LH/RH	HG01	-

For code definitions, see pg. 48-49

For finishes, see pg. 47

* Fiber board door back

Framed Basic

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Finish			Shelves		Handling	Hinge		
	w	h	d	w	h	d	(Body Depth)	Style/Material	Housing	Frame	Mirror/Lens	Qty	Material	Type	(Door Swing)	Type	Degree
Builder Series – Recess Mount																	
781021	16	22	3-3/4	14	18	2-3/4	3-5/8	PC	PT01	SS8	-	2	PC	FX	LH/RH	HG04	-
781045	16	26	3-3/4	14	24	2-3/4	3-5/8	PC	PT01	SS8	-	3	PC	FX	LH/RH	HG04	-
Styleline – Surface Mount																	
614*	16-1/4	22-1/4	4-1/4	-	-	-	-	PC	PT01	SS8	-	2	PC	FX	LH/RH	HG01	-
422SM	14	20	5-3/8	-	-	-	-	WB/ST	PT01	SS8	-	2	PC	FX2	LH/RH	HG01	-
452SM	16	22	5-1/8	-	-	-	-	WB/ST	PT01	SS8	-	2	PC	FX2	LH/RH	HG01	90
M18249301	18	24	5	-	-	-	-	WB/ST	PT01	SS8	-	3	GL	ADJ	LH/RH	HG01	90
M18369301	18	36-1/8	4-3/4	-	-	-	-	WB/ST	PT01	SS8	-	3	ST	ADJ	LH/RH	HG01	90
S-cube – Surface Mount																	
230P26SS	16	26	5	-	-	-	4-1/2	WB/SS	SS4	SS8	-	3	SS	ADJ	LH/RH	HG01	-
Topsider – Surface Mount																	
26018CH	14	18	5	-	-	-	-	WB/ST	PT01	SS8	-	2	ST	FX2	LH/RH	HG01	-
260P26CH	16	26	5	-	-	-	-	WB/ST	PT01	SS8	-	3	ST	FX2	LH/RH	HG01	-
260P26CHBP2	2 pack of 260P26CH																

For code definitions, see pg. 48-49
For finishes, see pg. 47

* Fiber board door back



Corner
860P30CH
Polished Stainless Steel Frame (SS8)
Corner models ending in "CH" include a Polished Chrome edge trim



Pillar
735M34WH
10-1/2" wide body



Low Profile
663BC
3/8" projection from the wall



Illusion
664
12" wide body with pencil polish edge mirror
1/4" projection from the wall



Bel Aire
626
Polished Stainless Steel Frame (SS8)
13" wide surface mount application



Federal Spec
460P34CH
5/32" thick glass shelves



Styleline
472FS
Polished Stainless Steel Frame (SS8)

Corner Mount

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Housing	Finish Frame	Mirror/Lens	Shelves Qty	Shelves Material	Shelves Type	Handing (Door Swing)	Hinge	
	w	h	d	w	h	d	(Body Depth)	Style/Material								Type	Degree
Corner – Surface Mount																	
860P30CH	16	30	8	-	-	-	-	WB/ST	PT01	SS8	-	2	ST	FX	LH/RH	HG01	-
860P36CH	16	36	8	-	-	-	-	WB/ST	PT01	SS8	-	3	ST	FX	LH/RH	HG01	-
867P30WH	16	30	8	-	-	-	-	WB/ST	PT01	FMLS	1/2 BVL	2	ST	FX	LH/RH	HG01	-
867P36WH	16	36	8	-	-	-	-	WB/ST	PT01	FMLS	1/2 BVL	3	ST	FX	LH/RH	HG01	-

Narrow Body

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Housing	Finish Frame	Mirror/Lens	Shelves Qty	Shelves Material	Shelves Type	Handing (Door Swing)	Hinge	
	w	h	d	w	h	d	(Body Depth)	Style/Material								Type	Degree
Pillar – Recess Mount																	
735M34WH	12	36	4-1/2	10-1/2	34	3-1/2	-	PC	PT01	FMLS	POL1	3	PC	ADJ	LH/RH	HG01	-
735M34WHG	12	36	4-1/2	10-1/2	34	3-1/2	-	PC	PT01	FMLS	POL1	3	GL	ADJ	LH/RH	HG01	-
768M34WH	12	36	4-1/2	10-1/2	34	3-1/2	-	PC	PT01	FMLS	1/2 BVL	3	PC	ADJ	LH/RH	HG01	-
Low Profile – Recess Mount																	
663BC	15	36	3-7/8	12-1/2	34-1/4	3-1/2	-	WB/ST	PT01	FMLS	POL1	3	GL	ADJ	LH/RH	HG01	90
Illusion – Recess Mount																	
639BC	13	36	3-3/4	12	34-1/4	3-1/2	-	WB/ST	PT01	FMLS	POL1	3	ST	ADJ	LH/RH	HG05	90
664	13	36	3-3/4	12	34-1/4	3-1/2	-	WB/ST	PT01	FMLS	POL1	3	GL	ADJ	LH/RH	HG05	90
Bel Aire – Recess Mount																	
625	13	36	5-1/4	11-1/4	33-1/2	3-1/2	-	WB/ST	PT01	SS8	-	3	PC	ADJ	LH/RH	HG01	90
Bel Aire – Surface Mount																	
626	13	36	4-3/4	-	-	-	-	WB/ST	PT01	SS8	-	3	PC	FX	LH/RH	HG01	90

Federal Specification*

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Housing	Finish Frame	Mirror/Lens	Shelves Qty	Shelves Material	Shelves Type	Handing (Door Swing)	Hinge	
	w	h	d	w	h	d	(Body Depth)	Style/Material								Type	Degree
Federal Spec – Recess Mount																	
460P34CH	16	36	4-1/2	14	34	3-1/2	-	WB/ST	PT01	SS8	-	3	GL	ADJ	LH/RH	HG01	90
461P24CH	18	26	4-1/2	16	24	3-1/2	-	WB/ST	PT01	SS8	-	3	GL	ADJ	LH/RH	HG01	90
Styleline – Surface Mount																	
472FS	16	22	5-1/8	-	-	-	-	WB/ST	PT01	SS8	-	3	GL	ADJ	LH/RH	HG01	90
Styleline – Recess Mount																	
470FS	16	26	5-1/4	14	24	3-1/2	-	HY/ST	PT01	SS8	-	3	GL	ADJ	LH/RH	HG01	90
473FS	16	22	5-1/4	14	18	3-1/2	-	HY/ST	PT01	SS8	-	3	GL	ADJ	LH/RH	HG01	90
478FS	16	26	5-1/4	14	24	3-1/2	-	HY/ST	PT01	SS8	-	3	AL	ADJ	LH/RH	HG01	90

For code definitions, see pg. 48-49

For finishes, see pg. 47

* Meets Federal Spec #WW-P-541/8B



455FL
Integral fluoresent side lights, grounded outlet and on/off switch (Bulbs included)



Styleline II
565
Polished Chrome Frame (CH8) top and bottom of mirror door
Polished Chrome (CH8) socket cups



Lafayette
1402
1/2" beveled mirror (1/2 BVL) and back plate with radiused corners
Polished Chrome (CH8) socket cups



555IL
Polished Stainless Steel Frame (SS8)
Integral grounded outlet and on/off switch



Cabinet 455FL shown with Polished Stainless Steel Frame (SS8)

Lighted

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Housing	Finish Frame	Mirror/Lens	Shelves Qty	Material	Type	Handing (Door Swing)	Hinge Type	Degree
	w	h	d	w	h	d	(Body Depth)	Style/Material									
Lighted Cabinets																	
Recess Mount																	
455FL	20-3/8	22-1/4	7-1/4	14	19	3-1/2	-	WB/ST	PT01	SS8	-	2	PC	ADJ	RH	HG01	90
Surface Mount																	
555IL	16	24	8	-	-	-	-	WB/ST	PT01	SS8	-	2	PC	FX	RH	HG01	90
Styleline II – Surface Mount																	
565	18	28	4-3/4	-	-	-	-	WB/ST	PT01	CH8	-	3	ST	ADJ	RH	HG01	90
Lafayette – Surface Mount																	
1402	18-1/8	32-3/8	4-3/4	-	-	-	-	WB/ST	PT01	FMLS	1/2 BVL	3	ST	ADJ	RH	HG01	90

For code definitions, see pg. 48-49
Bulbs not included unless otherwise specified

For finishes, see pg. 47

Bulb Type

Collection Name	Model Number	Quantity	Lamping (Bulbs)*		
			Type	Basve	Voltage
455FL	455FL	2	F15T8	bi-pin	120
555IL	555IL	2	I60A	med	120
Styleline II	565	3	I60G	med	120
Lafayette	1402	3	I60G	med	120
Oakdale	2072	3	I60G	med	120

* See glossary (pg. 49) for more information on lamping



Granville
755363
Classic White (PT02)
Satin Nickel (NI4) socket cups
Particle board housing with PVC laminate



Granville
755395
Honey Oak (OK01)
Satin Nickel (NI4) socket cups
Solid oak frame



Ensign
124LP
Sliding doors
Integral grounded outlet and on/off switch




Flair
327LP
Integral on/off switch



Ashland
755443

Ashland mirror doors open as shown. Door swing cannot be changed.



Lighted Framed

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Finish			Shelves		Handing		Hinge	
	w	h	d	w	h	d	(Body Depth)	Style/Material	Housing	Frame	Mirror/Lens	Qty	Material	Type	(Door Swing)	Type	Degree
Granville – Surface Mount*																	
755363	24	30	4-3/4	-	-	-	-	FMLS/WD	PT02	PT02	-	2	WD	FX	-	HG03	-
755371	30	30	4-3/4	-	-	-	-	FMLS/WD	PT02	PT02	-	2	WD	FX	-	HG03	-
755379	36	30	4-3/4	-	-	-	-	FMLS/WD	PT02	PT02	-	2	WD	FX	-	HG03	-
755387	48	30	4-3/4	-	-	-	-	FMLS/WD	PT02	PT02	-	2	WD	FX	-	HG03	-
755395	24	30	4-3/4	-	-	-	-	FMLS/WD	OK01	OK01	-	2	WD	FX	-	HG03	-
755403	30	30	4-3/4	-	-	-	-	FMLS/WD	OK01	OK01	-	2	WD	FX	-	HG03	-
755411	36	30	4-3/4	-	-	-	-	FMLS/WD	OK01	OK01	-	2	WD	FX	-	HG03	-
755419	48	30	4-3/4	-	-	-	-	FMLS/WD	OK01	OK01	-	2	WD	FX	-	HG03	-

For code definitions, see pg. 48-49

* CARB 93120 Phase 1 compliant for formaldehyde

For finishes, see pg. 47


Bulbs not included

Size Options

Granville and Ashland are available in multiple sizes. Please see chart for additional information. (Granville shown)



Granville mirror doors open as shown. Door swing cannot be changed.



Lighted Framed

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Finish			Shelves		Handing		Hinge	
	w	h	d	w	h	d	(Body Depth)	Style/Material	Housing	Frame	Mirror/Lens	Qty	Material	Type	(Door Swing)	Type	Degree
Ensign – Surface Mount																	
124LP	24	23-1/2	8-1/4	-	-	-	-	WB/ST	PT01	SS8	-	1	ST	FX2	-	-	-
Flair – Surface Mount																	
323LP	23-3/4	19-3/8	7-1/2	-	-	-	-	WB/ST	PT01	SS8	-	1	ST	FX	-	-	-
327LP	28	19-1/2	7-1/2	-	-	-	-	WB/ST	PT01	SS8	-	1	ST	FX2	-	-	-

Lighted Frameless

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Finish			Shelves		Handing		Hinge	
	w	h	d	w	h	d	(Body Depth)	Style/Material	Housing	Frame	Mirror/Lens	Qty	Material	Type	(Door Swing)	Type	Degree
Ashland – Surface Mount*																	
755427	23-1/2	28	4-3/4	-	-	-	-	FMLS/WD	PT02	FMLS	1/2 BVL	2	WD	FX	-	HG24 / HG12	-
755435	30	28	4-3/4	-	-	-	-	FMLS/WD	PT02	FMLS	1/2 BVL	2	WD	FX	-	HG24 / HG12	-
755443	36	28	4-3/4	-	-	-	-	FMLS/WD	PT02	FMLS	1/2 BVL	2	WD	FX	-	HG24 / HG12	-
755451	47-3/4	28	4-3/4	-	-	-	-	FMLS/WD	PT02	FMLS	1/2 BVL	2	WD	FX	-	HG24 / HG12	-

For code definitions, see pg. 48-49

* CARB 93120 Phase 1 compliant for formaldehyde

For finishes, see pg. 47

Bulbs not included

Bulb Type

Collection Name	Model Number	Lamping (Bulbs)*			
		Quantity	Type	Base	Voltage
Granville	755363, 755395	3	I60G	med	120
Granville	755371, 755403	4	I60G	med	120
Granville	755379, 755411	5	I60G	med	120
Granville	755387, 755419	6	I60G	med	120
Oak Hollywood	2471IL	4	I60A	med	120
Ensign	124LP	4	I60A	med	120
Ensign	128LP	5	I60A	med	120


Collection Name	Model Number	Lamping (Bulbs)*			
		Quantity	Type	Base	Voltage
Flair	327LP	4	I60A	med	120
Ashland	755427	3	I60G	med	120
Ashland	755435	4	I60G	med	120
Ashland	755443	5	I60G	med	120
Ashland	755451	6	I60G	med	120

* See glossary (pg. 49) for more information on lamping

Small space, tight corner, security need, or desire for discrete storage, Jensen multi-use cabinets adapt. Providing locking elements, camouflage doors, or furniture like looks, these cabinets provide function at the point of need.



Security Cabinet RSC2000N



Security Cabinet
RSC1000N



NOTICE: These products are not wall safes and are not intended to provide protection against fire or theft.

Security cabinets feature a tamper-resistant door.



Hampton Locking
625N244SNCL
Satin Nickel Frame (NI4)
Non-key retaining cylinder includes 2 brass keys

Locking

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Finish			Shelves		Handing		Hinge	
	w	h	d	w	h	d	(Body Depth)	Style/Material	Housing	Frame	Mirror/Lens	Qty	Material	Type	(Door Swing)	Type	Degree
Security Cabinet – Recess Mount																	
RSC1000N	15-3/4	26	3-1/2	14	24	3-1/2	-	HY/ST	PT01	-	-	2	ST	ADJ	LH/RH	HG01	-
Hampton Locking – Recess Mount																	
625N244SNCL	15-3/4	25-1/2	5	14	24	3	-	HY/ST	PT01	NI4	-	3	GL	ADJ	LH/RH	HG01	110
625N244BZCL	15-3/4	25-1/2	5	14	24	3	-	HY/ST	PT01	ORB	-	3	GL	ADJ	LH/RH	HG01	110



Louver
602/605ADJ
Unfinished Pine Door (UNF - Pine)
Ready to paint or stain



Louver
615
White plastic door



Louver
606/609
Unfinished Pine Door (UNF - Pine)
Ready to paint or stain



Hideaway
622
Paint to match wall color

Accessible Panel Door

Model Number	Dimensions - Overall			Dimensions - Wall Opening			Housing		Finish			Shelves		Handing		Hinge	
	w	h	d	w	h	d	(Body Depth)	Style/Material	Housing	Frame	Mirror/Lens	Qty	Material	Type	(Door Swing)	Type	Degree
Louver Doors – Recess Mount																	
Arch																	
602	16	24	5-1/4	14	18	3-1/2	-	HY/ST	PT01	UNF - Pine	-	2	PC	ADJ	RH	HG04	-
605ADJ	16	24	4-1/2	14	18	2-1/2	-	PC	PT01	UNF - Pine	-	2	PC	ADJ	RH	HG04	-
615	16-1/4	24-1/2	4-5/8	14	18	2-1/2	-	PC	PT01	-	-	2	PC	FX	LH/RH	HG04	-
Rectangle																	
606	16	22	5-1/4	14	18	3-1/2	-	HY/ST	PT01	UNF - Pine	-	2	PC	ADJ	LH/RH	HG04	-
607ADJ	16	22	4-1/2	14	18	2-1/2	-	PC	PT01	UNF - Pine	-	2	PC	ADJ	LH/RH	HG04	-
609	16	26	4-1/2	14	24	3-1/2	-	HY/ST	PT01	UNF - Pine	-	2	ST	ADJ	LH/RH	HG01	-
Hideaway – Recess Mount																	
622	16-1/4	21-7/16	4-1/2	14	18	3-3/4	-	HY/ST	PT01	PT01	-	2	PC	ADJ	LH/RH	HG01	90

For code definitions, see pg. 48-49

For finishes, see pg. 47

For school, public and commercial restrooms, or multi-family applications, Jensen mirrors make good economic sense.



Theft-Proof
178P24CH
Polished Stainless Steel
Frame (SS8)
Galvanized steel mirror back



PEM Series
PEM2424
Pencil Polished Edges (POL1)
Copper backing

Keyhole Mounting System
locks mirror to the wall


Mirrors

Model Number	Dimensions - Overall			Finish	
	w	h	d	Frame	Mirror/Lens
Theft-Proof – Surface Mount					
178P22CH	16	22	-	SS8	-
178P24CH	18	24	-	SS8	-
178P30CH	18	30	-	SS8	-
PEM Series – Surface Mount					
PEM2424	24	24	3/16	FMLS	POL1
PEM3024	30	24	3/16	FMLS	POL1
PEM3036	30	36	3/16	FMLS	POL1
PEM3624	36	24	3/16	FMLS	POL1
PEM4824	48	24	3/16	FMLS	POL1
PEM6036	60	36	3/16	FMLS	POL1

For code definitions, see pg. 48-49
For finishes, see pg. 47



Ganging Kit
76GK
Mount or "gang" multiple
cabinets together



Surface Mount Kit
Includes 2 side mirrors
and mounting bracket



Cosmetic Box
V30
Polished Stainless Steel
Frame (SS8)

Model Number	Dimensions - Overall			Housing Style/Material	Finish		Mirror/Lens
	w	h	d		Housing	Frame	
Ganging Kits – Surface or Recess Mount							
Vertical							
G1525	For use with Gallery, Studio, Meridian and Metro cabinets. The number of vertical Ganging Kits needed varies by application.						
Horizontal							
76GK	For use with Gallery, Studio and Metro cabinets: 25", 30" and 35" applications. The number of horizontal Ganging Kits needed varies by application.						

Model Number	Dimensions - Overall			Housing Style/Material	Finish		Mirror/Lens
	w	h	d		Housing	Frame	
Surface Mount Kits							
Surface Mount – 4" Body Depth							
760024	For 25" high cabinets: Studio IV, Studio V, Gallery, Metro Classic, Metro Deluxe, Metro Arch, Metro Octagon, City, iColor, Meridian			-	24	4	
760025	For 25" high Metro Oversize cabinets			-	25	4	
760030	For 30" high Gallery Oversize and Metro Oversize cabinets			-	29	4	
760034	For 35" high cabinets: Studio IV, Studio V, Gallery, Metro Deluxe, Metro Classic, Meridian			-	34	4	
Semi-Recess – 6" Body Depth							
G1530	For 25" high cabinets: Gallery			-	24	6	
G1540	For 35" high cabinets: Gallery			-	34	6	

Model Number	Dimensions - Overall			Housing Style/Material	Finish		Mirror/Lens
	w	h	d		Housing	Frame	
Cosmetic Boxes							
V24	24-1/4	8-3/4	4-1/4	ST	CH8	SS8	Mirror doors
V30	30-1/4	8-3/4	4-1/4	ST	CH8	SS8	Mirror doors
V36	36-1/4	8-3/4	4-1/4	ST	CH8	SS8	Mirror doors
V48	48-1/4	8-3/4	4-1/4	ST	CH8	SS8	Mirror doors

For code definitions, see pg. 48-49


Choose, Create, Compose, or Complement... It's easy to do this and more with Jensen medicine cabinets. Express your own creativity, or use these ideas as inspiration. Functional storage can be fun, unique, and beautiful!

Create a Functional Wall Mirror



Shown above: Two Illusion 629SS bath cabinets with a 1/4" thick center mirror, and top and side mirror panels (purchased separately through your local glass company). NOTE: 1/4" thick mirrors are required to maintain the flush mount look between all mirrored surfaces.

Compose Multiple Cabinets



Mount (gang) multiple cabinets together horizontally and create a functional wall mirror. Gang cabinets vertically and create a functional, full-length mirror.




Expand storage by ganging multiple cabinets together. Further customize by incorporating a professionally crafted frame to match your woodwork. (Custom frames are not supplied by Jensen)


See pgs. 42-43 for more on ganging cabinets.



Two Ultra 869P24WH with flat center mirror. (Center mirror purchased separately from local glass company.)



Shown above: Two Bel Aire 626 cabinets with a PEM3036 wall mirror mounted in between.



Shown above: PEM3024 wall mirror and V30 storage cabinet. See pg. 42 for more information.

Complement Plumbing Fixtures & Bath Hardware



Satin Nickel (NI4), Brushed Stainless Steel (SS4)



Oil Rubbed Bronze (ORB)



Matte Black (BK11)


Whether remodeling or building, coordinating colors, fixtures, fabrics, and accessories is a necessity. The myriad of Jensen medicine cabinets expand the possibilities of coordinating design elements and adding the ever important functional storage aspect to the mix. Framed or Frameless, standard white, to metal finishes and painted color bodies, Jensen medicine cabinets have what's needed to fill the space.



Frame Finishes



Housing Finishes




Variations in color and texture are common between representation above and actual product
 Frames shown are for indication of color but not specifically frame profile
 Frame samples are available upon request


Codes by chart category


Housing


Code	Definition
------	------------

Style

PC	<p>Plastic Body</p> <p>Molded in plastic, these seamless, one-piece housings may be molded to include fixed shelves or adapted for insertion of shelves later. Common features include light weight, rust resistance, and radiused or slightly rounded corners. Plastic bodies can be made from polystyrene, polypropylene, or polycarbonate.</p> 
----	--

WB	<p>Formed & Welded Body</p> <p>Cabinets made of the formed or pressed metal construction techniques sport clean, crisp, corners and can be made from a myriad of metals including stainless steel. These cabinet bodies can often be designed to accommodate surface or recess mount applications, and shelves in cabinets of this construction are always removable.</p> 
----	--

FMLS	<p>Frameless Wood Body</p> <p>Frameless or panel style cabinets are wood bodied cabinets that don't include a face frame. Generally used in surface mount applications, they have a "furniture" type look and can present a myriad of finish options. Constructed of particle board and coated with a water resistant PVC laminate, these sturdy cabinets are assembled with dowel & glue technique. Their shelves are typically wood construction and can come in fixed or adjustable positioning.</p> 
------	--

HY	<p>Drawn Body</p> <p>Drawn or hydro-formed bodies are made of metal, often steel. Steel bodies are painted with a durable powder coat finish for long life expectancy and strong rust resistance. Common features of a drawn housing, include a seamless, one-piece housing with slightly radiused or rounded corners. Easy to clean, a drawn body's shelves are always removable.</p> 
----	---

Material

AL	Aluminum
GL	Glass
PC	Plastic
SS	Stainless Steel
ST	Steel
WD	Wood




Finish

Code	Definition
------	------------

Housings and Frames

AU01	Satin Gold
BK11	Matte Black
BK12	Metallic Onyx
BR8	Polished Brass
CH4	Satin Chrome
CH8	Polished Chrome
CN01	Chestnut
CU4	Satin Copper
CY01	Dark Cherry
ESP02	Espresso
FMLS	No decorative frame on cabinet
MP01	Light Maple
NI4	Satin Nickel
OK01	Honey Oak
ORB	Oil Rubbed Bronze
PT01	Basic White
PT02	Classic White
PT03	Gloss White
PT31	Cobalt Blue
SS4	Brushed Stainless Steel
SS8	Polished Stainless Steel
UNF	Unfinished Wood

Mirrors and Lenses

1 BVL	1" Bevel Edge	
1/2 BVL	1/2" Bevel Edge	
	An upgrade edge treatment, the bevel edge adds a classic look. The bevels are polished on the flat, adding a "sparkle" to the mirror. Bevels come in many sizes and finishes, and larger bevels require a thicker mirror.	
POL1	Pencil Polished Edge	
	An upgrade edge treatment used with frameless door designs, the pencil polish edge is a clean and modern look.	
	Flat Polish	
	The Flat Polish edge treatment is typical when a mirror finish is not specified. Used commonly when mirror edges are covered by a decorative frame.	

Shelves

Code	Definition
------	------------

Type

ADJ	Adjustable Shelves
FX	Fixed Shelves - Non-Removable
FX2	Fixed Shelves - Removable
MOD	Modular Adjustable Shelves

Material

See Material under Housing above.


Hinge

Code	Definition
------	------------

Types


HG01	<p>Continuous Hinge (Piano)</p> <p>Usually runs the entire length of the door. Small countersink screws are often used for mounting.</p> 
HG02	<p>Euro Style Hinge with Soft Close Feature</p> <p>An upgrade hinge that allows for greater degree of door opening and for multiple adjustment locations to ensure proper door functioning; often self-closing and comes with a soft-close feature.</p>  <p>170° opening</p>
HG03	<p>Pivot Hinge - Glass</p> <p>Pivots on a single point and generally supported by the hinge on the top and on the bottom. When used on a mirror only door, it "grips" the mirror to hold it in place.</p> 
HG04	<p>Butt Hinge</p> <p>A "utility" hinge that is plain and functional. Most commonly seen in pairs or more. Flat head screws are often used for mounting.</p> 
HG05	<p>Concealed Hinge</p> <p>A euro-type hinge used on cabinets without face frames where the hinge must be surface mounted.</p> 
HG12	<p>Euro Style Hinge</p> <p>An upgrade hinge that allows for greater degree of door opening and for multiple adjustment locations to ensure proper door functioning. These hinges are often self-closing.</p>  <p>125° opening</p>
HG13	<p>Pivot Hinge - Surface Mount</p> <p>An adjustable overlay type hinge commonly found on the frameless tri-view cabinets. They can be adjusted at multiple locations to adjust door positioning.</p>  <p>1 leaf 2 leaf</p>
HG24	<p>Inset Hinge - Full Wrap</p> <p>The full wrap around inset hinge functions like a butt hinge, but gives a little added support to the cabinet door.</p> 

Degree (Door Swing)



Handing (Door Swing)

Code	Definition
------	------------



Door handing is determined by viewing the door from outside. A right-hand door swing will have the hinges on the right side of the cabinet. A left-hand door swing will have the hinges on the left side of the cabinet.





Reversible swing doors are "reversible" because the cabinet is symmetrical and can be rotated at the time of mounting, or because the hinges can be installed on either side of the cabinet.

LH	Left-Hand Door Swing
RH	Right-Hand Door Swing
LH/RH	Reversible Door Swing (left- or right-hand)



Lamping (Bulbs)

Code	Definition
------	------------

Type

F15T8	15 Watt T8 Fluorescent	
I60A	60 Watt A19 Incandescent	
I60B	60 Watt B10 Incandescent	
I60G	60 Watt G25 or G40 Incandescent	

Base (Sockets)

BI-PIN	T8/T12 Medium Bi-Pin Fluorescent Socket	
MED	Medium Base Socket	

Voltage

120	120 Voltage
-----	-------------

Incandescent Lamp Shapes: A bulb designation consists of a letter to indicate the shape and a number to indicate major diameter in eighths of an inch. For example, G25 bulb is a globe-shape and 25/8" or 3-1/8" diameter.


Ganging Kits

Ganging kits are required for mounting multiple cabinets in a row either vertically or horizontally. See pg. 49 for kit information and applicable cabinet collections.

Quantity of Ganging Kits needed - subtract 1 from the total number of cabinets to be ganged and that is the number of Ganging Kits required.

When ganging in a surface mount application, add 1 Surface Mount Kit for each cabinet. (This applies only to cabinets adaptable to both recess or surface mount applications.)

Example 1: Gang 3 cabinets in a recess mount application. 3 cabinets - 1 = 2 Ganging Kits
Example 2: Gang 4 cabinets in a surface mount application. 4 cabinets - 1 = 3 Ganging Kits + 4 Surface Mount Kits. See pg. 44.



Model Number	Page	Style Name
258	7	Sonata
490	32	Styleline
495	32	Styleline
565	37	Styleline II
602	41	Louver Door
606	41	Louver Door
609	41	Louver Door
614	33	Styleline
615	41	Louver Door
622	41	Hideaway
625	35	Bel Aire
626	35	Bel Aire
664	35	Illusion
1358	5	Cameo
1402	37	Lafayette
1430	21	Focus
1438	21	Focus
1447	18	Galena
1448	18	Galena
1451	19	Horizon
1453ADJ	19	Horizon
1454	7	Mirage
1456	7	Mirage
1459	19	Horizon
8120	28	Prairie
8128	28	Prairie
8773	29	Grant
8778	29	Grant
255024	17	Horizon
255030	17	Horizon
255036	17	Horizon
255048	17	Horizon
255224	17	Horizon
255230	17	Horizon
255236	17	Horizon
255248	17	Horizon
530924	15	Simplicity
533124	30	Harmony
704301	13	Meridian
704309	13	Meridian
704317	13	Meridian
704325	13	Meridian
740589	30	Granville
740605	30	Granville
740613	30	Granville
740621	30	Granville
740639	30	Granville
740647	30	Granville
740655	30	Granville
740957	30	Granville
755272	17	Ashland
755280	17	Ashland
755288	17	Ashland
755296	17	Ashland

Model Number	Page	Style Name
755363	38	Granville
755371	38	Granville
755379	38	Granville
755387	38	Granville
755395	38	Granville
755403	38	Granville
755411	38	Granville
755419	38	Granville
755427	39	Ashland
755435	39	Ashland
755443	39	Ashland
755451	39	Ashland
755459	29	Sheridan
755467	29	Sheridan
760024	43	Surface Mount Kit
760025	43	Surface Mount Kit
760030	43	Surface Mount Kit
760034	43	Surface Mount Kit
780989	29	Sheridan
781005	25	Hudson
781013	25	Hudson
781021	33	Builder Series
781029	20	Builder Series
781037	20	Builder Series
781045	33	Builder Series
781053	20	Builder Series
781061	20	Builder Series
1035P24WH	18	Cove
1035P24WHG	18	Cove
1035P34WH	18	Cove
1035P34WHG	18	Cove
124LP	39	Ensign
1370	5	Dunhill
1370M	5	Dunhill
1370WH	5	Dunhill
1438BP2	21	Focus
1450BC	13	Mirror On Mirror
1459BP2	19	Horizon
1459MOD	19	Horizon
178P22CH	43	Theft-Proof Mirrors
178P24CH	43	Theft-Proof Mirrors
178P30CH	43	Theft-Proof Mirrors
230P26SS	33	S-cube
235P26WH	21	Topsider
26018CH	33	Topsider
260P26CH	33	Topsider
260P26CHBP2	33	Topsider
268P26WH	21	Topsider
323LP	39	Flair
327LP	39	Flair
401ADJ	32	Styleline
407ADJ	32	Styleline
420BC	32	Styleline
422SM	33	Styleline

Model Number	Page	Style Name
452SM	33	Styleline
455FL	37	Cabinet 455FL
460P34CH	35	Federal Spec
461P24CH	35	Federal Spec
468BC	32	Styleline
468BCBP2	32	Styleline
468MOD	32	Modular Shelf
468MODBP2	32	Modular Shelf
470FS	35	Styleline
472FS	35	Styleline
473FS	35	Styleline
478FS	35	Styleline
52WH184PV	5	Metro Oval
52WH244P	11	Metro Classic
52WH244PA	5	Metro Arch
52WH244PF	11	Metro Classic
52WH244PT	7	Metro Octagon
52WH244DP	11	Metro Deluxe
52WH244DPF	11	Metro Deluxe
52WH254DP	15	Metro Deluxe Oversize
52WH254DPF	15	Metro Deluxe Oversize
52WH304DP	15	Metro Deluxe Oversize
52WH304DPF	15	Metro Deluxe Oversize
52WH304P	15	Metro Classic Oversize
52WH304PF	15	Metro Classic Oversize
52WH344DP	11	Metro Deluxe
52WH344DPF	11	Metro Deluxe
52WH344P	11	Metro Classic
52WH344PF	11	Metro Classic
555IL	37	Cabinet 555IL
565S184CSN	23	Barrington
605ADJ	41	Louver Door
607ADJ	41	Louver Door
625N244BZC	25	Hampton
625N244BZPX	23	Ashton
625N244BZCL	41	Hampton Locking
625N244COC	25	Hampton
625N244SNC	25	Hampton
625N244SNCL	41	Hampton Locking
625N244SNPX	23	Ashton
625N244WHC	25	Hampton
629SS	18	Illusion
62BK244CBK	27	City
62BK244CCN	27	City
62BK244CCY	27	City
62BK244CMP	27	City
639BC	35	Illusion
663BC	35	Low Profile
725S244D	9	Gallery
725S246D	9	Gallery
725S304D	15	Gallery Oversize
725S344D	9	Gallery
725S346D	9	Gallery
72WH244D	9	Gallery

Model Number	Page	Style Name
72WH344D	9	Gallery
735M34WH	35	Pillar
735M34WHG	35	Pillar
768M34WH	35	Pillar
76GK	43	Ganging Kit - Horizontal
807P24WH	20	Perfect Square
823P24WH	20	Perfect Square
830C	7	Baker Street
835P24WHD	21	Focus
835P24WHD BP2	21	Focus
835P34WH	21	Focus
835P34WHD	21	Focus
84018CH	32	Styleline
84024BRG	32	Styleline
84024CHG	32	Styleline
84024CHGBP2	32	Styleline
84024S5	32	S-cube
840M18CH	32	Styleline
840M18CH/2	32	Styleline
840P34CH	32	Styleline
850C	28	Soho
850M	28	Soho
860P30CH	35	Corner
860P36CH	35	Corner
867P30WH	35	Corner

Collection Name Index

Style Name	Page
455FL	36
555IL	36
Ashland	16, 39
Ashton	23
Baker Street	7
Barrington	23
Beauty Glide	31
Bel Aire	34
Builder Series	20, 33
Cameo	4
City	26
Commodore	31
Contempora	31
Corner	34
Cove	18
Dunhill	4
Ensign	39
Federal Spec	34
Flair	39
Focus	21
Galena	19
Gallery	8

Model Number	Page	Style Name
867P36WH	35	Corner
868M22XWHZ	19	Horizon
868P24S5	18	S-cube
868P24S5G	18	Galena
868P34WH	19	Horizon
868P34WHG	19	Horizon
869P24WH	20	Ultra
869P24WHG	20	Ultra
869P34WH	20	Ultra
869P34WHG	20	Ultra
9000C	28	Mission
B703850	31	Contempora
B704850	31	Contempora
B7233	21	Focus
B72338501	19	Horizon
B723385PC	19	Horizon
B772193	32	Styleline
B7733	21	Focus
B773385	19	Horizon
G1525	43	Ganging Kit - Vertical
G1530	43	Surface Mount Kit
G1540	43	Surface Mount Kit
J1645P48CH	31	Commodore
LBC10	5	Le Baccarat
M18249301	33	Styleline

Style Name	Page
Gallery Oversize	14
Grant	29
Granville	30, 38
Hampton	24
Hampton Locking	41
Harmony	30
Hideaway	41
Horizon	17, 19
Hudson	25
Illusion	18, 34
Lafayette	37
Le Baccarat	5
Louver Doors	41
Low Profile	34
Meridian	13
Metro Arch	5
Metro Classic	11
Metro Deluxe	11
Metro Octagon	6
Metro Oval	4
Metro Classic Oversize	15
Metro Deluxe Oversize	14

Model Number	Page	Style Name
M18369301	33	Styleline
PEM2424	43	PEM Series
PEM3024	43	PEM Series
PEM3036	43	PEM Series
PEM3624	43	PEM Series
PEM4824	43	PEM Series
PEM6036	43	PEM Series
RSC1000N	41	Security Cabinet
S368244OVWH	5	Metro Oval
S468244S5	13	Studio IV
S468344S5	13	Studio IV
S568N244SSBZP	23	Studio V
S568N244SSSNP	23	Studio V
S568N244SSWHP	23	Studio V
S568N344SSBZP	23	Studio V
S568N344SSSNP	23	Studio V
S568N344SSWHP	23	Studio V
V24	43	Cosmetic Box
V30	43	Cosmetic Box
V36	43	Cosmetic Box
V48	43	Cosmetic Box
VM224M	31	Commodore
VM230M	31	Commodore
VM236M	31	Commodore

Style Name	Page
Mirror on Mirror	12
Mission	28
Modular Shelf	32
Monaco	30
Pan Door	20
Perfect Square	20
PEM Series	43
Pillar	34
S-cube	18, 32
Security Cabinet	41
Sheridan	29
Simplicity	15
Soho	28
Studio IV	13
Studio V Traditional	22
Styleline	32, 34
Styleline II	36
Theft Proof	43
Topsider	21, 32
Ultra	20