

Catalog No. SL16500

TOOL BOOK

Work. Perform. Outlast.



Malco[®]
Est. 1950



12 **The Standard by which all others are judged.**

Self-Piercing Sheet Metal Screws

Rated #1, Zip-in® screws are the best selling sheet metal screws worldwide.

A unique thread design and quality controlled manufacture spell the Zip-in® difference.

Zip-in's® sophisticated heat treat process allows the screw to taper to a fine, sharp point without sacrificing critical point strength. A single starting thread (A) is machined down to the very tip of the point and is the source of Zip-in's® penetrating power. The second thread (B) above the point engages after initial penetration and moves the screw through very fast. Zip-in® screws are faster driving, with a greater capacity for fastening heavier gauges of sheet metal than any other self-drilling type.



1. Undercut-Indented Hex Washer Slotted Head

- Undercut - Always seats flush

2. Burr Free hex washer slotted head

- One 1/4 in. hex driver accommodates all sizes of Zip-in Screws
- Full 1/4 in. (No. 8) head will not strip out of hex driver opening at any-time during operation.

3. Combination Lead Double Thread

- Starting thread machined down to very tip of screw point
- Instantly penetrates and engages in heavy gauge sheet metal and layered light gauge

4. Sharp Tapered Point

- Quality controlled heat treat
- Sharp tapered point will not mushroom, break or walk
- Complete operator control with precise hole alignment.

U.S. Patent No.
D524,638



Look for the Dots!® Trademarked & Patented Head Markings indicate one and only genuine Zip-ins®.

Zip-in®

Self-Piercing Sheet Metal Screws

Specifications

Catalog Number	Description	Head Color	Head Size	Type
Zip-in® Screws				
HW6x3/8Z	Zip-in® Screw	○ Zinc Plated	1/4 in.	Slotted Hex
HW7x1/2Z*	Zip-in® Screw	○ Zinc Plated	1/4 in.	Slotted Hex
HW8x1/2Z*	Zip-in® Screw	○ Zinc Plated	1/4 in.	Slotted Hex
HW8x3/4Z*	Zip-in® Screw	○ Zinc Plated	1/4 in.	Slotted Hex
HW8x1Z*	Zip-in® Screw	○ Zinc Plated	1/4 in.	Slotted Hex
HW8x1-1/2Z*	Zip-in® Screw	○ Zinc Plated	1/4 in.	Slotted Hex
HW8x2Z*	Zip-in® Screw	○ Zinc Plated	1/4 in.	Slotted Hex
HW10x1/2Z	Zip-in® Screw	○ Zinc Plated	1/4 in.	Slotted Hex
HW10x3/4Z	Zip-in® Screw	○ Zinc Plated	1/4 in.	Slotted Hex
HW10x1Z	Zip-in® Screw	○ Zinc Plated	1/4 in.	Slotted Hex

* Denotes popular screw sizes available in pails.

Square Pan Head Robertson® Style Zip-in® Screws

PS8x1/2Z	Pan Square Head	○ Zinc Plated	#2	Pan Square
PS10x1/2Z	Pan Square Head	○ Zinc Plated	#2	Pan Square
PS10x3/4Z	Pan Square Head	○ Zinc Plated	#2	Pan Square

White Painted Zip-in® Register Screws

HW8x1-1/2ZW	Zip-in® Screw	○ White (W)	1/4 in.	Slotted Hex
HW8x2ZW	Zip-in® Screw	○ White (W)	1/4 in.	Slotted Hex
HW8x3ZW	Zip-in® Screw	○ White (W)	1/4 in.	Slotted Hex
PO8x2ZW	Zip-in® Screw	○ White (W)	#2	Phillips

Painted Sheet Metal Screws

HW6x3/8ZCL	Sheet Metal Screw	● Clay (C)	1/4 in.	Slotted Hex
HW6x3/8ZMB	Sheet Metal Screw	● Musket Bronze (MB)	1/4 in.	Slotted Hex
HW6x3/8ZRB	Sheet Metal Screw	● Royal Brown (RB)	1/4 in.	Slotted Hex
HW6x3/8ZW	Sheet Metal Screw	○ White (W)	1/4 in.	Slotted Hex
HW7x1/2ZA	Sheet Metal Screw	● Almond (A)	1/4 in.	Slotted Hex
HW7x1/2ZCC	Sheet Metal Screw	● Classic Cream (CC)	1/4 in.	Slotted Hex
HW7x1/2ZCL	Sheet Metal Screw	● Clay (C)	1/4 in.	Slotted Hex
HW7x1/2ZRB	Sheet Metal Screw	● Royal Brown (RB)	1/4 in.	Slotted Hex
HW7x1/2ZW	Sheet Metal Screw	○ White (W)	1/4 in.	Slotted Hex
HW8x3/4ZRB	Sheet Metal Screw	● Royal Brown (RB)	1/4 in.	Slotted Hex
HW8x3/4ZW	Sheet Metal Screw	○ White (W)	1/4 in.	Slotted Hex
HW8x1ZRB	Sheet Metal Screw	● Royal Brown (RB)	1/4 in.	Slotted Hex
HW8x1ZW	Sheet Metal Screw	○ White (W)	1/4 in.	Slotted Hex

Drill-In Screws Type A, Single Thread

HW10x1-1/2	Drill-In Screw	○ Zinc Plated	5/16 in.	Slotted Hex
HW10x2	Drill-In Screw	○ Zinc Plated	5/16 in.	Slotted Hex
HW12x2	Drill-In Screw	○ Zinc Plated	5/16 in.	Slotted Hex

Catalog Number	Anchor Size	Screw Size(s)	For Screw Size	Uses Bit Diameter	Anchor Kit Quantity
----------------	-------------	---------------	----------------	-------------------	---------------------

Red Lip Plastic Anchors

PA810	3/16 x 7/8 in.	—	8-9-10	3/16 in.	—
PA1012	1/4 x 1 in.	—	10-12	1/4 in.	—
PA1416	5/16 x 1-3/8 in.	—	14-16	5/16 in.	—

Red Lip Plastic Anchor Kits with Slotted Panhead Screws

PA810K	3/16 x 7/8 in.	SP8x1	—	3/16 in.	100
PA1012K	1/4 x 1 in.	SP10x1-1/4	—	1/4 in.	100
PA1416K	5/16 x 1-3/8 in.	SP14x1-1/2	—	5/16 in.	50

Red Lip Plastic Anchor Kits with Hex Washer Head Screws

PA810KW	3/16 x 7/8 in.	HW8x1Z	—	3/16 in.	100
PA1012KW	1/4 x 1 in.	HW10x1Z	—	1/4 in.	100




The Perfect System for Zip-in®

Cleanable, Reversible, Magnetic
1/4 and 5/16 inch Hex Chuck Driver!
See Page 56

Robertson® Style Square



Robertson®
Style Square
Pan Head
Zip-in® Screws



2 in. Length Phillips Oval Head

3 in. Length 1/4 in. Hex Head

Painted Sheet Metal / Drill-In Screws



Drill-In
Screws Type
A, Single
Thread

Painted
Sheet Metal
Screws
Packaged
in Bags
and Tubs.



Plastic Anchor Kits / Anchors

PA1012K

All Red-Lip Anchor
Kits contain equal
quantities of anchors
and screws with one
matching carbide
tipped drill bit.



Use Red-Lip Anchors with wood, sheet
metal or lag screws. Flexible anchor is
ideal for masonry or stone. Lip on collar
prevents anchor from pushing through
hole in hollow walls.



Consult Malco Price Book for specific package
quantities available for each screw size.

Count on Malco for full, accurate piece
counts in every Zip-in® package you buy.

Note: Package sizes available in Bults,
Pails, Tubs, Boxes and Bags.

Packaging Key:

Bulk

Pail = P

Tub = T

Box = X

Bag = G

