

# Eaton MBT48B200BTS

Catalog Number: MBT48B200BTS

Eaton resi meter breaker, All-in-ones, 200A, C, Aluminum, NEMA 3R, Bottom and top, #6-350 kcm22 kAIC, #6-350 kcmCSR2200, Surface mounting, 8, Four-jaw, 1, 4, Single-phase, Ringless, Used with BR breakers, 120/240 Vac

## General specifications

Product Name	Catalog Number
Eaton residential meter breaker	MBT48B200BTS
UPC	Product Length/Depth
782116157372	4.94 in
Product Height	Product Width
25.5 in	14.44 in
Product Weight	Warranty
33.05 lb	10 year
Certifications	
UL Listed	

## Product specifications

### Interrupt rating

10 kAIC

### Utility approvals

AL : Alabama Power  
ME : Central Maine Power  
MO : Empire District Electric  
OK : Empire District Electric  
AR : Entergy  
LA : Entergy  
MS : Entergy  
TX : Entergy  
MD : First Energy (Potomac Edison)  
VA : First Energy (Potomac Edison)  
WV : First Energy (Mon Power)  
NJ : First Energy (Jersey Central Power and Light)  
OH : First Energy (Ohio Edison, Toledo Edison, The Illuminating Company)  
PA : First Energy (Allegheny Power, MET ED, Penelec, West Penn Power)  
FL : MEG (Duke Energy, Florida Power, Tampa Electric, Gulf Power, Oklahoma Gas and Electric)  
IN : MEG (Duke Energy, Florida Power, Tampa Electric, Gulf Power, Oklahoma Gas and Electric)  
KY : MEG (Duke Energy, Florida Power, Tampa Electric, Gulf Power, Oklahoma Gas and Electric)  
NC : MEG (Duke Energy, Florida Power, Tampa Electric, Gulf Power, Oklahoma Gas and Electric)  
OH : MEG (Duke Energy, Florida Power, Tampa Electric, Gulf Power, Oklahoma Gas and Electric)  
SC : MEG (Duke Energy, Florida Power, Tampa Electric, Gulf Power, Oklahoma Gas and Electric)  
FL : Tallahassee City Electric  
NY : Rochester Gas & Electric (RG&E)  
NC : Dominion  
VA : Dominion

### Phase

Single-phase

### Ground

#6-350 kcmil

### Bus material

Aluminum

### Number of jaws

## Resources

### Catalogs

[Eaton's Volume 1—Residential and Light Commercial](#)

### Drawings

[Dimensional Drawing - METER BREAKER TRAILER PANEL](#)

### Specifications and datasheets

[Eaton Specification Sheet - MBT48B200BTS](#)

Four-jaw

Main circuit breaker

CSR2200

Enclosure

NEMA 3R

Type

All-in-ones

Feed type

Top/bottom

Number of sockets

1

Voltage rating

120/240 V

Number of circuits

8

Box size

C



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)