

Enigma Air™ Sliding Door




Polished Stainless Steel Brushed Stainless Steel

- Premium 3/8" (10mm) thick ANSI certified clear tempered glass
- DreamLine exclusive ClearMax™ protective water repellent and stain resistant glass coating
- Top guide bar can be trimmed up to 4" for width adjustment
- Stationary panel is attached to the wall by 1" anodized aluminum U-channel

- Minimum threshold depth of 2 1/4" is required for proper installation
- **IMPORTANT! All measurements should be taken only AFTER walls are finished (tile, back walls, etc.)**
- **ATTENTION! This model has NO adjustment for out-of-plumb (uneven walls)**
- Professional installation is required


Enigma-Air™



Configuration 1

| SKU | A MODEL WIDTH | B MODEL HEIGHT | C ACCESS WIDTH | D DOOR WIDTH | E INLINE PANEL WIDTH | -07 BRUSHED STAINLESS STEEL | -08 POLISHED STAINLESS STEEL |
|---------------|------------------|-------------------|-------------------|-----------------|-------------------------|--------------------------------------|---------------------------------------|
| SHDR-64487610 | 44" - 48" | 76" | 16" - 20" | 26" | 23" | - | - |
| SHDR-64607610 | 56" - 60" | 76" | 22" - 26" | 32" | 28 7/8" | - | - |



Enigma-Air™



Configuration 2

| SKU | A MODEL WIDTH | B MODEL HEIGHT | C ACCESS WIDTH | D DOOR WIDTH | E INLINE PANEL WIDTH | G RETURN PANEL WIDTH | -07 BRUSHED STAINLESS STEEL | -08 POLISHED STAINLESS STEEL |
|--------------|-------------------|-------------------|-------------------|-----------------|-------------------------|-------------------------------|--------------------------------------|---------------------------------------|
| SHEN-6434480 | 44 3/8" - 48 3/8" | 76" | 16" - 20" | 26" | 23" | 34 3/4" | - | - |
| SHEN-6434600 | 56 3/8" - 60 3/8" | 76" | 22" - 26" | 32" | 28 7/8" | 34 3/4" | - | - |

Enigma Air™



Configuration 3

| SKU | A MODEL WIDTH | B MODEL HEIGHT | C ACCESS WIDTH | D DOOR WIDTH | E INLINE PANEL WIDTH | -07 BRUSHED STAINLESS STEEL | -08 POLISHED STAINLESS STEEL |
|---------------|------------------|-------------------|-------------------|-----------------|-------------------------|--------------------------------------|---------------------------------------|
| SHDR-64606210 | 56" - 60" | 62" | 22" - 26" | 32" | 29 7/8" | - | - |

