TORO DIY Product Catalog 2018

Blue Stripe® Drip Products

 Connect 1
 20

 Distribute 2
 23

 Water 3
 26

 Kits
 28

 Point-of-Purchase Materials
 29



Saving Water Through Innovation

Saving water doesn't mean you have to let your lawn turn brown. With Toro® WaterSmart® products, homeowners can reduce outdoor water usage by 30% or more just by implementing a simple and cost-effective upgrade to their irrigation system... all without sacrificing the beauty of a lush, green yard!



Look for the WaterSmart logo and start saving today!



H₂FLO™ NOZZLES



MULTI-STREAM NOZZLES



570 MPR+ NOZZLES WITH PRESSURE COMPENSATION



PRECISION™ SOIL
MOISTURE SENSOR



RAINSENSOR™ RAIN/FREEZE SENSOR



BLUE STRIPE®
DRIP PRODUCTS

Visit us at: toro.com/diy



570Z Pro Series Fixed Spray Sprinklers

Features

- For small lawn/shrub areas
- Matched precipitation rate (MPR) nozzles allow mixing 5'-15' radius, special pattern nozzles without over-/under watering and are color-coded by radius
- Available in 2", 3", 4", 6" and 12" pop-ups
- Ratcheting riser for fine-tuning alignment after installation
- Heavy-duty stainless-steel retraction spring improves popdown and resists corrosion
- ½" Female National Pipe Thread (NPT) inlet
- Flush plugs are included on body only sprinklers and keeps debris out when flushing sprinkler lines
- Variable arc nozzle adjusts from 0° to 360° with a 15' radius and is available pre-installed on the 3" and 4" pop-up
- Zero flush: No water loss at system start-up
- Superior spring and seal prevents water waste and ensures proper retraction

570Z Pro Series Fixed Spray Sprinkler with X-Flow Water Saver Feature

- Patented X-Flow water shut off device built into the sprinkler
- Restricts water loss if the nozzle is removed or damaged
- Works with any Toro 570 nozzle and screen
- 4": Ideal for grass and ground cover
- 6": Ideal for tall grass and planter areas

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
570Z Pro S	ieries Fixed Spray Sprinklers				
53815	3" Pop-Up Fixed Spray w/Nozzle 90 Degree - 15'	15	53815-0	6.5 x 7 x 11.4	2.7 lb
53816	3" Pop-Up Fixed Spray w/Nozzle 180 Degree - 15'	15	53816-7	6.5 x 7 x 11.4	2.7 lb
53817	3" Pop-Up Fixed Spray w/Nozzle 360 Degree - 15'	15	53817-4	6.5 x 7 x 11.4	2.7 lb
53818	3" Pop-Up Fixed Spray w/VAN Nozzle 0-360 - 15'	15	53818-1	6.5 x 7 x 11.4	2.7 lb
53711	4" Pop-Up Fixed Spray w/Nozzle 90 Degree - 15'	15	53711-5	6.5 x 7 x 11.4	3.4 lb
53813	4" Pop-Up Fixed Spray w/Nozzle 180 Degree - 15'	15	53813-6	6.5 x 7 x 11.4	3.4 lb
53712	4" Pop-Up Fixed Spray w/Nozzle 360 Degree - 15'	15	53712-2	6.5 x 7 x 11.4	3.4 lb
53814	4" Pop-Up Fixed Spray w/VAN Nozzle 0-360 - 15'	15	53814-3	6.5 x 7 x 11.4	3.4 lb
570Z Pro S	eries Sprinklers (Body Only) with Flush Plugs				
53819	570 2" Pop-up Body Only	15	53819-8	6.5 x 7 x 11.4	2.6 lb
53820	570 3" Pop-up Body Only	15	53820-4	6.5 x 7 x 11.4	2.6 lb
53821	570 4" Pop-Up Body Only	15	53821-1	6.5 x 7 x 11.4	3.3 lb
53822	570 6" Pop-up Body Only (Side Inlet)	12	53822-8	5.5 x 6.5 x 15.6	3.4 lb
53710	570 12" Pop-up Body Only (Side Inlet)	12	53710-8	6.3 x 8.8 x 17.5	8.0 lb
53742	570 4" Pop-Up w/X-Flow	24	53742-9	5.5 x 6.5 x 15.6	5.5 lb
53743	570 6" Pop-Up w/X-Flow	12	53743-6	5.5 x 6.5 x 15.6	3.4 lb



























570 MPR+ Fixed Spray Nozzle 53856-53867 53870-53873 53888-53890



570 VAN Nozzle 53730 53734-53736 53744

570 MPR+ Nozzles

Features


- Pre-installed pressure-compensating device (PCD) conserves water by eliminating fogging and misting
- Matched precipitation rate (MPR) allows mixing of different radius and pattern nozzles without over-/under-watering
- For small lawn/shrub areas 5' to 15' spacing
- Use with any 570 sprinkler body or shrub body
- Color coded by radius:

RADIUS	COLOR
5'	RED
8'	GREEN
10'	BLUE
12'	BROWN
15'	BLACK
17'	GRAY
Side Strip, End Strip or Center Strip	ORANGE

570 Variable Arc Nozzles (VAN)

- Radius adjusts from 0° to 360°
- Matched precipitation within a radius family

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53865	570 MPR+ Nozzle 90 Degree - 15'	20	53865-5	8.0 x 4.3 x 5.0	.6 lb
53866	570 MPR+ Nozzle 180 Degree - 15'	20	53866-2	8.0 x 4.3 x 5.0	.6 lb
53867	570 MPR+ Nozzle 360 Degree - 15	20	53867-9	8.0 x 4.3 x 5.0	.6 lb
53862	570 MPR+ Nozzle 90 Degree - 12'	20	53862-4	8.0 x 4.3 x 5.0	.6 lb
53863	570 MPR+ Nozzle 180 Degree - 12'	20	53863-1	8.0 x 4.3 x 5.0	.6 lb
53864	570 MPR+ Nozzle 360 Degree - 12'	20	53864-8	8.0 x 4.3 x 5.0	.6 lb
53888	570 MPR+ Nozzle 90 Degree - 10'	20	53888-4	8.0 x 4.3 x 5.0	.6 lb
53889	570 MPR+ Nozzle 180 Degree - 10'	20	53889-1	8.0 x 4.3 x 5.0	.6 lb
53890	570 MPR+ Nozzle 360 Degree - 10'	20	53890-7	8.0 x 4.3 x 5.0	.6 lb
53859	570 MPR+ Nozzle 90 Degree - 8'	20	53859-4	8.0 x 4.3 x 5.0	.6 lb
53860	570 MPR+ Nozzle 180 Degree - 8'	20	53860-0	8.0 x 4.3 x 5.0	.6 lb
53861	570 MPR+ Nozzle 360 Degree - 8'	20	53861-7	8.0 x 4.3 x 5.0	.6 lb
53856	570 MPR+ Nozzle 90 Degree - 5'	20	53856-3	8.0 x 4.3 x 5.0	.6 lb
53857	570 MPR+ Nozzle 180 Degree - 5'	20	53857-0	8.0 x 4.3 x 5.0	.6 lb
53858	570 MPR+ Nozzle 360 Degree - 5'	20	53858-7	8.0 x 4.3 x 5.0	.6 lb
53870	570 MPR+ Nozzle Side Strip 9' x 18'	20	53870-9	8.0 x 4.3 x 5.0	.6 lb
53871	570 MPR+ Nozzle Center Strip 4' x 30'	20	53871-6	8.0 x 4.3 x 5.0	.6 lb
53872	570 MPR+ Nozzle End Strip 4' x 15'	20	53872-3	8.0 x 4.3 x 5.0	.6 lb
53873	570 MPR+ Nozzle Side Strip 4' x 30'	20	53873-0	8.0 x 4.3 x 5.0	.6 lb
53744	570 Nozzle Adjustable 0-360, 17' (2 pk)	10	53744-3	8.0 x 4.3 x 5.0	.7 lb
53730	570 Nozzle Adjustable 0-360, 15' (2 pk)	10	53730-6	8.0 x 4.3 x 5.0	.7 lb
53734	570 Nozzle Adjustable 0-360, 12' (2 pk)	10	53734-4	8.0 x 4.3 x 5.0	.7 lb
53735	570 Nozzle Adjustable 0-360, 10' (2 pk)	10	53735-1	8.0 x 4.3 x 5.0	.7 lb
53736	570 Nozzle Adjustable 0-360, 8' (2 pk)	10	53736-8	8.0 x 4.3 x 5.0	.7 lb





= 0

570 Shrub Spray Sprinklers

Mount these shrub spray sprinklers on 1/2" National Pipe Thread (NPT) risers with any 570Z fixed spray nozzle to effectively irrigate small shrubs and planters without water waste.

Features

- Accepts all Toro 570Z MPR+ or VAN nozzles
- Ideal for small shrub or planter areas 15' spacing
- 1/2" Female National Pipe Thread (NPT) inlet



570 Shrub Spray (Body Only) 53299



570 Shrub Spray 53113-53115 53122-53124



570 Shrub Spray with Variable Arc Nozzle

Flood Bubbler

- Full circle pattern for slow, deep watering around trees, shrubs, vegetable and flower gardens
- Fully adjustable from off to 2 GPM and 0' to 2' radius
- Removable filter screen



Flood Bubbler 53692



Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53113	Shrub Spray w/Nozzle 90 Degree - 15'	50	53113-7	8.0 x 6.0 x 5.0	1.9 lb
53114	Shrub Spray w/Nozzle 180 Degree - 15'	50	53114-4	8.0 x 6.0 x 5.0	1.9 lb
53115	Shrub Spray w/Nozzle 360 Degree - 15'	50	53115-1	8.0 x 6.0 x 5.0	1.9 lb
53122	Shrub Spray w/Nozzle Center Strip 4' x 30'	50	53122-9	8.0 x 6.0 x 5.0	1.7 lb
53123	Shrub Spray w/Nozzle End Strip 4' x 15'	50	53123-6	8.0 x 6.0 x 5.0	1.7 lb
53124	Shrub Spray w/Nozzle Side Strip 4' x 30'	50	53124-3	8.0 x 6.0 x 5.0	1.7 lb
53731	Shrub Spray w/Adjustable Nozzle 0-360, 15'	25	53731-3	8.0 x 4.3 x 5.0	1.1 lb
53299	Shrub Spray Body Only	50	53299-8	8.0 x 6.0 x 5.0	1.2 lb
53692	Flood Bubbler, Fully Adjustable, Full Circle 0-2 GPM	50	53692-7	8.0 x 6.0 x 5.0	3.3 lb

H₂FLO™ PRECISION™ SERIES SPRINKLERS AND NOZZLES





H₂FLO™ Precision™ Spray Sprinkler, 4" Pop-Up with Nozzle

53892 53893 53894

H₂FLO™ Nozzle

Features

- Ideal upgrade for existing systems to WaterSmart[®] irrigation technology
- Male thread fits any Toro® fixed spray pop-up body
- Female thread fits Rain Bird*, Hunter* or Orbit* spray head bodies*
- Available in quarter, half and full pattern, male or female thread

H₂FLO™ Precision™ Spray Series

Features

- Fixed spray breakthrough patented H²O chip technology creates high frequency oscillating streams to achieve coverage using up to 35% less water
- 42% less water flow when compared to standard spray nozzles
- Industry first 1" per hour precipitation rate best matches with soil absorption rate to reduce run off and maximize irrigation efficiency
- Industry First adjustable spray distance (radius) from 8' to 15'
- Ideal for small lawn or shrub areas

H₂FLO™ Sprinkler

Features

- 4" pop-up Height
- 1/2" female national pipe thread (NPT) inlet
- Available in quarter, half and full pattern



Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53892	H₂FLO™ Precision™ Spray Sprinkler, 4" Pop-Up with Nozzle, 8' to 15' Quarter	15	53892-1	6.5 x 7.0 x 10.0	3.7 lb
53893	H₂FLO™ Precision™ Spray Sprinkler, 4" Pop-Up with Nozzle, 8' to 15' Half	15	53893-8	6.5 x 7.0 x 10.0	3.7 lb
53894	H₂FLO™ Precision™ Spray Sprinkler, 4" Pop-Up with Nozzle, 8' to 15' Full	15	53894-5	6.5 x 7.0 x 10.0	3.7 lb
53895	H ₂ FLO™ Precision™ Spray Nozzle (Female), 8' to 15' Quarter	10	53895-2	5.7 x 3.6 x 11.8	1.5 lb
53896	H ₂ FLO™ Precision™ Spray Nozzle (Female), 8' to 15' Half	10	53896-9	5.7 x 3.6 x 11.8	1.5 lb
53897	H ₂ FLO™ Precision™ Spray Nozzle (Female), 8' to 15' Full	10	53897-6	5.7 x 3.6 x 11.8	1.5 lb
53926	H ₂ FLO™ Precision™ Spray Nozzle (Male), 8' to 15' Quarter	10	53926-3	5.7 x 3.6 x 11.8	1.5 lb
53927	H ₂ FLO™ Precision™ Spray Nozzle (Male), 8' to 15' Half	10	53927-0	5.7 x 3.6 x 11.8	1.5 lb
53928	H ₂ FLO™ Precision™ Spray Nozzle (Male), 8' to 15' Full	10	53928-7	5.7 x 3.6 x 11.8	1.5 lb

Hunter, Orbit*, and Rain Bird* are trademarks of their respective companies.



Multi-Stream Nozzles

Features

- Male thread fits any Toro fixed spray pop-up body
- Female thread fits Rain Bird®, Hunter® or Orbit® spray head bodies*
- Available in full circle or adjustable 45° to 270° pattern
- Adjustable pattern nozzle includes pattern and radius adjustment tool

Multi-Stream Lawn Sprinkler

- Perfect for small lawn areas and slopes
- Matched Precipitation Rate (MPR) nozzle ensures uniform water distribution across all patterns and radius adjustments
- Gear-driven, rotating streams deliver water slowly and evenly for greater efficiency and water savings
- Available with adjustable nozzle 45° to 270° or 360° pattern 14' to 26' spacing
- 4" pop-up height (1/2" inlet) with nozzle pre-installed
- Available in full circle or adjustable 45° to 270° pattern
- Adjustable model includes pattern and radius adjustment tool









Multi-Stream Nozzle, Female (Adjustable) Includes Adjustment Tool 53899



Multi-Stream Nozzle, Male (Full) 53900



Multi-Stream Nozzle, Male (Adjustable) Includes Adjustment Tool 53925



Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53877	Small Area MultiStream, Adjustable	6	53877-8	6.5 x 4.0 x 8.0	1.6 lb
53878	Small Area MultiStream, Full	6	53878-5	6.5 x 4.0 x 8.0	1.5 lb
53898	MultiStream Nozzle Female – Full	10	53898-3	5.7 x 3.6 x 11.8	1.7 lb
53899	MultiStream Nozzle, Female – Adjustable	10	53899-0	5.7 x 3.6 x 11.8	1.7 lb
53900	MultiStream Nozzle, Male – Full https://www. facebook.com/#	10	53900-3	5.7 x 3.6 x 11.8	1.7 lb
53925	MultiStream Nozzle, Male - Adjustable	10	53925-6	5.7 x 3.6 x 11.8	1.7 lb

^{*}Hunter*, Orbit*, Rain Bird* and K-Rain* are trademarks of their respective companies.













Mini-8 1/2" Rotor

Features

- For small-to-medium lawns—20' to 35' spacing
- $\bullet~40^{\circ}$ to 360° adjustable pattern—full- and part-circle in one sprinkler
- Top arc indicator ensures easy adjustments
- 1.5 GPM nozzle factory-installed and set to 180° pattern
- 3 ¾" pop-up height
- ½" female-threaded inlet

Mini-8 Nozzle Tree/Adjustment Tool

- For use with Mini-8 Rotor
- Comes with 4 interchangeable nozzles to cover varying flow and distance requirements
- Includes an adjustment tool to easily pull-up the riser, remove the nozzle, reduce the spray distance and adjust the pattern
- Adjustment tool can be used with other Toro rotors




Mini-8 Rotor 53824





Model No.	Description	Master Pack Quantity		Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53824	Mini-8 Rotor	12	53824-2	6.0 x 7.1 x 9.6	3.7 lb
53924	Mini-8 Nozzle Tree/Adjustment Tool	12	53924-9	5.5 x 4 x 6	1.0 lb



ProStream XL™ Lawn Sprinkler

Features

- For medium-to-large lawns 25' to 46' spacing
- Three flow rate nozzles included for better watering efficiency
- 40° to 360° adjustable pattern full- and part-circle in one sprinkler
- 3.0 GPM nozzle factory-installed and set to 180° pattern
- 5" pop-up height
- 3/4" female-threaded inlet
- Replaces impact or gear-driven rotors including Hunter*, Orbit*, Rain Bird® and K-Rain®*
- Rubber cover for safety
- Quiet, smooth gear-driven rotation

ProStream XL™/T5 Nozzle Tree

Features

- For use with ProStream XL and T5 lawn sprinklers
- Comes with 8 standard nozzles and 4 low angle nozzles
- Standard nozzles: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, and 8.0 GPM
- Low angle nozzles: 1.0, 1.5, 2.0, and 3.0 GPM



53823



Model No	. Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53823	ProStream XL™, 5" Pop-up	12	53823-5	8 x 9 x 12	6.6 lb
53923	ProStream XL™/T5 Nozzle Tree	12	53923-2	5 x 4.5 x 8	.5 lb





T5 RapidSet® Rotor

Features

- All the same features of the standard T5 rotor, with the added patented RapidSet® technology for easy, tool-free adjustments!
- RapidSet technology safeguards against gear damage from vandalism and abuse
- Includes a full set of 8 standard nozzles and 4 low angle nozzles that use a patent-pending Airfoil™ technology which creates a zone of low pressure just below the main stream to gently guide water downward for unmatched uniformity, without forcefully washing out seeds
- Pre-installed with 3.0 GPM nozzle
- ¾" female-threaded inlet
- Heavy-duty rubber cover minimizes injuries and reduces liability

T5 Rotor 4-Pack

Features

- Ideal for medium-to-large lawns—25' to 50' spacing
- Full 5" pop-up, an extra inch of pop-up height over competitive rotors
- Easily replaces existing rotors without any extra digging
- Pre-installed with 3.0 GPM nozzle
- 3/4" female-threaded inlet
- Heavy-duty rubber cover minimizes injuries and reduces liability





N	dodel No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
	53825	T5 RapidSet® Rotor	12	53825-5	7.8 x 9.8 x 14.4	7.6 lb
	53826	T5 Rotor (4-Pack)	4	53826-2	7.8 x 11.0 x 10.0	9.6 lb

Hunter, Orbit*, Rain Bird* and K-Rain* are trademarks of their respective companies



Universal Impact Sprinkler-40

Features

- Replaces Rain Bird® LG-3 and MG-4 sprinklers*
- Spacing from 25' to 40'
- Low gallon, low flow at a rate of 2.2 GPM at 40 PSI
- Full circle or arc adjustable from 20° to 340°
- 3" pop-up clears tall grass
- Heavy-duty, high-impact case with sturdy, reinforced ribbed design
- Pressure-activated wiper seal assures reliable pop-up and pop-down
- Radius reduction screw breaks water into smaller droplets for uniform watering
- Grit-proof bearing for reliable operation
- Weighted spray guide arm controls stream and prevents side splash onto buildings and walkways
- Pop-up mechanism retracts into lawn when not in operation
- Dimensions: 41/8" diameter, 85/8" tall
- 1/2" NPT female connection at side or bottom



Universal Impact Sprinkler-40 53720

Universal Impact Sprinkler-45


- Replaces Rain Bird® AG-5 and Orbit® sprinklers*
- Spacing from 25' to 45'
- Five interchangeable, color-coded matched precipitation rate nozzles from 1.5 to 7.5 GPM
- No tools needed to change nozzles
- Full circle or arc adjustable from 20° to 340°
- 3" pop-up clears tall grass
- Heavy-duty, high-impact case with sturdy, reinforced ribbed design
- Pressure-activated wiper seal assures reliable pop-up and pop-down
- Radius reduction screw breaks water into smaller droplets for uniform watering
- Unique lip case design aids in setting proper installation Height, prevents grass and weeds from growing into head and minimizes backwash
- Weighted spray guide arm controls stream and prevents side splash onto buildings and walkways
- Dimensions: 5" diameter, 93/10" tall
- Combination ½" or ¾" NPT female connection at bottom and ½" NPT side connection for more flexibility



Universal Impact Sprinkler-45 53721



Model No.	Description	Master Pack Quantity		Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53720	Universal Impact Sprinkler - 40	6	53720-7	9.0 x 14.5 x 9.8	6.3 lb
53721	Universal Impact Sprinkler - 45	6	53721-4	9.8 x 17.3 x 11.3	7.2 lb



Lawn Master® II Landscape Timer

Features

- 3 independent watering programs and up to 3 start times per program, perfect for traditional and drip irrigation
- Pump start relay and rain sensor ports for easy connection with no wire splicing
- 365 day calendar water on specific days of the week, odd or even days, with day exclusion to meet water restrictions
- Seasonal Adjust adjust run times as weather or seasons change
- Three modes of operation Automatic, Manual Station, and Manual Program
- Battery back-up stores programming (9 volt battery required)
- A.M./P.M. clock sets length of watering from 1 minute to 6 hours
- Indoor use only, available in 4- and 6-station



Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53805	Lawn Master II Timer - 4 Zone, Indoor	5	53805-1	10.8 x 6.0 x 15.5	11.0 lb
53806	Lawn Master II Timer - 6 Zone, Indoor	5	53806-8	10.8 x 6.0 x 15.5	11.0 lb

 $^*\mbox{Hunter}^*$ and Rain Bird * are trademarks of their respective companies.




DDC Series Digital Dial Controller

Features

- Exclusive, patented "Digital Dial" technology makes scheduling fast and easy
- 3 independent start times per program easily identified within the digital dial interface
- Seasonal adjust by month saves water in cooler months
- Large LCD display shows watering program in operation
- 1 to 240 minute run times with delay between stations
- Multiple watering day options (calendar, interval, odd/even days)
- Manual programs feature to manually start programs
- "Arm chair" programming with 9-volt battery power source
- Compatible with rain and soil sensor technology
- For use indoor or outdoor, available in 8-station only







53808

Model No.	Description	Master Pack Quantity		Master Pack Dimensions (Height x Width x Depth)	
53808	DDC Digital Dial Controller	2	53808-2	11.5 x 8.0 x 8.75	7.0 lb







1" In-Line Jar-Top Valve with Flow Control (Threaded)



1" In-Line Jar-Top Valve (Threaded) 53708



1" In-Line Jar-Top Valve with Flow Control (Male NPT x Barb)

53799

1" In-Line Jar-Top Valve with Flow Control

Features

- Popular threaded bonnet "jar-top" system for fast and easy servicing
- Flow control allows for precise adjustment after installation
- Manual internal/external bleed
- Full stainless steel metering system
- Rugged, double-beaded Santoprene® diaphragm provides leak-proof seal
- Encapsulated solenoid
- Available in 1" female-thread, slip, or 1" male NPT x barb connections

1" In-Line Jar-Top Valve

Features

- Popular threaded bonnet "jar-top" system for fast and easy servicing
- Manual internal/external bleed
- Full stainless steel metering system
- Rugged, double-beaded Santoprene® diaphragm provides leak-proof seal
- Encapsulated solenoid
- Available in 1" female-thread

3/4" and 1" Anti-Siphon Jar-Top Valves with Flow Control

- Popular threaded bonnet "jar-top" system for fast and easy servicing
- Flow control allows for precise adjustment after installation
- Manual internal/external bleed
- Full stainless steel metering system
- Rugged, double-beaded Santoprene® diaphragm provides leak-proof seal
- Encapsulated solenoid
- Combination jar-top valve and atmospheric backflow preventer
- Available in 3/4" or 1" female-threaded connection






1" In-Line Jar-Top Valve with Flow Control (Slip) 53707



Anti-Siphon Jar-Top Valve with Flow Control (Threaded) 53763 53764

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53707	1" In-Line Jar-Top Valve w/Flow Control (Slip)	5	53707-8	6.3 x 4.3 x 16.1	5.7 lb
53708	1" In-Line Jar-Top Valve (Threaded)	5	53708-5	6.3 x 4.3 x 16.1	5.7 lb
53709	1" In-Line Jar-Top Valve w/Flow Control (Threaded)	5	53709-2	6.3 x 4.3 x 16.1	5.7 lb
53799	1" In-Line Jar-Top Valve w/Flow Control (Male NPT x Barb)	5	53799-3	7.3 x 7.5 x 17.6	6.6 lb
53763	3/4" Anti-Siphon Jar-Top Valve w/Flow Control (Threaded)	5	53763-4	7.3 x 7.5 x 17.6	6.6 lb
53764	1" Anti-Siphon Jar-Top Valve w/Flow Control (Threaded)	5	53764-1	7.3 x 7.5 x 17.6	7.9 lb





3/4" In-Line Valve

Features

- Operates at 0.5 GPM ideal for drip irrigation
- Manual bleed screw to manually activate at valve box
- Stainless-steel diaphragm spring valve closes reliably
- 18" lead wires easy access installation
- ¾" male NPT inlet and outlet



3/4" In-Line Valve 53380

1" Pressure Vacuum Breaker (PVB)

Features

- Built-in unions
- Easy to winterize twist-off cap
- Reliable design
- 1" female NPT inlet and outlet





Drain Valve

- Drains water from pipes to prevent freezing
- Automatically opens when water is turned off, closes when water is turned on



Drain Valve 53740

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53380	3/4" In-Line Valve (Male Thread)	10	53380-3	4.1 x 9.1 x 11.1	5.2 lb
53300	1" Pressure Vacuum Breaker (PVB)	1	53300-1	5.1 x 8.3 x 8.1	2.0 lb
53740	Drain Valve	100	53740-5	8.7 x 6.6 x 11.1	2.0 lb









Valve Replacement Parts





Jar-Top Valve Diaphragm 53804




		Toro Valve Model					
Toro Replacement Parts	53707	53708	53709	53763	53764	53799	
Solenoid 53803	•	•	•	•	•	•	
Diaphragm 53804	•	•	•	•	•	•	







Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53803	Toro Jar-Top Valve Solenoid	5	53803-7	6.0 x 2.8 x 8.6	1.4 lb
53804	Toro Jar-Top Valve Diaphragm	5	53804-4	8.4 x 5.9 x 10.6	1.0 lb




XTRA SMART° Precision™ Soil Moisture Sensor

Features

- Monitors soil moisture levels and suspends watering when levels are sufficient for plant health or if freezing temperatures occur
- Turns most timers into a "smart" timer and satisfies municipal requirements in many areas
- Saves up to 35% in annual water usage
- Works with most irrigation timers including Rain Bird*, Hunter* or Orbit**
- Easy to install no digging or tools required
- Wireless up to 500' line-of-sight range
- Bypass mode switches active sensor off for manual operation
- Large LCD displays sensor readings
- For use with indoor or outdoor timers
- Low-profile design sits flush with soil does not require removal for mowing



Moisture Sensor 53812



Model No.	Description	Master Pack Quantity		Master Pack Dimensions (Height x Width x Depth)	
53812	XTRA Smart® Precision™ Soil Moisture Sensor	2	53812-9	11 N x 6 5 x 9 N	0.7 lb



Rain Sensors

Features

- Compatible with most timers
- Sensor uses industry standard hygroscopic discs to sense rain
- \bullet Easily adjust the rain sensitivity from $1\!\!/\!\!s"$ to 1"
- "Quick-Clip™" gutter bracket for easy one-piece, tool-free mounting
- Operating temperature from -20°F to 140°F
- Saves water and money
- Water conservation device that meets legislative standards in states/municipalities with mandates

Wired RainSensor™

Features

- Requires wiring between the sensor and the controller
- 25 feet of UL rated connection wire included

Wired Rain/Freeze Sensor

Features


• Same features as the wired version with the addition of a freeze detection function





Wired RainSensor™ 53769

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53769	Wired RainSensor	5	53769-6	9.5 x 8.5 x 18.0	9.5 lb
53853	Wired Rain/Freeze Sensor	5	53853-2	9.5 x 8.5 x 18.0	9.5 lb



Funny Pipe® and Fittings

- Makes installing any sprinkler quick and easy
- Ideal for installing or relocating sprinklers in hard-to-reach areas
- Cushions sprinkler to protect against damage in high traffic areas
- Rated to 120 PSI with no glue or clamps





Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53265	Funny Pipe – 24" (3/8" polyethylene)	50	53265-3	7.8 x 4.3 x 25.0	8.0 lb
53186	Funny Pipe – 50' (3/8" polyethylene)	1	53186-1	3.0 x 17.3 x 17.3	5.1 lb
53338	Funny Pipe – 100' (3/8" polyethylene)	1	53338-4	5.25 x 17 x 17	7.5 lb
53270	Funny Pipe Male Elbow 3/8" Insert by 1/2" Male NPT - 10-pack	10	53270-7	8.0 x 6.5 x 8.9	3.3 lb
53271	Funny Pipe Male Elbow 3/8" Insert by 3/4" Male NPT - 10-pack	10	53271-4	5.0 x 8.3 x 8.9	3.3 lb
53273	Funny Pipe 3/8" Coupling - 10-pack	10	53273-8	5.0 x 8.3 x 8.9	2.0 lb
53304	Funny Pipe Male Elbow 3/8" Insert by 1/2" Male NPT	50	53304-9	8.0 x 6.0 x 5.0	1.6 lb
53305	Funny Pipe Male Elbow 3/8" Insert by 3/4" Male NPT	50	53305-6	8.0 x 6.0 x 5.0	1.8 lb
53306	Funny Pipe Elbow 3/8" Insert by 1/2" Female NPT	50	53306-3	8.0 x 6.0 x 5.0	1.8 lb
53307	Funny Pipe 3/8" Coupling	50	53307-0	8.0 x 6.0 x 5.0	1.1 lb
53388	Funny Pipe 1/2" Male Adapter	50	53388-9	8.0 x 6.0 x 5.0	1.6 lb
53389	Funny Pipe 3/4" Male Adapter	50	53389-6	8.0 x 6.0 x 5.0	1.6 lb
53390	Funny Pipe 3/8" x 3/8" x 3/8" Tee	50	53390-2	8.0 x 6.0 x 5.0	1.6 lb
53784	Funny Pipe 1/2" Assembly	50	53784-9	8.0 x 6.0 x 25.0	7.2 lb
53785	Funny Pipe 3/4" Assembly	50	53785-6	8.0 x 6.0 x 25.0	8.1 lb



1/2" Hose Adapter

Features

- 1/2" tubing fitting x 3/4" female swivel
- Connects Toro Blue Stripe® Drip 1/2" Tubing to 3/4" outdoor water source
- Easy-to-use Loc-Eze® fitting for easy removal and reuse



Blue Stripe® Drip 1/2" Hose Swivel Adapter

53701

1/2" Rise-Adapter x Tee

Features

• Connects Toro Blue Stripe® Drip 1/2" Tubing to a 3/4" or 1/2" (use bushing) NPT riser



• Easy-to-use Loc-Eze® fitting for easy removal and reuse



Blue Stripe[®] Drip 1/2[®] Riser-Adapter x Tee 53747











Blue Stripe* Drip 9-Outlet Distribution Manifold

53755

9-Outlet Distribution Manifold

- A 9-outlet distribution manifold which accepts Toro Blue Stripe® Drip ¼" Tubing
- Perfect for watering shrubs or trees
- 9 shut-off caps
- Includes filter and 25 PSI pressure regulator
- Contains a ½" NPT inlet



Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53701	Blue Stripe® Drip 1/2" Hose Swivel Adapter (2 per bag)	20	53701-6	8.0 x 5.0 x 10.0	3.5 lb
53747	Blue Stripe® Drip 1/2" Riser-Adapter x Tee (2 per bag)	10	53747-4	8.0 x 5.0 x 10.0	3.3 lb
53755	Blue Stripe® Drip 9-Outlet Distribution Manifold	10	53755-9	8.0 x 5.0 x 10.0	3.5 lb

TORO. BLUE STRIPE DRIP PRODUCTS





Low-Pressure Tap Timer

Features

- Durable and consistent watering
- 11 preset watering cycles (intervals)
- Watering duration from 1- to- 120 minutes
- Low battery indicator
- Flow rate from 5 to 10.5 GPM
- Recommended operating pressure range from 10-50 PSI
- Max. inlet pressure: 125 PSI
 Miss. inlet pressure: F. DSI



Bluetooth® Hose-End Timer

Features

 Bluetooth technology so you can manually operate the controller from your smart phone or tablet



• Flow range from .18 to 5.3 GPM

• Working pressure range from 14-145 PSI

 Requires one (1) 9V alkaline battery (not included)

• Smartphone/tablet minimum requirements

- Bluetooth 4.1
- Android® 4.4
- Apple[®] iOS 8





404			

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53453	Low-Pressure Tap Timer	12	53453-4	9.5" x 14" x 21.5"	11.0 lb
53454	Bluetooth Hose-End Timer	6	53454-1	9" x 14.25" x 16"	6.0 lb





Blue Stripe Drip Irrigation Control Zone Valve Kits

Toro Drip Irrigation Zone Valve Kits are specially designed for low-volume drip applications. These simple, all-in-one kits are available in anti-siphon or in-line valve versions. Kits include an automatic control valve, mesh filter, pressure regulator and shut-off valve.

Features

- No need to purchase separate parts everything needed is included in the kit!
- Minimizes installation time
- Available in anti-siphon with backflow prevention or in-line valve configurations

Water Source Installation Kit

Features

 Everything you need to connect Toro Blue Stripe[®] Drip ½" Tubing from a valve, riser or outdoor faucet

Kit Includes:

- 25 PSI pressure regulator (1)
- 125 mesh filter (1)
- Hose bibb vacuum breaker (1)
- Tubing swivel connector (1) (1/2" tubing fitting x 3/4" female swivel)
- 1/2" x 3/4" bushing (1)

Kit Includes:

Automatic control valve — anti-siphon

• Mesh filter — keeps drip emitters clean

• Pressure regulator — controls pressure to emitters

• Shutoff valve — allows the zone to be shut off for maintenance

• Installation instructions







Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53749	Blue Stripe® Drip Irrigation Valve Kit, Anti-Siphon	1	53749-8	14.0 x 14.0 x 5.0	2.5 lb
53756	Blue Stripe® Drip Water Source Installation Kit	8	53756-6	8.25 x 5.75 x 18.0	4.0 lb



1/2" Tubing

Features

- Larger diameter tubing (.710 O.D. compared to .620 O.D.) means less friction loss to allow for more emitters on the same line
- Blue Stripe identifier of quality industry leader
- Linear low density polyethylene tubing is made from high-grade polyethylene resins
- Minimum 2% carbon black (ultraviolet inhibitor) added for resistance to sunlight deterioration
- Shrink-wrapped 50', 100' and 500' rolls
- 3 layer Matrix® technology provides superior strength and flexibility compared to traditional tubing

1/2" Tubing with Emitters

Features

- 1.0 GPH emitters factory-installed every 18"
- Perfect for ground cover, gardens and flower beds
- Professional quality, durable drip tubing
- Factory-installed emitters cut installation time... JUST DROP AND ROLL!
- Pressure-compensating emitters efficient and precise... SAVES WATER!
- Minimum 2% carbon black (ultraviolet inhibitor) added for resistance to sunlight deterioration
- 3 layer Matrix® technology provides superior strength and flexibility compared to traditional tubing



Features

- Use for connecting ½" tubing to emitters and micro-sprinklers
- Blue Stripe[®] identifier of quality industry leader
- Minimum 2% carbon black (ultraviolet inhibitor) added for resistance to sunlight deterioration

1/4" Tubing with Emitters

Features

- 0.5 GPH emitters factory-installed every 6"
- Perfect for containers, gardens and flower beds
- Factory-installed emitters cut installation time... JUST DROP AND ROLL!
- Minimum 2% carbon black (ultraviolet inhibitor) added for resistance to sunlight deterioration





53719, 53605, 53616


Blue Stripe® Drip 1/2" Tubing with Emitters, 100 53618





Blue Stripe® Drip 1/4" Tubing, 100"

Blue Stripe® Drip 1/4" Tubing with Emitters, 100













1/2" Fittings

Features

- Loc-Eze® fittings for easy installation
- Positive no-leak fit
- Fittings grip tighter as tension increases
- Reusable and easy to remove



Blue Stripe® Drip 1/2" Coupling

53702



Blue Stripe® Drip 1/2" Elbow 53703



Blue Stripe° Drip 1/2" Tee 53704



Blue Stripe® Drip 1/2" End Clamp

53705



Blue Stripe® Drip 1/2" Tie-Down Stake 53620

Hole Punch

Features

- Use to punch holes in Blue Stripe® Drip 1/2" Tubing for installing emitters
- Easy to use





Hole Plugs

- Commonly called "goof" plugs
- Use if a hole is punched in the wrong spot or to relocate emitters





Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53702	Blue Stripe® Drip 1/2" Coupling (4 per bag)	20	53702-3	8.0 x 4.3 x 10.25	3.1 lb
53703	Blue Stripe® Drip 1/2" Elbow (4 per bag)	15	53703-0	8.4 x 5.2 x 10.25	4.0 lb
53704	Blue Stripe® Drip 1/2" Tee (4 per bag)	10	53704-7	8.4 x 5.2 x 10.25	4.0 lb
53705	Blue Stripe® Drip 1/2" End Clamp (4 per bag)	15	53705-4	8.4 x 5.2 x 10.25	0.84 lb
53620	Blue Stripe® Drip 1/2" Tie-Down Stakes (10 per bag)	10	53620-0	8.0 x 6.5 x 15.0	1.0 lb
53679	Blue Stripe® Drip Hole Punch	20	53679-8	8.0 x 4.3 x 5.0	0.8 lb
53777	Blue Stripe® Drip Hole Plugs (12 per bag)	10	53777-1	8.0 x 4.3 x 5.0	0.3 lb



1/4" Fittings

Features

- Great for connecting lengths of ¼" tubing or connecting to 1/2" tubing
- Easy to install





1/4" Stake

- Easy to install
- Used to place and secure ¼" tubing exactly where you want it
- Reusable and easy to remove









Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53634	Blue Stripe® Drip 1/4" Coupling (15 per bag)	10	53634-7	8.0 x 4.3 x 5.0	1.6 lb
53635	Blue Stripe® Drip 1/4" Elbow (15 per bag)	10	53635-4	8.0 x 4.3 x 5.0	1.6 lb
53636	Blue Stripe [®] Drip 1/4" Tee (15 per bag)	10	53636-1	8.0 x 4.3 x 5.0	1.6 lb
53637	Blue Stripe® Drip 1/4" Stake (10 per bag)	10	53637-8	8.0 x 4.3 x 5.0	2.5 lb



water 3

1.0 GPH Pressure Compensating Emitters

Features

- Perfect for watering individual plants
- 1.0 GPH pressure compensating
- Built-in dust cap for protection from debris and insects



Blue Stripe* Drip 1.0 GPH Pressure Compensating Emitters

53621

Adjustable Flow Emitter

Features

- Simple finger-tip cap control for flow adjustment from a gentle stream to a drip action or shut off
- ¼" barb easily installs into ¼" tubing or ½" tubing
- Full circle (up to 3 feet diameter of throw), 0–13 GPH



Blue Stripe* Drip Adjustable Emitter 53681

Fogger

Features

- Produces a fine mist spray
- Great for irrigating containers or use as misters for cooling patios
- Installs directly into ½" tubing
- 1/4" barb can be installed into 1/4" tubing
- 3.0 GPH at 20 PSI
- Diameter of throw: 2-5 ft



Blue Stripe® Drip Fogger 53651

2.0 GPH Pressure Compensating Emitter

Features

- 2.0 GPH pressure-compensating emitter has a self-flushing mode that clears debris to prevent clogging; works well in any type of water condition
- In case of severe debris, emitter may be taken apart (cap screws off) and then system can be flushed
- Durable emitter is perfect for individual plants, shrubs and trees



Blue Stripe® Drip 2.0 GPH Pressure Compensating Emitters 53690



Adjustable Flow Stream Emitter with Stake

Features

- Adjustable 0-14 GPH flow rate
- 360° pattern emitter with anchor stake
- Ideal for small flower beds or container plants




Blue Stripe* Drip Adjustable Flow Stream Emitter with Stake $$53800\$

Adjustable Flow Bubbler with Stakes

- Adjustable 0–20 GPH flow rate and anchor stake
- Ideal for small trees and shrubs whose growth requires increasing flow rates



Blue Stripe* Drip Adjustable Flow Bubbler with Stake



water 3

12" Micro-Spray Stake

Features

- Supports ¼" tubing and a variety of microsprays
- Adjusts to the exact height needed for plant type and growth pattern
- Ideal for use with Blue Stripe® Drip Micro-Spray Nozzle (53846)



12" Micro-Spray Stake

53753

Stream Jet with 12" Stake

Features

- Micro stream jet pattern for watering ground cover or flower beds
- 2 patterns available (6.0 GPH):
 - Stream Jet Half Pattern, 5' diameter (53754)
 - Solid Jet, Quarter Pattern, 8' diameter (53778)
- Pre-assembled onto a Blue Stripe[®] Drip Micro-Spray Stake with 24" Blue Stripe[®] Drip ¼" Tubing and ¼" Coupling



Adjustable Micro-Spray Nozzle, Full Pattern

Features

- Full circle 360° spray pattern up to 18' diameter
- 0–15 GPH adjustable flow rate
- Connects to Micro-Spray Stake (53753) and ¼" tubing



Blue Stripe* Drip Adjustable Micro-Spray Nozzle, Full Pattern










*53754 (Half Pattern) 53778 (Quarter Pattern)



^{*} While supplies last (to be obsoleted on December 1, 2018)



water 3

distribute 2

connect 1

1/2" Emitter Kit

Features

- Use with Toro Blue Stripe® Drip 1/2" Tubing (.710 O.D. x .620 I.D.)
- Contains a selection of frequently used drip emitters and accessories

Kit Includes:

- 0.5 GPH Pressure Compensating Emitters — Blue (10)
- 1.0 GPH Pressure Compensating Emitters — Black (10)
- 2.0 GPH Pressure Compensating Emitters — Red (10)
- 1/2" Tie-Down Stakes (10)
- Hole Punch (1)
- Hole Plugs (24)
- End Clamp (1)
- 1/2" Swivel Adapter (1)



Blue Stripe* Drip 1/2" Emitter Kit

Blue Stripe Drip Starter Kit

Features

 The all-in-one drip starter kit for watering plants or containers

Kit Includes:

- 1/4" Tubing 25' (.250 O.D. x .170 O.D.)
- 2.0 GPH Pressure Compensating Emitters (6)
- 1/4" Coupling (1)
- 1/4" Tees (5)
- 1/4" Stakes (6)
- 1/4" Faucet Adapter (1)



Blue Stripe[®] Drip Starter Kit 53724

1/4" Fitting and Emitter Kit

Features

- Use with Toro Blue Stripe[®] Drip 1/4" Tubing (.250 O.D. x .170 O.D.)
- Contains a selection of frequently used drip emitters and fittings

Kit Includes:

- 1/4" Tie-Down Stakes (10)
- 1/4" Coupling (5)
- 1/4" Elbow (5)
- 1/4" Tee (10)
- 1.0 GPH Flag Emitter Black (5)
- 2.0 GPH Flag Emitter Red (5)
- 4.0 GPH Flag Emitter Maroon (5)
- ¼" Faucet Adapter (1)



Blue Stripe* Drip 1/4" Fitting and Emitter Kit 53790










Toro 4' x 3' Vinyl Banner 53280



Blue Stripe® Drip Planning & Installation Guide 53850



Toro DIY Catalog 2018 Available to download online



Model No.	Description	Master Pack Quantity	UPC No. 0-21038-
53850	Blue Stripe® Drip Planning & Installation Guide	25	53850-1
53280	4' x 3' Vinyl Banner	1	N/A







The Toro Company

5825 Jasmine Street • Riverside, CA • 92504-1183 • www.toro.com ©2018 The Toro Company. All rights reserved.

We reserve the right to improve our products and make changes in the specifications and designs without notice and without incurring obligation. Products depicted in this brochure are for demonstration purposes only. Actual products offered for sale may vary in design and features.