

UEI
TEST INSTRUMENTS™



Product Catalog
Volume 53

Essential Tools for Essential Trades
www.ueitest.com

Digital Pocket Thermometer NSF

PDT660 UPC: 053533508451

Features

- -58° to 572°F (-50° to 300°C)
- Backlit display
- Approx. 1/sec update rate
- Pocket clip
- Folding
- Reads open or closed
- Min/max
- F or C scale

Warranty

1-Year limited warranty

Includes

Battery (CR2032)
Manual



Digital Folding Pocket Thermometer

PDT650 UPC: 05353370128

Features

- -58° to 572°F (-50° to 300°C)
- Folding probe
- Reads at all angles
- Magnetic mount
- Min/Max

Warranty

3-Year limited warranty

Includes

Battery (AB13)



Digital Pocket Thermometer

PDT550 UPC: 05353370093

Features

- -58° to 572°F (-50° to 300°C)
- Waterproof
- NSF
- Magnetic mount
- Min/Max
- Probe cover extension

Warranty

3-Year limited warranty

Includes

Battery (AB13)



Digital Pocket Thermometer

550B UPC: 05353370117

Features

- -58° to 578°F
- Protective boot
- NSF
- Magnetic mount
- Water resistant
- Min/Max
- Data hold

Warranty

3-Year limited warranty

Includes

Battery (AB13)



Digital Pocket Thermometer

300AC UPC: 05353370092

Features

- -50° to 150°C
- NSF
- Min/Max
- Hold
- Easy access battery compartment

Warranty

1-Year limited warranty

Includes

Battery (AB14)
Protective sleeve



Vapor Tension Remote Thermometer

RF60A UPC: 05353370057

Features

- -40° to 60°F (-40° to 15°C)
- 2°F/1°C per division
- 2" Dial with 3" mounting flange
- 48" Nickel plated capillary
- Color-coded scales

Warranty

1-Year limited warranty



Refrigerator Freezer Thermometer

RFT2A UPC: 05353370058

Features

- -20° to 80°F (-30° to 30°C)
- 2°F/1°C per division
- Hangs or stands
- Stainless steel frame

Warranty

1-Year limited warranty



Refrigerator Freezer Thermometer

FG80K UPC: 05353370034

Features

- -40° to 80°F (-40° to 27°C)
- Large 5" x 1 1/4" scale plate
- Red spirit-filled (non mercury)
- Hangs or stands

Warranty

1-Year limited warranty



Category index

A/C & REFRIGERATION	2-5
ACCESSORIES	31-33
APPS	6
CLAMP METERS	10-14
CO DETECTORS	20-21
COMBUSTION	22-25
COMBUSTION ACCESSORIES	31
ELECTRICAL TESTERS	29
HUMIDITY / AIR FLOW	18-19
INDUSTRIAL ANALYZERS	26

INFRARED THERMOMETERS	16-17
INSULATION RESISTANCE TESTERS	28
LEAK DETECTORS	9, 20
MULTIMETERS	29-30
PRESSURE TESTERS	27
RECERTIFICATION INFO	25
TEMPERATURE TESTERS	15
TEST LEADS	34
THERMOMETERS	15

Product index

10051	31	ATL301KIT	33
10533	31	ATL5	33
12933	31	ATL55	33
13124	31	ATL57	33
13251	31	ATL6	33
13910	31	ATLBPCK	33
16345	31	ATLCAP	32
16646	31	ATLTX	33
17483	29	ATT100	33
17631	31	ATT19	33
16646PACK	31	ATT26	33
17631PACK	31	ATT27	33
300AC	15	ATT29	33
550B	15	ATT29A	33
AAC	33	ATT29APACK	33
AAC3	33	ATT30	33
AACA4	31	ATT36	33
AB13	32	ATT39	33
AB15	32	ATT55A	33
AC12	32	ATT56A	33
AC73	32	ATT6	33
AC319	32	ATT62	33
AC419	32	ATT70	33
AC504	32	ATT71	33
AC509	32	ATTEXT	33
AC519	32	ATTPC3	33
AC520	32	ATTPC4	33
AC73	32	BF100	32
ACF1	32	BF102	32
ACS1	32	C161	24
AF2	32	C162	24
AF3	32	C163	24
AF5	32	C164	24
AF9	31	C165	24
AF10	32	C165BTKIT	24
AF21	32	C165KIT	24
AF23	32	C165NO	24
AF38	32	C165NOKIT	24
AF39	32	C165NOOILKIT	24
AF45	32	C165OILKIT	24
AF113	32	CD100A	20
AF120	32	CD200	20
AF125	32	CFK1	31
AF145	32	CLM100	28
AF155	32	CM11667/2	31
AF160	32	CM11667/2PACK	31
AF161	32	C071A	20
AJW1	31	COA2	21
ALS2	32	CP2	31
AMH1	32	D460	31
AORK1	32	DAFM3B	19
AQM4	18	DAFM4	19
ART1	32	DL369	13
ASP1	32	DL379B	13
ATHA1	32	DL379BCOMBO	14
ATL1	33	DL389B	13
ATL190	32	DL389BCOMBO	14
ATL2	33	DL429B	12
ATL3	33	DL479COMBO	14

DL489	12	PSMR1	32
DL489COMBO	14	RF60A	15
DM505	29	RFT2A	15
DM515	29	RLD10	9
DM525	30	RLD15B	9
DMG150	9	RLD15SENS	32
DT302	16	RLDLS	32
DT304	16	RLDSENS	32
DTH10	18	RLDTF	32
DTH35	18	RS1000	32
DTH880	18	RS1010	32
DTHA2	19	SF1	31
EABT	31	SF9	31
EAGLEUPGRADE	31	SGAFP	31
EAKIT	31	SM10617	31
EM152	27	SM11103	31
EM201B	27	SM11105	31
EM201SPKIT	27	SM11827	31
ERT100	29	SM150515	31
ERT200	29	SP9	31
FB1	31	SPAK1	27
FG80K	15	SPT1	31
HA1	9	T125/3	16
HUB2	4	T160	16
HUB4	4	T160/3	16
HUB6	4	T220	16
HUB8	4	T220/3	16
HVACKIT	14	TACH2	32
INF145	16	TACK10	14
INF165C	17	TACK20	14
INF195C	17	TACK30	14
IRP-2	31	TC100	16
IRT20	28	TC70	16
IRT803	28	TDP	31
IRT807	28	TF100	32
K9206BCH	31	THL2	18
KANE975	26	WHP1	2
KCO1/Q	31	WN8	31
KHC/Q	31	WOT2	2
KHSA/Q	31	WPC1	2
KMAF2	31	WPP1	2
KMCP10	31	WRS110	8
KMCP2	31	WRS220	8
KMCP70	31	WRSX	8
KMCHP6	31	WT900/2	31
KMCP72	31	WTA	31
KMCSP6	31	WVG2	5
KMN02/Q	31		
KMS02/Q	31		
KNO1H/Q	31		
KNO1L/Q	31		
LPKIT	20		
LPKITPLUS	20		
NCV3	29		
OS11	31		
OS12	31		
PDT550	15		
PDT650	15		
PDT660	15		



Proudly family-owned and operated since 1954

In 1954, Douglas and Betty Kane started the Kane Group in London, UK. From modest beginnings, a global business has developed. In 1992 UEI Test Instruments joined the Kane Group. We design, manufacture, market, service and support portable test equipment that every day enables thousands of professionals to do their jobs around the world.

Our products save lives, reduce business costs and protect the environment.

We employ over 200 people in 8 countries on 3 continents with 4 manufacturing facilities and centers providing local staff, stock, and service.

Our recertification centers in USA and Canada are ISO/IEC 17025:2017 accredited facilities and can provide NIST certification services. Our recertification teams are factory certified and proud to provide industry-leading turn-around support and only uses EPA protocol test gases.



USA	PORTLAND, OR
1-800-547-5740	Corporate Office
info@ueitest.com	INDIANAPOLIS, IN
	Distribution
	Recertification Center
	ISO/IEC 17025:2017
	NIST Certification



CANADA	VANCOUVER, BC
1-877-475-0648	Distribution
info@kanetest.ca	Recertification Center
	ISO/IEC 17025:2017
	NIST Certification

MEXICO	MEXICO CITY
(33) 3600 5600	Sales Office
carlos@ueitest.mx	GUADALAJARA
	Distribution

WWW.UEITEST.COM



Copyright © 2020 Kane USA Inc. All Rights Reserved. KANE and the KANE logo (registered in the UK and elsewhere) are trademarks of Kane Group Limited, used under license. iOS®, Android™ and Windows™ are property of their respective owners. iPhone® is a trademark of Apple, Inc., registered in the U.S. and other countries.

L144 08/20