



LAVATORY FAUCETS



One-Handle Bathroom Faucet
6402 †



Two-Handle Widespread Bathroom Faucet
T6405 * †



Two-Handle Centerset Bathroom Faucet
6401 †

TUB FILLER



Freestanding Tub Filler
9025

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower
T9024 *



Two-Handle Roman Tub Trim
T9023 *

Belfield™



EXACTEMP® 3/4"



ExactTemp Valve Trim
T4411 * ♿ ♻



ExactTemp Volume Control Valve Trim
T4412 * ♿ ♻

TRANSFER VALVES



M-CORE Transfer Valve Trim
UT4301 * ♿ ♻



M-CORE 3S with Integrated Transfer Valve Trim
UT3322 * ♿ ♻



Posi-Temp with Integrated Transfer Valve Trim
T2310 * ♿ ♻



Two- or Three-Function Transfer Valve Trim
T4301 * ♿ ♻



Moentrol with Integrated Transfer Valve Trim
T3322 * ♿ ♻



M-CORE® 3-SERIES



M-CORE 3S Tub/Shower Trim

UT3313*
 UT3313EP*

M-CORE 3S Shower Only Trim

UT3312*
 UT3312EP*

M-CORE 3S Valve Only Trim

UT3311*

MOENTROL®



Moentrol Tub/Shower Trim

T3313NH*

Moentrol Shower Only Trim

T3312NH*

Moentrol Valve Only Trim

T3311*

POSI-TEMP®



Posi-Temp Tub/Shower Trim

T2313*
 T2313EP*
 T2313NH*

Posi-Temp Shower Only Trim

T2312*
 T2312EP*
 T2312NH*

Posi-Temp Valve Only Trim

T2311*

Belfield™



MATCHING ACCESSORIES



Tank Lever
YB6401



Pivoting Paper Holder
YB6408



18" Towel Bar
YB6418



Hand Towel Bar
YB6486



24" Towel Bar
YB6424



24" Double Towel Bar
YB6422



Double Robe Hook
YB6403



12" Designer Grab Bar
YG6412

18" Grab Bar
YG6418

24" Grab Bar
YG6424



One Globe Bath Light
YB6461



Three Globe Bath Light
YB6463



Two Globe Bath Light
YB6462



Four Globe Bath Light
YB6464

BELFIELD FINISH OPTIONS



Chrome, Brushed Nickel **(BN)**,
Lifeshine™ Polished Nickel **(NL)** (Ships Q2),
Oil Rubbed Bronze **(ORB)**, Matte Black **(BL)**

Not all platforms available in all finishes.

- ☒ Immersion Rainshower Technology
- Ⓜ Moen M•PACT™ Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ♿ ADA-Compliant
- Ⓟ Pivoting Technology

† All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.

* Rough-in valve required. Please see price catalog for rough-in model numbers.

◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.