



Power Tools Accessories Catalog



**STANDS BETWEEN
YOU AND 1000 VOLTS**

PROTECT YOURSELF FROM ELECTRIC SHOCK.™




1000 V

Classified in Accordance
With IEC 60900:2018
ASTM F1505
Classificadas conforme al IEC
60900:2018
ASTM F1505
Classé conformément au
standard IEC 60900:2018
ASTM F1505




CRESCENT APEX®



Trusted by the Trades.

The APEX® Assembly & Fabrication tools plant was founded in Dayton, Ohio in 1933 as the APEX Machine & Tool Company.



The brand was quickly established as durable dependability on assembly lines for automotive and general industry. Over 85 years later, APEX is still regarded as a market leader in fastening tools such as bits, sockets, wrenches, and torque products that are engineered for the toughest industrial applications.



Leveraging the brand's legacy in the assembly manufacturing space, in 2019, the Crescent APEX® line of power tool accessories was launched for construction and industrial applications. The Crescent APEX line enhances durability, extends life and improves tools fit for professional tradesmen. We spent countless hours with our in-house metallurgical team to enhance the heat treatment process, ensuring our products meet and exceed user durability and life requirements. We take pride in our ability to provide user-focused innovative solutions in assembly manufacturing and we are confident this product line will do the same for construction and industrial applications.



Table of Contents

- eSHOK-GUARD™ Products 4-5
- u-GUARD™ Products..... 6-7
- alphaCASE™ Sets 8-9
- VORTEX™ Impact Torsion Zone Accessories..... 10-11
- Full Body Insert Bits 11




STANDS BETWEEN YOU AND 1,000 VOLTS.

Protect yourself from electric shock with Crescent APEX's new patented isolated technology, eSHOK-GUARD, providing insulation of up to 1,000 volts.

87% OF PROFESSIONALS EXPERIENCE ELECTRIC SHOCK on construction job sites. eSHOK-GUARD is there to protect you - for life.

US Pat. #8199101



PROTECT YOURSELF FROM ELECTRIC SHOCK.™

CLASSIFIED
UL
MH64413
1000 V
Classified in Accordance With IEC 60900:2018 ASTM F1505
Clasificadas conforme al IEC 60900:2018 ASTM F1505
Classé conformément au standard IEC 60900:2018 ASTM F1505

Combining safety and convenience for a revolutionary experience when working around potential live wire applications, eSHOK-GUARD's impact-rated design withstands heavy-use, and impact tool applications, so you never have to sacrifice protection when using power tools.

54% OF PROFESSIONALS WORK AROUND LIVE ELECTRICITY everyday. eSHOK-GUARD is there to protect you - for life.

US Pat. #8199101



PROTECT YOURSELF FROM ELECTRIC SHOCK.™


CLASSIFIED
UL
MH64413
1000 V
Classified in Accordance With IEC 60900:2018 ASTM F1505
Clasificadas conforme al IEC 60900:2018 ASTM F1505
Classé conformément au standard IEC 60900:2018 ASTM F1505

eSHOK-GUARD™ Isolated Bit Holder

INSULATES ALL BITS
UP TO 1000V

ISOLATION ZONE PROTECTS UP TO 1000V
Insulates all your standard bits

IMPACT RATED
Withstands heavy-use in impact applications



MAGNETIC TIP
Fasteners stay securely in place

RETAINING RING
Easily secure and replace bits

1/4" 1/4" HEX SHANK
Compatible with impact drivers and drills

| Item No. | Description | Size | Overall Length | Rated Voltage |
|-------------|---|--------|----------------|---------------|
| CAEBH2C | Isolated Bit Holder | 1/4 in | 3 in | 1000V |
| CAEBH-2CK-4 | Ceiling Fan & Light Installation Kit with Isolated Bit Holder | 1/4 in | 3 in | 1000V |




eSHOK-GUARD™ Socket Isolator

INSULATES ALL SOCKETS
UP TO 1000V

ISOLATION ZONE PROTECTS UP TO 1000V
Insulates all your standard sockets

IMPACT RATED
Withstands heavy-use in impact applications



COMPACT DESIGN
Improves precision in tight spaces

BALL DETENT
Easily secure and replace sockets

| Item No. | Size | Overall Length | Rated Voltage |
|----------|--------|----------------|---------------|
| CAEAD316 | 1/4 in | 2.125 in | 1000V |
| CAEAD324 | 3/8 in | 2.25 in | 1000V |
| CAEAD332 | 1/2 in | 2.625 in | 1000V |



u-GUARD™ Non-Marring Covered Tools

The Crescent APEX series of u-GUARD non-marring covered tools gives you protection and control on the jobsite. These patented tools allow the user to grab directly onto the drive tool while it spins freely inside the cover, increasing fastening control and significantly reducing contact from the rotating tool.



- Non-marring cover protects from scratching or damages
- Thin wall maximizes access
- Free spinning sleeve enhances control and safety
- Full body design for greater strength and durability
- Optimized tip geometry for exact fastener fitment
- Helps to eliminate cam-out and promotes fastener retention



u-GUARD Covered Impact Power Bits

| Item No. | Drive End | Drive Size | Length |
|---------------|--|---------------|----------|
| CAUGB3BPH2-1 | Phillips | PH2 | 3-1/2 in |
| CAUGB3BSQ2-1 | Square | SQ2 | 3-1/2 in |
| CAUGB3BTX25-1 | Torx | T25 | 3-1/2 in |
| CAUGB3BR-3 | Phillips, Square & Torx and alphaCASE™ Refillable Rail | PH2, SQ2, T25 | 3-1/2 in |



u-GUARD Covered Magnetic Impact Power Bits

| Item No. | Drive End | Drive Size | Length |
|---------------|-----------|------------|----------|
| CAUMB3BPH2-1 | Phillips | PH2 | 3-1/2 in |
| CAUMB3BSQ2-1 | Square | SQ2 | 3-1/2 in |
| CAUMB3BTX25-1 | Torx | T25 | 3-1/2 in |



u-GUARD Covered Bit Holders

| Item No. | Description | Drive Size | Length |
|------------|---|------------|----------|
| CAUGBQ2A-1 | Quick Release Bit Holder | 1/4 | 2-1/4 in |
| CAUGBH3-1 | Bit Holder | 1/4 | 3 in |
| CAUGK-15 | Bit Holder with 15 - PH2 Insert Bits and alphaCASE Refillable Box | 1/4 | 3 in |



u-GUARD Project Kits

| Item No. | Description |
|-------------|--|
| CAUGB3BPH2K | 3.5 in PH2 u-GUARD Bit, 3/8 in Drill Bit, 10 Screws, 10 Dry Wall Anchors |
| CAUGBQ2DR-4 | 2-9/16 in Quick Release Bit Holder, 1 - 1 in PH2, 1 - 1 in T25, 1 - 1 in SQ2, 1 - 1 in SL6-8, alphaCASE™ Refillable Rail |



u-GUARD Covered Magnetic Nutsetters

| Item No. | Drive End | Length |
|---------------|-----------|---------|
| CAUGN2DHX16-1 | 1/4 in | 2.56 in |
| CAUGN2DHX20-1 | 5/16 in | 2.56 in |
| CAUGN2DHX24-1 | 3/8 in | 2.56 in |



u-GUARD Covered Socket Sets

| Item No. | Description | Drive Size |
|-----------|---|------------|
| CAUGK2-31 | 1/4 in and 5/16 in Covered Sockets with 1/4 Drive Vortex Socket Adaptor | 1/4 |
| CAUGK2-32 | 3/8 in and 7/16 in Covered Sockets with 3/8 Drive Vortex Socket Adaptor | 3/8 |



PROTECT YOUR WORK.™



Superior Durability

The Crescent APEX® 30-piece fastening set with u-GUARD™ is built for the most demanding jobsites. The stack and store alphaCASE™ features a tongue and groove design with thick sidewall construction. The 30-piece set includes the patented Crescent APEX u-GUARD non-marring covered tools which protect final finishes from damage as well as the core APEX S2 steel product with optimized tip geometry.


CAUGSET-30 | 30 Piece u-Guard Fastening Set

Superior Durability
to withstand the toughest jobs



Pivoting Insert Rails
refillable for ease of use

Stackable
for convenient storage



Rail Flexibility
store longer bits



Additional Rail Slot
increased bit count

Redesigned Rail Grip
easy to grip and access bits

Full Length Metal Hinge
for improved case life

Exterior Labels
for visibility and marking

Attachment Points
for versatility on the job



New Latch Mechanism
lower profile, easy to use



alphaCASE™ REFILL

Refillable Rail Works in Crescent APEX Screwdriving Sets

alphaCASE™



30 Pc. u-GUARD Fastening Set

- Non-marring cover protects from scratching or damages
- Free spinning design enhances control and safety
- Optimized tip geometry for best fit (50% better grip measured on Phillips® bit only)
- Superior durability to withstand the toughest jobs
- Full body design for greater strength and durability
- Proprietary heat treat process maximizes bit life (2x more durable)
- Pivoting insert rails for ease of use
- Stackable for convenient storage

CAUGSET-30



| Item No. | Included Storage | Product Weight |
|------------|------------------|----------------|
| CAUGSET-30 | alphaCASE | 1.583 lb |

| Item No. | Description | Qty. |
|----------|-------------------------------------|------|
| AMB1SL6 | 6 - 8 x 1 in Slotted Insert Bit | 1 |
| AMB1TX20 | T20 x 1 in Torx® Insert Bit | 1 |
| AMB1TX25 | T25 x 1 in Torx Insert Bit | 4 |
| AMB1SQ2 | #2 x 1 in Square Insert Bit | 2 |
| AMB1PH1 | #1 x 1 in Phillips Insert Bit | 2 |
| AMB1PH2 | #2 x 1 in Phillips Insert Bit | 6 |
| AMB2PH2 | #2 x 2 in Phillips Power Insert Bit | 4 |
| AMB2SQ2 | #2 x 2 in Square Power Insert Bit | 2 |

| Item No. | Description | Qty. |
|------------|---|------|
| AMB2TX25 | T25 x 2 in Torx Power Insert Bit | 2 |
| AUMB3BPH2 | #2 Phillips u-GUARD Covered Impact Power Bit with Ring Magnet | 1 |
| AUGB3BTX25 | T25 Torx u-GUARD Covered Impact Power Bit | 1 |
| AUGN2B20 | 5/16 in u-GUARD Covered Magnetic Nutsetter | 1 |
| AUGN2B16 | 1/4 in u-GUARD Covered Magnetic Nutsetter | 1 |
| AUGBQ2A | u-GUARD Covered Quick Release Bit Holder 1/4 in x 2-1/4 in | 1 |
| AMBQ2A | 2-1/4 in Quick Release Bit Holder | 1 |

38 Pc. Vortex™ Fastening Set

- Superior durability to withstand the toughest jobs
- Optimized tip geometry for exact fastener fitment
- Helps to eliminate cam-out and promotes fastener retention
- Modified S2 steel and proprietary heat treat process maximizes bit life
- Attachment points for versatility on the job
- Full length metal hinge for improved case life
- Pivoting insert rails for ease of use
- Stackable for convenient storage
- Exterior labels for visibility and marking

CAVSET-38



| Item No. | Included Storage | Product Weight |
|-----------|------------------|----------------|
| CAVSET-38 | alphaCASE | 1.282 lb |

| Item No. | Description | Qty. |
|----------|---|------|
| CAVB1PH1 | #1 x 1 in Vortex Phillips Insert Bit | 2 |
| CAVB1PH2 | #2 x 1 in Vortex Phillips Insert Bit | 9 |
| CAVB1PH3 | #3 x 1 in Vortex Phillips Insert Bit | 2 |
| CAVB1SL6 | 6 - 8 x 1 in Vortex Slotted Insert Bit | 1 |
| CAVB1SL8 | 8 - 10 x 1 in Vortex Slotted Insert Bit | 1 |
| CAVB1SQ2 | SQ2 x 1 in Vortex Square Drive Insert Bit | 3 |
| CAVB1T15 | T15 x 1 in Vortex Torx Insert Bit | 2 |

| Item No. | Description | Qty. |
|----------|--|------|
| CAVB1T20 | T20 x 1 in Vortex Torx Insert Bit | 2 |
| CAVB1T25 | T25 x 1 in Vortex Torx Insert Bit | 6 |
| CAVB2PH2 | #2 x 2 in Vortex Phillips Power Bit | 3 |
| CAVB2SQ2 | SQ2 x 2 in Vortex Square Drive Power Bit | 3 |
| CAVB2T25 | T25 x 2 in Vortex Torx Power Bit | 3 |
| CAMBH3 | 3 in Magnetic Bit Holder | 1 |
| CAUGBH3 | 3 in u-GUARD Covered Bit Holder | 1 |

Vortex™ Impact Torsion Zone Accessories

The Crescent APEX line enhances durability, extends life and improves tool fit for professional tradesmen. We spent countless hours with our in-house metallurgical team to enhance the heat treatment process, ensuring our products meet and exceed user durability and life requirements.

50X LIFE+
IMPACT ZONE

Vortex Impact Torsion Zone
Torsion design delivers maximum performance for impact applications

Unique Steel Formulation and Heat Treatment Process
Maximizes extractor life

Best Fit
Optimized tip geometry for exact fastener fitment. Helps to eliminate cam-out and promotes fastener retention.

Laser Marking
For long-lasting quick and easy size identification

Power Bits

| Item No. | Drive End | Drive Size | Length |
|------------|-----------|------------|--------|
| CAVB2PH2-2 | Phillips | PH2 | 2 in |
| CAVB2SQ2-2 | Square | SQ2 | 2 in |
| CAVB2T25-2 | Torx | T25 | 2 in |
| CAVB6PH2-2 | Phillips | PH2 | 6 in |
| CAVB6T25-2 | Torx | T25 | 6 in |



Nutsetters

| Item No. | Drive Size | Length |
|------------|------------|-----------|
| CAVN2DHX16 | 1/4 in | 2-9/16 in |
| CAVN2DHX20 | 5/16 in | 2-9/16 in |
| CAVN2DHX24 | 3/8 in | 2-9/16 in |
| CAVN2DHX28 | 7/16 in | 2-9/16 in |



Socket Adaptors

| Item No. | Drive Size | Length |
|----------|------------|--------|
| CAVAD216 | 1/4 | 2 in |
| CAVAD224 | 3/8 | 2 in |



| Item No. | Description |
|-----------|---|
| CAVAD2R-3 | 1/4, 3/8, & 1/2 Drive Vortex Socket Adaptors with alphaCASE Refillable Rail |



Insert Bits Set

| Item No. | Description | Qty. |
|-----------|--|----------|
| CAB0G1R-7 | 7-pc Screwdriving Set with Magnetic Bit Holder and alphaCASE Refillable Rail | 7 pieces |



Full Body Insert Bits

- Full body design for greater strength and durability
- Optimized tip geometry for exact fastener fitment
- Helps to eliminate cam-out and promotes fastener retention
- Modified S2 steel and proprietary heat treat process maximizes bit life
- Laser markings for long-lasting quick and easy size identification

| Item No. | Drive End | Drive Size | Length |
|-----------|-----------|------------|--------|
| CAB1PH2-2 | Phillips | PH2 | 1 in |
| CAB1SQ2-2 | Square | SQ2 | 1 in |
| CAB1T25-2 | Torx | T25 | 1 in |



The Crescent APEX line enhances durability,
extends life and improves tools fit for
professional tradesmen.



eSHOK-GUARD™



U-GUARD™



alphaCASE™



VORTEX™

Learn today how Crescent Apex tools are engineered for tough, industrial applications.
www.crescenttool.com