

SHOCKWAVE™ IMPACT DUTY ACCESSORIES

SHOCKWAVE™ MATRIX CARBIDE™ IMPACT DUTY DRIVER BITS

OVERVIEW

Our SHOCKWAVE™ MATRIX CARBIDE™ Impact Duty Driver Bits have new-to-world innovation that solves your frustration of driver bit tips wearing out prematurely. The impact driver bits combine our optimized SHOCK ZONE™ technology with our new proprietary MATRIX CARBIDE™ Steel to give this driver bit the ability to absorb the peak torques of impacts while also providing you with extreme wear resistance. This revolutionary advancement in impact driver bit technology is backed with a LIFETIME TIP WARRANTY™ ensuring that you will continue to be able to drive fasteners long after all other impact bits have failed.



FEATURES

- LIFETIME TIP WARRANTY™ ensures the best fit over the life of the bit
- Optimized SHOCK ZONE™ absorbs peak torque and prevents breaking
- MATRIX CARBIDE™ Steel provides extreme wear resistance and bit life

SHOCKWAVE™ MATRIX CARBIDE™ PHILLIPS IMPACT DRIVER BITS

Drive Size	Length	1 Pack	2 Pack	10 Pack (Bulk)
PH1	1"	-	48-32-3411	-
PH1	2.25"	-	48-32-3911	-
PH2	1"	-	48-32-3412	48-32-3812
PH2	2.25"	-	48-32-3912	48-32-3862
PH2	3.5"	48-32-3562	-	48-32-3892
PH3	1"	-	48-32-3413	-
PH3	2.25"	-	48-32-3913	-

AVAILABLE FALL 2019

SHOCKWAVE™ MATRIX CARBIDE™ SQUARE RECESS IMPACT DRIVER BITS

Drive Size	Length	1 Pack	2 Pack	10 Pack (Bulk)
SQ1	1"	-	48-32-3421	-
SQ1	2.25"	-	48-32-3921	-
SQ2	1"	-	48-32-3422	48-32-3822
SQ2	2.25"	-	48-32-3922	48-32-3872
SQ2	3.5"	48-32-3572	-	48-32-3895
SQ3	1"	-	48-32-3423	-
SQ3	2.25"	-	48-32-3923	-

AVAILABLE FALL 2019

SHOCKWAVE™ MATRIX CARBIDE™ TORX® IMPACT DRIVER BITS

Drive Size	Length	1 Pack	2 Pack	10 Pack (Bulk)
T20	1"	-	48-32-3414	-
T20	2.25"	-	48-32-3984	-
T25	1"	-	48-32-3436	48-32-3836
T25	2.25"	-	48-32-3985	48-32-3885
T25	3.5"	48-32-3561	-	48-32-3896

SHOCKWAVE™ MATRIX CARBIDE™ IMPACT INSERT BIT SETS

Description	Includes		Part No.
 3 Pc SHOCKWAVE™ MATRIX CARBIDE™ Impact 3" Magnetic Bit Holder Set	(1) 3" Bit Holder (2) #2 Phillips SHOCKWAVE™ MATRIX CARBIDE™ Impact 1" Insert Bits (2 pk) (48-32-3412)		48-32-3100
 25 Pc SHOCKWAVE™ MATRIX CARBIDE™ Impact Driver Bit Set	(1) 3" Magnetic Bit Holder (1) Insert Bit 1" PH1 (5) Insert Bit 1" PH2 (1) Insert Bit 1" PH3 (1) Insert Bit 1" SQ1 (3) Insert Bit 1" SQ2 (1) Insert Bit 1" SQ3	(1) Insert Bit 1" T15 (2) Insert Bit 1" T20 (3) Insert Bit 1" T25 (2) Power Bit 2-1/4" PH2 (2) Power Bit 2-1/4" SQ2 (2) Power Bit 2-1/4" T25	48-32-3101

SHOCKWAVE™ IMPACT DUTY DRIVER BITS

OVERVIEW

Our SHOCKWAVE™ Impact Duty Driver Bits are engineered to be the Most Durable, Best Fitting driver bits on the market. The WEAR GUARD TIP™ delivers increased wear resistance which protects your impact bit's fit over the life of the bit. The SHOCK ZONE™ is optimized for each tip type and length of driver bit in the set to absorb peak torque and prevent breaking. The driver bits have CUSTOM ALLOY76™ for a customized steel and heat treatment per tip type to extend the life of your driver bits, providing up to 50X life versus other impact driver bits on the market. Our MILWAUKEE® SHOCKWAVE™ driver bits are built to provide you with extreme durability for the most demanding applications.

FEATURES

- Optimized SHOCK ZONE™: absorbs peak torque and prevents breaking
- WEAR GUARD TIP™: protects the fit over the life of the driver bit
- CUSTOM ALLOY76™: steel is customized per tip type to extend the life of the driver bit



+ SHOCKWAVE™ PHILLIPS IMPACT BITS

Bit	Length	1 Pack	2 Pack	5 Pack	15 Contractor Pack	25 Contractor Pack	25 Pack + Compact Magnetic Bit Holder	10 Pack	25 Pack	250 Pack	Bulk 10	Bulk 25	Bulk 250
PH1	1"	-	48-32-4411	48-32-4661	-	-	-	-	48-32-4111	48-32-4280	-	48-32-4711	48-32-4880
	2"	48-32-4461	-	AVAILABLE FALL 2019 48-32-4638	-	-	-	-	48-32-4160	-	-	48-32-4760	-
	3.5"	48-32-4560	-	AVAILABLE FALL 2019 48-32-4565	-	-	-	-	-	-	-	-	-
	6"	AVAILABLE FALL 2019 48-32-4800	-	-	-	-	-	48-32-4801	-	-	48-32-4201	-	-
PH2	1"	-	48-32-4412	48-32-4601	48-32-5003	48-32-4604	48-32-5009	-	48-32-4112	48-32-4281	-	48-32-4712	48-32-4881
	2"	48-32-4462	-	48-32-4602	48-32-5004	-	-	-	48-32-4162	48-32-4262	-	48-32-4762	48-32-4862
	3.5"	48-32-4562	-	48-32-4564	-	-	-	-	48-32-4191	-	-	48-32-4791	-
	6"	48-32-4802	-	-	-	-	-	48-32-4207	-	-	48-32-4807	-	-
PR2	1"	-	48-32-4444	-	-	48-32-4644	-	-	48-32-4114	-	-	48-32-4746	-
PH3	1"	-	48-32-4413	48-32-4663	-	-	-	-	48-32-4113	48-32-4282	-	48-32-4713	48-32-4882
	2"	48-32-4463	-	AVAILABLE FALL 2019 48-32-4639	-	-	-	-	48-32-4163	48-32-4263	-	48-32-4763	48-32-4863
	3.5"	48-32-4563	-	AVAILABLE FALL 2019 48-32-4566	-	-	-	-	48-32-4192	-	-	48-32-4792	-
	6"	AVAILABLE FALL 2019 48-32-4308	-	-	-	-	-	48-32-4208	-	-	48-32-4808	-	-

✦ SHOCKWAVE™ POZIDRIV® IMPACT BITS

Bit	Length	1 Pack	2 Pack	Bit	Length	1 Pack	2 Pack	Bit	Length	1 Pack	2 Pack
PZ1	1"	-	48-32-4431	PZ2	1"	-	48-32-4432	PZ3	1"	-	48-32-4433
	2"	48-32-4831	-		2"	48-32-4832	-		2"	48-32-4833	-

○ SHOCKWAVE™ SQUARE RECESS IMPACT BITS

Bit	Length	1 Pack	2 Pack	5 Pack	10 Contractor Pack	15 Contractor Pack	10 Pack	25 Pack	10 Pack (Bulk)	25 Pack (Bulk)
SQ1	1"	-	48-32-4421	48-32-4621	-	-	-	48-32-4161	-	48-32-4761
	2"	48-32-4471	-	48-32-4671	-	-	-	48-32-4171	-	48-32-4771
	3-1/2"	48-32-4571	-	AVAILABLE FALL 2019 48-32-4575	-	-	-	48-32-4194	-	48-32-4794
	6"	AVAILABLE FALL 2019 48-32-4622	-	-	-	-	-	-	-	-
SQ2	1"	-	48-32-4422	48-32-4605	48-32-5008	-	-	48-32-4122	-	48-32-4722
	2"	48-32-4472	-	48-32-4606	-	48-32-5010	-	48-32-4172	-	48-32-4772
	3-1/2"	48-32-4572	-	48-32-4574	-	-	-	48-32-4195	-	48-32-4795
	6"	48-32-4805	-	48-32-4855	-	-	48-32-4215	-	48-32-4815	-

□ SHOCKWAVE™ SQUARE RECESS IMPACT BITS

Bit	Length	1 Pack	2 Pack	5 Pack	10 Contractor Pack	15 Contractor Pack	10 Pack	25 Pack	10 Pack (Bulk)	25 Pack (Bulk)
SQ3	1"	-	48-32-4423	-	-	-	-	-	-	48-32-4723
	2"	48-32-4473	48-32-4910	-	-	-	-	48-32-4173	-	48-32-4773
	3-1/2"	48-32-4573	-	-	-	-	-	48-32-4196	-	48-32-4796
	6"	48-32-4809	-	-	-	-	48-32-4216	-	48-32-4816	-

✦ SHOCKWAVE™ TORX® IMPACT BITS

Bit	Length	1 Pack	2 Pack	5 Pack	7 Pc	15 Pack Contractor Pack	25 Pack + Compact Magnetic Bit Holder	10 Pack	25 Pack	10 Pack (Bulk)	25 Pack (Bulk)
T10	1"	-	48-32-4427	AVAILABLE FALL 2019 48-32-4627	-	-	-	-	-	-	-
	2"	48-32-4482	-	AVAILABLE FALL 2019 48-32-4682	-	-	-	-	48-32-4182	-	48-32-4782
	3-1/2"	-	-	AVAILABLE FALL 2019 48-32-4576	-	-	-	-	-	-	-
T15	1"	-	48-32-4428	AVAILABLE FALL 2019 48-32-4628	-	-	-	-	48-32-4134	-	48-32-4734
	2"	48-32-4483	-	AVAILABLE FALL 2019 48-32-4683	-	-	-	-	-	-	48-32-4783
	3-1/2"	-	-	AVAILABLE FALL 2019 48-32-4577	-	-	-	-	48-32-4394	-	48-32-4594
	6"	-	-	-	-	-	-	AVAILABLE FALL 2019 48-32-4244	-	AVAILABLE FALL 2019 48-32-4844	-
T20	1"	-	48-32-4414	AVAILABLE FALL 2019 48-32-4614	-	48-32-5011	48-32-5013	-	48-32-4135	-	48-32-4735
	2"	48-32-4484	48-32-4984	AVAILABLE FALL 2019 48-32-4684	-	48-32-5012	-	-	48-32-4184	-	48-32-4784
	3-1/2"	-	-	AVAILABLE FALL 2019 48-32-4578	-	-	-	-	48-32-4395	-	48-32-4595
	6"	-	-	-	-	-	-	AVAILABLE FALL 2019 48-32-4245	-	AVAILABLE FALL 2019 48-32-4845	-
T25	1"	-	48-32-4436	AVAILABLE FALL 2019 48-32-4636	-	48-32-5014	48-32-5016	-	48-32-4136	-	48-32-4736
	2"	48-32-4485	48-32-4985	48-32-4685	-	48-32-5015	-	-	48-32-4185	-	48-32-4785
	3-1/2"	48-32-4561	-	AVAILABLE FALL 2019 48-32-4579	-	-	-	-	48-32-4396	-	48-32-4596
	6"	48-32-4810	-	-	-	-	-	48-32-4246	-	48-32-4846	-
T27	2"	48-32-4486	-	-	-	-	-	-	-	-	48-32-4786
	3-1/2"	-	-	-	-	-	-	-	48-32-4397	-	48-32-4597
	6"	-	-	-	-	-	-	AVAILABLE FALL 2019 48-32-4247	-	AVAILABLE FALL 2019 48-32-4847	-
T30	1"	-	-	AVAILABLE FALL 2019 48-32-4637	-	-	-	-	-	-	-
	2"	48-32-4487	48-32-4914	48-32-4687	-	-	-	-	48-32-4187	-	48-32-4787
	3-1/2"	AVAILABLE FALL 2019 48-32-4289	-	AVAILABLE FALL 2019 48-32-4580	-	-	-	-	48-32-4398	-	48-32-4598
	6"	AVAILABLE FALL 2019 48-32-4290	-	-	-	-	-	AVAILABLE FALL 2019 48-32-4248	-	AVAILABLE FALL 2019 48-32-4848	-
T40	2"	48-32-4488	-	-	-	-	-	-	48-32-4188	-	48-32-4788
T50	1"	-	48-32-4989	-	-	-	-	-	48-32-4189	-	48-32-4789
7 Pc TORX® Insert Bits (T10, T15, T20, T25, T27, T30, T40)		-	-	-	48-32-4615	-	-	-	-	-	-

 SHOCKWAVE™ SLOTTED IMPACT BITS

Drive Size	Length	1 Pack	2 Pack	25 Pack (Bulk)	25 Pack
SL#4	1"	-	-	48-32-4715	48-32-4115
SL#4	2"	-	-	48-32-4755	48-32-4155
SL#6	1"	-	48-32-4416	48-32-4716	48-32-4116
SL#6	2"	48-32-4916	-	48-32-4756	48-32-4156
SL#8	1"	-	48-32-4417	48-32-4717	48-32-4117
SL#8	2"	48-32-4919	-	48-32-4757	48-32-4157

Drive Size	Length	1 Pack	2 Pack	25 Pack (Bulk)	25 Pack
SL#10	1"	-	48-32-4418	48-32-4718	48-32-4118
SL#10	2"	48-32-4918	-	48-32-4758	48-32-4158
SL#12	1"	-	-	48-32-4719	48-32-4119
SL#12	2"	-	-	48-32-4759	48-32-4159
SL#8 / SL#10	2"	-	48-32-4290	-	-

 SHOCKWAVE™ ECX™ IMPACT BITS

Drive Size	Length	25 Pack (Bulk)	25 Pack
ECX1	1"	48-32-4741	48-32-4141
ECX1	2"	48-32-4744	48-32-4144
ECX2	1"	48-32-4742	48-32-4142
ECX2	2"	48-32-4745	48-32-4145

Drive Size	Length	2 Pack
ECX™ Combo	1"	48-32-4440
ECX™ Combo	2"	48-32-4443

 SHOCKWAVE™ HEX IMPACT BITS

SAE Bit	Length	25 Pack (Bulk)
1/16"	1"	48-32-4700
5/64"	1"	48-32-4701
3/32"	1"	48-32-4702

SAE Bit	Length	25 Pack (Bulk)
7/64"	1"	48-32-4703
1/8"	1"	48-32-4704
9/64"	1"	48-32-4705

SAE Bit	Length	25 Pack (Bulk)
5/32"	1"	48-32-4706
3/16"	1"	48-32-4707
1/4"	1"	48-32-4709

SAE Bit	Length	9 Pack
9 Pc SAE Hex Insert Bits (1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 1/4")	1"	48-32-4616

 METRIC HEX IMPACT BITS

Metric Bit	Length	25 Pack (Bulk)
2.5mm	1"	48-32-4724
3mm	1"	48-32-4725
4mm	1"	48-32-4726

Metric Bit	Length	25 Pack (Bulk)
5mm	1"	48-32-4727
6mm	1"	48-32-4728
8mm	1"	48-32-4729

Metric Bit	Length	25 Pack (Bulk)
10mm	1"	48-32-4730
12mm	1"	48-32-4731

Metric Bit	Length	8 Pack
8 Pc Metric Hex Insert Bits (2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm, 12mm)	1"	48-32-4617

SHOCKWAVE™ DOUBLE-ENDED BITS

Bit	Length	1 Pack
PH2/SL#10	2-3/8"	48-32-4310
PH2/SQ2	2-3/8"	48-32-4311

Bit	Length	1 Pack
PH2/T25	2-3/8"	48-32-4312
T20/T25	2-3/8"	48-32-4313

SHOCKWAVE™ SPECIALTY IMPACT DUTY DRIVER BITS

SHOCKWAVE™ SPECIALTY IMPACT DRIVER BITS

Description	Includes		Part No.
 Specialty Wood Screws SHOCKWAVE™ Impact 1" Insert Bits (2 pk)	(2) Specialty Wood Screws Bit 1" One Size		48-32-4448
 Specialty Wood Screws SHOCKWAVE™ Impact 2" Insert Bits (2 pk)	(2) Specialty Wood Screws Bit 2" One Size		48-32-4648
 7 Pc SHOCKWAVE™ Impact Hex Security 1" Insert Bit Set	(1) Hex Security Bit 1" 5/64" (1) Hex Security Bit 1" 3/32" (1) Hex Security Bit 1" 7/64" (1) Hex Security Bit 1" 1/8"	(1) Hex Security Bit 1" 9/64" (1) Hex Security Bit 1" 5/32" (1) Hex Security Bit 1" 3/16"	48-32-4619
 9 Pc SHOCKWAVE™ Impact Security 1" Insert Bit Set	(1) TORX® Security Bit 1" T20 (2) TORX® Security Bit 1" T25 (1) TORX® Security Bit 1" T30 (1) Hex Security Bit 1" 1/8"	(1) Hex Security Bit 1" 5/32" (1) Spanner Bit 1" SL#10 (1) Clutch G Bit 1" 3/16" (1) Clutch G Bit 1" 5/32"	48-32-4620
 10 Pc SHOCKWAVE™ Impact TORX® Security 1" Insert Bit Set	(1) TORX® Security Bit 1" T7 (1) TORX® Security Bit 1" T8 (1) TORX® Security Bit 1" T9 (1) TORX® Security Bit 1" T10 (1) TORX® Security Bit 1" T15	(1) TORX® Security Bit 1" T20 (1) TORX® Security Bit 1" T25 (1) TORX® Security Bit 1" T27 (1) TORX® Security Bit 1" T30 (1) TORX® Security Bit 1" T40	48-32-4618

SHOCKWAVE™ IMPACT DUTY MAGNETIC BIT HOLDERS

OVERVIEW

MILWAUKEE® SHOCKWAVE™ Impact Duty Magnetic Bit Holders are engineered for extreme durability and up to 30X longer life. They are made from CUSTOM ALLOY76™ Steel that maximizes resistance to wear and shock. The bit holders feature an optimized SHOCK ZONE™ which absorbs peak torque and prevents the adapter from breaking. SHOCKWAVE™ Magnetic Bit Holders offer extreme durability for even the most demanding applications.

FEATURES

- CUSTOM ALLOY76™ Steel maximizes resistance to wear and shock
- Optimized SHOCK ZONE™ absorbs peak torque and prevents breaking
- Internal Magnet holds fastener
- C-Ring holds insert bit in place



SHOCKWAVE™ IMPACT MAGNETIC BIT HOLDERS

Description	Size	1 Pack	5 Piece	6 Piece	11 Piece	10 Pack	Bulk 10	250 Pack	Bulk 250
SHOCKWAVE™ Impact Magnetic Bit Holder	Compact	48-32-4502	-	-	-	-	48-32-4504	48-32-4204	48-32-4804
SHOCKWAVE™ Impact Magnetic Bit Holder	3"	48-32-4503	-	-	-	48-32-4305	48-32-4505	48-32-4203	48-32-4803
SHOCKWAVE™ Impact Magnetic Bit Holder	6"	48-32-4511	-	-	-	-	48-32-4521	-	-
SHOCKWAVE™ Impact Magnetic Bit Holder	12"	48-32-4512	-	-	-	-	48-32-4522	-	-

IMPACT BIT HOLDER SETS

Description	Includes	Part No.
 5 Pc SHOCKWAVE™ Impact Conduit Reaming Bit Holder	(1) Conduit Reaming Bit Holder (1) ECX™ Insert Bit 1" ECX2 (1) Phillips Insert Bit 1" PH2 (1) Square Recess Insert Bit 1" SQ2 (1) Slotted Insert Bit 1" SL#10	48-32-2350
 5 Pc SHOCKWAVE™ Impact Conduit Reamer Replacement Blades	(2) Cap Screws (1) Hex Key (2) Replacement Blades	48-32-2351
 6 Pc SHOCKWAVE™ 30° KNUCKLE™ Impact Pivoting Bit Holder	(1) 30° KNUCKLE™ Impact Pivoting Bit Holder (1) Phillips Insert Bit 1" PH1 (1) Phillips Insert Bit 1" PH2 (1) Square Recess Insert Bit 1" SQ1 (1) Square Recess Insert Bit 1" SQ2 (1) Slotted Insert Bit 1" SL#10	48-32-2300
 11 Pc SHOCKWAVE™ 30° KNUCKLE™ Impact Pivoting Bit Holder	(1) 30° KNUCKLE™ Impact Pivoting Bit Holder (1) Phillips Insert Bit 1" PH1 (1) Phillips Insert Bit 1" PH2 (1) Phillips Insert Bit 1" PH3 (1) Square Recess Insert Bit 1" SQ1 (1) Square Recess Insert Bit 1" SQ2 (1) Slotted Insert Bit 1" SL#6 (1) Slotted Insert Bit 1" SL#10 (1) Slotted Insert Bit 1" SL#12 (1) TORX® Insert Bit 1" T25	48-32-2301
 SHOCKWAVE™ Impact Right Angle Adapter	(1) Impact Right Angle Adapter	48-32-2390

SHOCKWAVE™ IMPACT DUTY LOCKING BIT HOLDERS

OVERVIEW

MILWAUKEE® SHOCKWAVE™ Impact Duty Locking Bit Holders are engineered to be the most durable, strongest locking bit holders on the market. The intuitive auto-locking design fits all inserts and 1/4" hex bits and the small-profile quick release collar allows for easy one-handed bit tip changes. The new locking bit holders feature two magnets to maximize magnetic transfer and holding power to the fastener and prevent drops. As with all SHOCKWAVE™ Impact Duty Accessories, each bit holder features an optimized SHOCK ZONE™ geometry to provide up to 30X longer life and absorb 3X more torque to prevent breakage.

FEATURES

- Auto-Locking Design: Fits all inserts and 1/4" hex bits
- Quick Release Collar: One-handed bit changes
- Dual Magnets: Maximize magnetic transfer and holding power to fastener
- Optimized SHOCK ZONE™: Absorbs peak torque and prevents breaking

SHOCKWAVE™ IMPACT LOCKING BIT HOLDERS

Description	1 Pack
2-7/8" SHOCKWAVE™ Impact Locking Bit Holder	48-32-4531
6" SHOCKWAVE™ Impact Locking Bit Holder	48-32-4532
12" SHOCKWAVE™ Impact Locking Bit Holder	48-32-4533
18" SHOCKWAVE™ Impact Locking Bit Holder	48-32-4534



SHOCKWAVE™ IMPACT DUTY MAGNETIC DRIVE GUIDES

OVERVIEW

SHOCKWAVE™ Impact Duty Magnetic Drive Guides are engineered to be the most durable and offer the best control on the market. The new stainless steel sleeve provides increased fastener stability and 2X the magnetism of our previous drive guide. MILWAUKEE® drive guides also feature a laser-etched depth gauge for best-in-class depth control. The new drive guides feature our optimized SHOCK ZONE™ that absorbs peak torque and provides us up to 30X longer life vs. the competition.

FEATURES

- Optimized SHOCK ZONE™ absorbs peak torque and prevents breaking
- Stainless Steel Sleeve extends for improved fastener stability
- Laser-etched Depth Gauge for increased fastener control
- Magnet holds fasteners to the drive guide
- C-Ring retains the insert bit
- CUSTOM ALLOY76™ Steel maximizes resistance to wear and shock



SHOCKWAVE™ IMPACT MAGNETIC DRIVE GUIDES

Description	1 Pack	Bulk 10
3" SHOCKWAVE™ Impact Magnetic Drive Guide	48-32-4508	48-32-4509
4" SHOCKWAVE™ Impact Magnetic Drive Guide	48-32-4516	48-32-4526
6" SHOCKWAVE™ Impact Magnetic Drive Guide	48-32-4517	48-32-4527

SHOCKWAVE™ IMPACT DUTY MAGNETIC DRIVE GUIDE SETS

SHOCKWAVE™ IMPACT MAGNETIC DRIVE GUIDE SETS

Description	Includes	Part No.
 3 Pc SHOCKWAVE™ Impact Magnetic Drive Guide Set	(1) 3" Magnetic Drive Guide (1) 4" Magnetic Drive Guide (1) 6" Magnetic Drive Guide	48-32-4519
 7 Pc SHOCKWAVE™ Impact Magnetic Drive Guide Set	(1) 3" Magnetic Drive Guide (2) Phillips Insert Bit 1" PH2 (1) Square Recess Insert Bit 1" SQ2 (1) TORX® Insert Bit 1" T20 (2) TORX® Insert Bit 1" T25	48-32-4515
 7 Pc SHOCKWAVE™ Impact Magnetic Drive Guide Set	(1) 6" Magnetic Drive Guide (2) Phillips Insert Bit 1" PH2 (1) Square Recess Insert Bit 1" SQ2 (1) TORX® Insert Bit 1" T20 (2) TORX® Insert Bit 1" T25	48-32-4518

SHOCKWAVE™ LINEMAN'S UTILITY SOCKETS

OVERVIEW

The SHOCKWAVE™ Lineman's 3-in-1 Utility Sockets provide more secure, efficient fastening in all fastening environments and orientations. The sockets feature a 3-in-1 square design for single-sided fastening, eliminating the drop hazard of removing the sockets from the adapter to change sizes. The Push and Twist Barrel Lock allows for secure, one-handed size changes, even while wearing gloves. The sockets feature an interior debris shield that resists interior rust and corrosion from dirt, wood chips and moisture from the jobsite.

FEATURES

- More secure, efficient fastening
- 3-in-1 Square Design for single-sided fastening
- Push and Twist Barrel Lock for secure, one-handed size changes



SHOCKWAVE™ LINEMAN'S 3-IN-1 UTILITY SOCKETS

Description	Part No.
SHOCKWAVE™ Lineman's 3-in-1 Distribution Utility Socket	49-66-5101
SHOCKWAVE™ Lineman's 3-in-1 Transmission Utility Socket	49-66-5102

AVAILABLE FALL 2019

SHOCKWAVE™ LINEMAN'S 2-IN-1 UTILITY SOCKETS

Description	Part No.
 AVAILABLE FALL 2019 SHOCKWAVE™ Lineman's 9/16" x 3/4" 2-in-1 6 Point Socket	49-66-5111
 AVAILABLE FALL 2019 SHOCKWAVE™ Lineman's 9/16" x 3/4" 2-in-1 12 Point Socket	49-66-5121

AVAILABLE FALL 2019

SHOCKWAVE™ LINEMAN'S HEX BIT SOCKETS

Description	Drive	Part No.
 AVAILABLE FALL 2019 5/16" SHOCKWAVE™ Lineman's Impact 3/8" Drive Hex Bit Socket	3/8"	49-66-5151
AVAILABLE FALL 2019 3/8" SHOCKWAVE™ Lineman's Impact 3/8" Drive Hex Bit Socket	3/8"	49-66-5152
AVAILABLE FALL 2019 1/2" SHOCKWAVE™ Lineman's Impact 3/8" Drive Hex Bit Socket	3/8"	49-66-5154
AVAILABLE FALL 2019 5/16" SHOCKWAVE™ Lineman's Impact 1/2" Drive Hex Bit Socket	1/2"	49-66-5141
AVAILABLE FALL 2019 3/8" SHOCKWAVE™ Lineman's Impact 1/2" Drive Hex Bit Socket	1/2"	49-66-5142
AVAILABLE FALL 2019 1/2" SHOCKWAVE™ Lineman's Impact 1/2" Drive Hex Bit Socket	1/2"	49-66-5144

SHOCKWAVE™ LINEMAN’S REMOVERS/INSTALLERS

Description	Part No.
 SHOCKWAVE™ Lineman's 5/8" Pole Step Socket	49-66-5131
 SHOCKWAVE™ Lineman's J Hook Socket	49-66-5132

SHOCKWAVE™ LINEMAN’S PENTA SOCKETS

Description	Part No.
 SHOCKWAVE™ Lineman's 13/16" Penta Socket	49-66-5133

SHOCKWAVE™ LINEMAN’S ADAPTERS

Description		Part No.
	SHOCKWAVE™ Lineman's 7/16" to 1/2" Impact Socket Adapter	48-32-5100
	SHOCKWAVE™ Lineman's 7/16" to 1/2" Impact Socket Adapters (Bulk 10)	49-32-5700

SHOCKWAVE™ IMPACT DUTY MAGNETIC NUT DRIVERS

OVERVIEW

MILWAUKEE® SHOCKWAVE™ Impact Duty Magnetic Nut Drivers are engineered for extreme durability and up to 30X life. They are made from CUSTOM ALLOY76™ Steel that maximizes resistance to wear and shock. The nut drivers feature a powerful magnet allowing for SECURE GRIP™ and unyielding bit engagement. The bits feature color-coded rings for quick and easy size identification and chamfered edges to allow for fastening in tight spaces. SHOCKWAVE™ Impact Duty Nut Drivers offer extreme durability for even the most demanding applications.

FEATURES

- CUSTOM ALLOY76™ Steel maximizes resistance to wear and shock
- Strong Magnetic Tip for secure grip
- Color-coded Band for easy size identification



SHOCKWAVE™ IMPACT MAGNETIC NUT DRIVERS

Length	Size	1 Pack	3 Pack	10 Pack (Bulk)	10 Pack	250 Pack (Bulk)	250 Pack
Insert	1/4"	-	49-66-4512	49-66-4712	-	-	-
	5/16"	-	49-66-4513	49-66-4713	-	-	-
	3/8"	-	49-66-4515	49-66-4715	-	-	-
	7/16"	-	49-66-4516	49-66-4716	-	-	-
	1/2"	-	49-66-4517	49-66-4717	-	-	-

SHOCKWAVE™ IMPACT MAGNETIC NUT DRIVERS

Length	Size	1 Pack	3 Pack	10 Pack (Bulk)	10 Pack	250 Pack (Bulk)	250 Pack
1-7/8"	1/4"	49-66-4502	49-66-4522	49-66-4702	49-66-0502	-	-
	5/16"	49-66-4503	49-66-4523	49-66-4703	49-66-0503	-	-
	3/8"	49-66-4505	49-66-4525	49-66-4705	49-66-0505	-	-
	7/16"	49-66-4506	49-66-4526	49-66-4706	49-66-0506	-	-
2-9/16"	1/4"	49-66-4532	-	49-66-4732	49-66-0532	49-66-4832	49-66-0932
	5/16"	49-66-4533	-	49-66-4733	49-66-0533	49-66-4833	49-66-0933
	3/8"	49-66-4535	-	49-66-4735	49-66-0535	49-66-4835	49-66-0935
	7/16"	49-66-4536	-	49-66-4736	49-66-0536	-	-
	1/2"	49-66-4537	-	49-66-4737	49-66-0537	-	-
	7mm	-	-	49-66-4607	49-66-0707	-	-
	8mm	-	-	49-66-4608	49-66-0708	-	-
	10mm	-	-	49-66-4610	49-66-0710	-	-
	12mm	-	-	49-66-4612	49-66-0712	-	-
	13mm	-	-	49-66-4613	49-66-0713	-	-

SHOCKWAVE™ IMPACT MAGNETIC NUT DRIVER SETS

SHOCKWAVE™ IMPACT MAGNETIC NUT DRIVER SETS

Description	Length	Includes	Part No.
 3 Pc SHOCKWAVE™ Impact Magnetic Nut Driver Set	1-7/8"	(1) 1/4" Nut Driver (1) 5/16" Nut Driver (1) 3/8" Nut Driver	49-66-4561
 4 Pc SHOCKWAVE™ Impact Magnetic Nut Driver Set	1-7/8"	(1) 1/4" Nut Driver (1) 5/16" Nut Driver (1) 3/8" Nut Driver (1) 7/16" Nut Driver	49-66-4562
 5 Pc SHOCKWAVE™ Impact 1" Insert Nut Driver Set	Insert	(1) Insert 1/4" Nut Driver (1) Insert 5/16" Nut Driver (1) Insert 3/8" Nut Driver (1) Insert 7/16" Nut Driver (1) Insert 1/2" Nut Driver	49-66-4563

SHOCKWAVE™ IMPACT DUTY SOCKET ADAPTERS

OVERVIEW

MILWAUKEE® SHOCKWAVE™ Impact Duty Socket Adapters are engineered for extreme durability and up to 30X life. They are made from CUSTOM ALLOY76™ Steel that maximizes resistance to wear and shock. The adapters feature an optimized SHOCK ZONE™ which absorbs peak torque and prevents the adapter from breaking. SHOCKWAVE™ Impact Socket Adapters offer extreme durability for even the most demanding applications.

FEATURES

- CUSTOM ALLOY76™ Steel maximizes resistance to wear and shock
- Optimized SHOCK ZONE™ absorbs peak torque and prevents breaking



SHOCKWAVE™ IMPACT SOCKET ADAPTERS

Bit Length	Size	1 Pack	Bulk 10	Bit Length	Size	1 Pack	Bulk 10
Insert	1/4" Hex to 1/4" Square Adapter	48-32-5020	48-32-5720	-	1/2" – 7/16" Quick Change Impact Adapter	48-66-0061	-
	1/4" Hex to 3/8" Square Adapter	48-32-5021	48-32-5721	-	7/16" – 1/2" Impact Adapter	48-32-5100	48-32-5700
	1/4" Hex to 1/2" Square Adapter	48-32-5022	48-32-5722	-	3/8" Square to 1/4" Square Adapter	48-32-4405	-
1-7/8"	1/4" Hex to 1/4" Square Adapter	48-32-5030	48-32-5730	-	1/2" Square to 1/4" Square Adapter	48-03-4410	-
	1/4" Hex to 3/8" Square Adapter	48-32-5031	48-32-5731				
	1/4" Hex to 1/2" Square Adapter	48-32-5032	48-32-5732				

SHOCKWAVE™ IMPACT SOCKET ADAPTER SETS

SHOCKWAVE™ IMPACT SOCKET ADAPTER SETS

Description	Includes	Part No.
 3 Pc SHOCKWAVE™ Impact Insert Socket Adapter Set	(1) Insert 1/4" Socket Adapter (1) Insert 3/8" Socket Adapter (1) Insert 1/2" Socket Adapter	48-32-5023
 3 Pc SHOCKWAVE™ Impact 2" Socket Adapter Set	(1) 1/4" Socket Adapter (1) 3/8" Socket Adapter (1) 1/2" Socket Adapter	48-32-5033

SHOCKWAVE™ IMPACT DUTY SOCKETS

OVERVIEW

MILWAUKEE® SHOCKWAVE™ Impact Duty Sockets are engineered for extreme durability and up to 30X life. Made from proprietary steel and heat treated to control hardness, the SHOCKWAVE™ Impact Duty Socket Adapters provide fastening capabilities with all impacts. Broadly targeting cordless users, the SHOCKWAVE™ Impact Duty accessory line is not only ideal for heavy duty impact applications, but delivers a full system solution for all the user’s drilling and fastening needs.

FEATURES

- Proprietary Steel and Heat Treat Process for maximum strength and durability
- Thin Wall Construction for easy access in tight spaces
- 6 Point Deep Wells for unyielding bit engagement



SHOCKWAVE™ IMPACT SOCKETS

Size	3/8" Drive	1/2" Drive	Size	3/8" Drive	1/2" Drive
5/16"	49-66-4422	-	13/16"	49-66-4431	49-66-4468
3/8"	49-66-4424	49-66-4461	7/8"	49-66-4432	49-66-4469
7/16"	49-66-4425	49-66-4462	15/16"	-	49-66-4470
1/2"	49-66-4426	49-66-4463	1"	-	49-66-4471
9/16"	49-66-4427	49-66-4464	1-1/16"	-	49-66-4472
5/8"	49-66-4428	49-66-4465	1-1/8"	-	49-66-4473
11/16"	49-66-4429	49-66-4466	1-1/4"	-	49-66-4475
3/4"	49-66-4430	49-66-4467			

SHOCKWAVE™ DEEP WELL IMPACT SOCKET SETS

SHOCKWAVE™ DEEP WELL IMPACT SOCKET SETS

Description	Drive Guide Size	Includes		Part No.
 3 Pc SHOCKWAVE™ 3/8" Deep Well Impact Socket Set	3/8"	(1) 1/2" Impact Socket (1) 9/16" Impact Socket (1) 1/4" Hex to 3/8" Square Socket Adapter		49-66-4417
 3 Pc SHOCKWAVE™ 1/2" Deep Well Impact Socket Set	1/2"	(1) 1/2" Impact Socket (1) 9/16" Impact Socket (1) 1/4" Hex to 1/2" Square Socket Adapter		49-66-4485
 8 Pc SHOCKWAVE™ 3/8" Deep Well Impact Socket Set	3/8"	(1) 5/16" Impact Socket (1) 3/8" Impact Socket (1) 7/16" Impact Socket (1) 1/2" Impact Socket	(1) 9/16" Impact Socket (1) 5/8" Impact Socket (1) 11/16" Impact Socket (1) 3/4" Impact Socket	49-66-4419

SHOCKWAVE™ DEEP WELL IMPACT SOCKET SETS

Description	Drive Guide Size	Includes		Part No.
 9 Pc SHOCKWAVE™ 1/2" Deep Well Impact Socket Set	1/2"	(1) 3/8" Impact Socket (1) 7/16" Impact Socket (1) 1/2" Impact Socket (1) 9/16" Impact Socket (1) 5/8" Impact Socket	(1) 11/16" Impact Socket (1) 3/4" Impact Socket (1) 7/8" Impact Socket (1) 1/4" Hex to 1/2" Square Adapter	49-66-4484
 12 Pc SHOCKWAVE™ 1/4" Deep Well Impact Socket Set	1/4"	(1) 5.5mm Impact Socket (1) 6mm Impact Socket (1) 7mm Impact Socket (1) 8mm Impact Socket (1) 9mm Impact Socket (1) 10mm Impact Socket	(1) 11mm Impact Socket (1) 12mm Impact Socket (1) 13mm Impact Socket (1) 14mm Impact Socket (1) 15mm Impact Socket (1) 1/4" Impact Socket Adapter	49-66-4301
 6 Pc SHOCKWAVE™ Impact Extractor Set	3/8"	(1) 1/4" Extractor (1) 5/16" / 8mm Extractor (1) 3/8" Extractor (1) 7/16" / 11mm Extractor (1) 1/2" Extractor (1) 1/4" Hex to 3/8" Square Impact Socket Adapter		48-32-8000

SHOCKWAVE™ IMPACT DRILL TAPS

OVERVIEW

MILWAUKEE® SHOCKWAVE™ 8-32 UNC Impact Drill Tap drills and taps at the same time. The bits features 32 threads per inch and is intended for use in up to 1/4" metal. The laser-etched size allows for easy size identification. The bit is designed for use in Impact Drivers and Drill Drivers.



FEATURES

- Features a countersink
- Laser-etched Size for easy size identification
- 1/4" Quick Change Hex Shank

AVAILABLE FALL 2019

SHOCKWAVE™ IMPACT DRILL TAPS

Description	Part No.
8-32 SAE Impact Drill Tap	48-89-4870
5/16-18 SAE Impact Drill Tap	48-89-4871
10-24 SAE Impact Drill Tap	48-89-4872
1/4-20 SAE Impact Drill Tap	48-89-4873

SHOCKWAVE™ IMPACT DRILL TAP SETS

SHOCKWAVE™ IMPACT DRILL TAP SETS

Description	Includes	Part No.
 5 Pc SHOCKWAVE™ SAE Impact Drill Tap Set	(1) 8 – 32 UNC (1) 10 – 24 UNC (1) 10 – 32 UNF (1) 12 – 24 UNC (1) 12 – 24 UNC (1) 1/4 – 20 UNC	48-89-4874
 5 Pc SHOCKWAVE™ Metric Impact Drill Tap Set	(1) M4 (1) M5 (1) M6 (1) M8 (1) M10	48-89-4875

SHOCKWAVE™ IMPACT BIT SETS

SHOCKWAVE™ IMPACT BIT SETS

Description	Includes		Part No.
 3 Pc SHOCKWAVE™ Impact Magnetic Attachment Set	(1) Magnetic Attachment (2) Phillips Bit 2" PH2	AVAILABLE FALL 2019	48-32-4550
 10 Pc SHOCKWAVE™ Impact Expand Set	(1) 6" Magnetic Bit Holder (1) Compact Magnetic Bit Holder (2) Phillips Bit 1" PH2 (2) Square Bit 1" SQ2	(2) TORX® Bit 1" T25 (1) 1/4" Insert Magnetic Nut Driver (1) 5/16" Insert Magnetic Nut Driver	48-32-4513
 18 Pc SHOCKWAVE™ Impact Driver Bit Set	(1) Compact Magnetic Bit Holder (1) Phillips Bit 1" PH1 (1) Phillips Bit 1" PH2 (1) Phillips Bit 1" PH3 (1) Square Bit 1" SQ1 (1) Square Bit 1" SQ2 (1) Slotted Bit 1" SL#8 (1) Slotted Bit 1" SL#10	(2) Phillips Bit 2" PH2 (1) Phillips Bit 2" PH3 (2) Square Bit 2" SQ2 (1) Square Bit 2" SQ3 (1) TORX® Bit 2" T20 (1) TORX® Bit 2" T25 (1) Phillips Bit 3-1/2" PH2 (1) Square Bit 3-1/2" SQ2	48-32-4403
 22 Pc SHOCKWAVE™ Impact Driver Bit Set Tube	(1) Compact Magnetic Bit Holder (1) Phillips Bit 1" PH1 (3) Phillips Bit 1" PH2 (2) Phillips Bit 1" PH3 (1) Square Bit 1" SQ1 (3) Square Bit 1" SQ2 (1) Square Bit 1" SQ3 (1) TORX® Bit 1" T10 (1) TORX® Bit 1" T15	(1) TORX® Bit 1" T20 (1) TORX® Bit 1" T25 (1) TORX® Bit 1" T27 (1) TORX® Bit 1" T30 (1) Slotted Bit 1" SL#6 (1) Slotted Bit 1" SL#8 (1) Slotted Bit 1" SL#10 (1) Slotted Bit 1" SL#12	48-32-4011
 22 Pc SHOCKWAVE™ Impact Driver Bit Set PDQ	(1) Compact Magnetic Bit Holder (1) Phillips Bit 1" PH1 (3) Phillips Bit 1" PH2 (2) Phillips Bit 1" PH3 (1) Square Bit 1" SQ1 (3) Square Bit 1" SQ2 (1) Square Bit 1" SQ3 (1) TORX® Bit 1" T10 (1) TORX® Bit 1" T15	(1) TORX® Bit 1" T20 (1) TORX® Bit 1" T25 (1) TORX® Bit 1" T27 (1) TORX® Bit 1" T30 (1) Slotted Bit 1" SL#6 (1) Slotted Bit 1" SL#8 (1) Slotted Bit 1" SL#10 (1) Slotted Bit 1" SL#12	48-32-4012

SHOCKWAVE™ IMPACT BIT SETS

Description	Includes		Part No.
 26 Pc SHOCKWAVE™ Impact Driver Bit Set	(1) Compact Magnetic Bit Holder (1) Phillips Bit 1" PH1 (3) Phillips Bit 1" PH2 (1) Phillips Bit 1" PH3 (1) Square Bit 1" SQ1 (2) Square Bit 1" SQ2 (1) Square Bit 1" SQ3 (2) TORX® Bit 1" T20 (2) TORX® Bit 1" T25 (1) TORX® Bit 1" T30 (1) Slotted Bit 1" SL#8	(1) 3/8" Drive Socket, 9/16" (1) Phillips Bit 2" PH2 (1) Square Bit 2" SQ2 (1) TORX® Bit 2" T20 (1) TORX® Bit 2" T25 (1) 1/4" Magnetic Nut Driver (1) 5/16" Magnetic Nut Driver (1) 3/8" Magnetic Nut Driver (1) 1/4" Hex to 3/8" Square Socket Adapter (1) 3/8" Drive Socket, 1/2"	48-32-4408
 32 Pc SHOCKWAVE™ Impact Driver Bit Set	(1) Compact Magnetic Bit Holder (1) Hex Bit 1" 1/4" (1) Hex Bit 1" 3/16" (1) Phillips Bit 1" PH1 (4) Phillips Bit 1" PH2 (1) Phillips Bit 1" PH3 (1) Phillips Reduced Bit 1" PR2 (1) Square Bit 1" SQ1 (3) Square Bit 1" SQ2 (1) Square Bit 1" SQ3 (1) TORX® Bit 1" T15 (2) TORX® Bit 1" T20	(2) TORX® Bit 1" T25 (1) TORX® Bit 1" T30 (1) Slotted Bit 1" SL#8 (1) Slotted Bit 1" SL#10 (2) Phillips Bit 2" PH2 (1) Square Bit 2" SQ2 (1) TORX® Bit 2" T20 (1) TORX® Bit 2" T25 (1) Slotted Bit 2" SL#10 (1) 1/4" Magnetic Nut Driver (1) 5/16" Magnetic Nut Driver	48-32-4004
 36 Pc SHOCKWAVE™ Impact Driver Bit Set	(1) Compact Magnetic Bit Holder (1) 6" Magnetic Bit Tip Holder (1) Hex Bit 1" 1/4" (1) Hex Bit 1" 1/8" (1) Hex Bit 1" 3/16" (1) Hex Bit 1" 3/32" (1) Hex Bit 1" 5/32" (1) Hex Bit 1" 5/64" (1) Hex Bit 1" 7/64" (1) Hex Bit 1" 9/64" (1) Phillips Bit 1" PH1 (3) Phillips Bit 1" PH2 (1) Phillips Bit 1" PH3 (1) Phillips Reduced Bit 1" PR2 (1) Slotted Bit 1" SL#8	(2) Slotted Bit 1" SL#10 (1) Slotted Bit 1" SL#12 (1) Square Bit 1" SQ1 (2) Square Bit 1" SQ2 (1) Square Bit 1" SQ3 (1) TORX® Bit 1" T10 (1) TORX® Bit 1" T15 (1) TORX® Bit 1" T27 (2) TORX® Bit 1" T20 (2) TORX® Bit 1" T25 (1) TORX® Bit 1" T30 (1) TORX® Bit 1" T40 (1) 1/4" Insert Magnetic Nut Driver (1) 5/16" Insert Magnetic Nut Driver (1) Insert 3/8" Socket Adapter	48-32-4005
 40 Pc SHOCKWAVE™ Impact Drill and Drive Set	(1) Compact Magnetic Bit Holder (1) 1/4" Hex Drive Drill Bit (1) 1/8" Hex Drive Drill Bit (1) 3/16" Hex Drive Drill Bit (1) Hex Bit 1" 1/4" (1) Hex Bit 1" 1/8" (1) Hex Bit 1" 3/16" (1) Hex Bit 1" 5/32" (1) Phillips Bit 1" PH1 (3) Phillips Bit 1" PH2 (1) Phillips Bit 1" PH3 (1) Phillips Reduced Bit 1" PR2 (1) Square Bit 1" SQ1 (2) Square Bit 1" SQ2 (1) Square Bit 1" SQ3 (1) TORX® Bit 1" T15	(1) TORX® Bit 1" T20 (2) TORX® Bit 1" T25 (1) Slotted Bit 1" SL#8 (1) Slotted Bit 1" SL#10 (4) Phillips Bit 2" PH2 (1) Phillips Bit 2" PH3 (1) Square Bit 2" SQ2 (1) Square Bit 2" SQ3 (1) TORX® Bit 2" T20 (2) TORX® Bit 2" T25 (1) Slotted Bit 2" SL#10 (1) 1/4" Magnetic Nut Driver (1) 5/16" Magnetic Nut Driver (1) 3/8" Magnetic Nut Driver (1) 3/8" Socket Adapter (1) 1/2" Socket Adapter	48-32-4006
 50 Pc SHOCKWAVE™ Impact Drill and Drive Set	(1) Compact Magnetic Bit Holder (1) Hex Bit 1" 1/4" (1) Hex Bit 1" 3/16" (1) Phillips Bit 1" PH1 (4) Phillips Bit 1" PH2 (2) Phillips Bit 1" PH3 (2) Phillips Reduced Bit 1" PR2 (1) Square Bit 1" SQ1 (4) Square Bit 1" SQ2 (3) Square Bit 1" SQ3 (1) TORX® Bit 1" T15 (2) TORX® Bit 1" T20 (5) TORX® Bit 1" T25 (1) TORX® Bit 1" T30 (1) Slotted Bit 1" SL#6 (1) Slotted Bit 1" SL#10	(2) Phillips Bit 2" PH2 (2) Phillips Bit 2" PH3 (2) Square Bit 2" SQ2 (1) Square Bit 2" SQ3 (1) TORX® Bit 2" T20 (1) TORX® Bit 2" T25 (1) 1/16" Titanium RED HELIX™ Drill Bit (1) 3/32" Titanium RED HELIX™ Drill Bit (2) 1/8" Titanium RED HELIX™ Drill Bit (1) 3/16" Titanium RED HELIX™ Drill Bit (1) 7/32" Titanium RED HELIX™ Drill Bit (1) 1/4" Titanium RED HELIX™ Drill Bit (1) 1/4" Magnetic Nut Driver (1) 5/16" Magnetic Nut Driver (1) 3/8" Socket Adapter (1) 1/2" Socket Adapter	48-32-4013

SHOCKWAVE™ IMPACT BIT SETS

Description	Includes		Part No.
 52 Pc SHOCKWAVE™ Electrician's Impact Drill and Drive Set	(1) 3" Magnetic Bit Holder (1) Hex Bit 1" 1/4" (1) Hex Bit 1" 3/16" (1) Phillips Bit 1" PH1 (5) Phillips Bit 1" PH2 (1) Phillips Bit 1" PH3 (2) Phillips Bit 2" PH2 (1) Square Bit 1" SQ1 (4) Square Bit 1" SQ2 (1) Square Bit 1" SQ3 (1) Square Bit 2" SQ2 (1) TORX® Bit 1" T20 (2) TORX® Bit 1" T25 (1) TORX® Bit 1" T27 (1) TORX® Bit 1" T30 (1) TORX® Bit 1" T40 (1) Slotted Bit 1" SLSL#8 (1) Slotted Bit 1" SL#10 (1) TORX® Security Bit 1" T10 (1) TORX® Security Bit 1" T15 (1) TORX® Security Bit 1" T20	(1) TORX® Security Bit 1" T25 (1) TORX® Security Bit 1" T27 (1) TORX® Security Bit 1" T30 (1) Hex Security Bit 1" 1/8" (1) Hex Security Bit 1" 9/64" (1) Hex Security Bit 1" 5/32" (1) Hex Security Bit 1" 3/16" (1) Spanner Bit 1" #6 (1) Spanner Bit 1" #8 (1) Spanner Bit 1" #10 (1) Spanner Bit 1" #12 (1) Clutch G Bit 1" 1/8" (1) Clutch G Bit 1" 5/32" (1) Clutch G Bit 1" 3/16" (1) 1/8" RED HELIX™ Drill Bit (1) 3/16" RED HELIX™ Drill Bit (1) 1/4" RED HELIX™ Drill Bit (1) 1/4" Insert Magnetic Nut Driver (1) 5/16" Insert Magnetic Nut Driver (1) 3/8" Insert Magnetic Nut Driver (1) 3/8" Insert Socket Adapter	48-32-4025
 55 Pc SHOCKWAVE™ Impact Driver Bit Set	(1) Compact Magnetic Bit Holder (1) 3" Magnetic Bit Holder (1) 6" Magnetic Bit Holder (1) Hex Bit 1" 3/32" (1) Hex Bit 1" 7/64" (1) Hex Bit 1" 1/8" (1) Hex Bit 1" 9/64" (1) Hex Bit 1" 5/32" (1) Hex Bit 1" 3/16" (1) Hex Bit 1" 1/4" (1) Hex Bit 1" 3mm (1) Hex Bit 1" 4mm (1) Hex Bit 1" 5mm (1) Hex Bit 1" 6mm (2) Phillips Bit 1" PH1 (8) Phillips Bit 1" PH2 (2) Phillips Bit 1" PH3 (1) Phillips Reduced Bit 1" PR2	(1) Square Bit 1" SQ1 (3) Square Bit 1" SQ2 (2) Square Bit 1" SQ3 (1) TORX® Bit 1" T10 (1) TORX® Bit 1" T15 (3) TORX® Bit 1" T20 (5) TORX® Bit 1" T25 (1) TORX® Bit 1" T27 (1) TORX® Bit 1" T30 (1) TORX® Bit 1" T40 (1) Slotted Bit 1" SL#8 (2) Slotted Bit 1" SL#10 (1) 1/4" Insert Magnetic Nut Driver (1) 5/16" Insert Magnetic Nut Driver (1) 3/8" Insert Magnetic Nut Driver (1) 1/4" Insert Socket Adapter (1) 3/8" Insert Socket Adapter (1) 1/2" Insert Socket Adapter	48-32-4028
 60 Pc SHOCKWAVE™ Impact Drill and Drive Set	(1) Compact Magnetic Bit Holder (1) 6" Magnetic Bit Holder (1) Hex Bit 1" 3/16" (1) Hex Bit 1" 1/4" (1) Phillips Bit 1" PH1 (6) Phillips Bit 1" PH2 (2) Phillips Bit 1" PH3 (1) Phillips Reduced Bit 1" PR2 (1) Square Bit 1" SQ1 (3) Square Bit 1" SQ2 (1) Square Bit 1" SQ3 (1) TORX® Bit 1" T10 (1) TORX® Bit 1" T15 (2) TORX® Bit 1" T20 (3) TORX® Bit 1" T25 (1) TORX® Bit 1" T30 (1) Slotted Bit 1" SL#6 (1) Slotted Bit 1" SL#10 (1) Phillips Bit 2" PH1 (4) Phillips Bit 2" PH2 (2) Phillips Bit 2" PH3	(1) Square Bit 2" SQ1 (3) Square Bit 2" SQ2 (1) Square Bit 2" SQ3 (2) TORX® Bit 2" T20 (2) TORX® Bit 2" T25 (1) TORX® Bit 2" T30 (1) Slotted Bit 2" SL#10 (1) PH2/SQ2 2" Double Ended Bit (1) PH2/T25 2" Double Ended Bit (1) PH2/SL#10 2" Double Ended Bit (1) T20/T25 2" Double Ended Bit (1) 1/16" Titanium RED HELIX™ Drill Bit (1) 3/32" Titanium RED HELIX™ Drill Bit (1) 1/8" Titanium RED HELIX™ Drill Bit (1) 5/32" Titanium RED HELIX™ Drill Bit (1) 3/16" Titanium RED HELIX™ Drill Bit (1) 1/4" Titanium RED HELIX™ Drill Bit (1) 1/4" Magnetic Nut Driver (1) 5/16" Magnetic Nut Driver (1) 3/8" Socket Adapter	48-32-4029