

STANDARD INLETS



White

360 Series

Automatic on/off inlets can be installed in walls or floors.

- Size: 3-3/4" w x 3" h x 5/8" d
- Installs with CF361 or CF361F mounting bracket or 395 or 3964 rough-in kits
- Available in white or almond



White

330 Series

Automatic on/off inlets have styrene snap-back protective cover.

- Size: 3" w x 5-3/16" h x 1/2" d
- Install with a CF329 mounting plate or CI3301RK or CI3303RK rough-in kits
- Available in white or almond




White

CF372

Utility Inlet

Automatic on/off inlets have styrene snap-back protective cover.

- Size: 2-1/2" w x 2-7/8" h x 1-7/8" d
- Installs directly into exposed piping without the need for brackets or mounting plates



326N

Existing Home Inlet Kit

The Existing Home Inlet Kit assists with installing a central vacuum system after the home construction is complete. Ideal for tight areas where it is difficult to connect straight tubing to wall inlets.

- Includes 330 inlet and 8" length of Superflex tubing
- CF329 Mounting Plate, inlet frame and tubing guard also included

Installation Components



CI319 Face Plate Extension – for thick walls



CF328 Plaster Guard – for use with 329 Mounting Plate Existing Home Inlet Kit



CF361 Mounting Bracket with plaster guard



CF363 90° Flanged Ell – special for 3" walls



CF366 Straight Flange



CF369 45° Street Ell



376UL 100' Wire 18/2




CF382S 90° Sweep Ell for use with Model 329 only for narrow walls



CF384 3-Way Ell



CF387 45° Wye



392 Optional Muffler – reduces noise of currently installed power units



CI324 2" Hose Clamp



CF329 Inlet Mounting Plate



CF361F Mounting Bracket with flanged spigot to assemble to any 382 series elbow



CF364 Flanged Tee




CF367 Flexible Tubing – 2" ID. x 36" vinyl over steel wire, interwoven with nylon cord, can be cut to any length



CF377 90° Sweep Ell-long



CF380 Pipe Support with wire clip



CF382XS Short 90° Ell for installing VacPan™ where height is limited




CF385 45° Ell



CF388 Stop Coupling



393 Metal Wall Cap – terminates exhaust discharge tube to outside



326N Existing Home Inlet Kit




CI330 Exhaust Vent



CF362 90° Flanged Ell – standard




CF365 Double-Flanged Tee




CF368 90° Street Ell



378 Nail Plate



CF382 90° Sweep Ell



CF383 90° Tee



CF386 30° Ell




CF389 End Cap




394 Blank Cover Plate – white; used in place of wall inlet in speculative rough-in installations

NuTone® PVC fittings are manufactured in accordance with ASTM F2158.



NuTone® Tools, Hoses, Inlets, Tubing and Fittings



Model No.	Description	Std. Pk.	Code
326N	Existing Home Inlet Kit	1	CA
330ALM	Standard Inlet — Almond	1	CA
330W	Wall Inlet — White	1	CA
360ALM	Automatic Wall Inlet — Almond	1	CA
360IV	■ Wall Inlet — Ivory	1	CA
360W	Wall Inlet — White	1	CA
372	Standard Hose — 32' wire-reinforced vinyl	1	CA
376UL	Wire — 100' 18/2, UL approved	1	CA
378	Nail Plate	1	CA
3808	● 8' PVC Tubing	8 *	CA
3808B	● 8' PVC Tubing	440 *	CA
3810	10' PVC Tubing	10 *	CA
391	Bags — pack of three (3)	1	CA
392	Muffler	1	CA
393	Metal Wall Cap	1	CA
394	Blank Cover Plate — White	1	CA
395	Inlet Rough-In Assembly Package — for new construction	1	CA
3964	Three-Inlet Installation Rough-In Package	1	CA
CA130	Hose Sock — fits 30' - 32' hoses (comes with assembly tube)	1	CA
CF328	Plaster Guard — for use with Model CF329 mounting plate	1	CA
CF329	Inlet Mounting Plate	1	CA
CF361	Mounting Bracket with Plastic Guard	1	CA
CF361F	Mount Plate w/Flanged Spigot — for any CF382 Series elbow	1	CA
CF362	Flanged Ell — 90°	1	CA
CF363	Flanged Ell, 90° — Special for 3" walls	1	CA
CF364	Flanged Tee	1	CA
CF365	Double Flanged Tee	1	CA

■ Limited quantities available.

