

Steel Pipe Cutters


4-Wheel With Guides – Spring-tensioned guide bars of **2-4WGA** provide square alignment for 4-wheel cutters. The short handle allows for close-quarter work. Thinnest wheels of highest quality tool steel make cutting easier and faster. Sharper wheels allow shorter handles for work in smaller spaces.

Standard – Strong malleable iron frames and wide rollers ensure square cuts. Thinnest wheels of highest quality tool steel make cutting easier and faster. Sharper wheels allow shorter handles for work in smaller spaces. The **2-1** cutter leaves no burr, which is great for threading jobs; the **2-3** with three wheels means more cutting surface and less handle swing.

outting our race and recordinate owning.										
Catalog No.	Item Code	Pipe Capacity		Length		Weight				
		Inches- Nom.	Actual OD Ø mm	in	mm	lbs	kg	Wheel*		
4-WHEEL WITH GUIDES										
2-4WGA*	03338	1/2 - 2	21 - 63	14.3	362	7.2	3.3	2RBS		
STANDARD 1-WHEEL										
2-1	03320	1/8 - 2	10 - 63	15.8	400	6.9	3.1	2RBS		
STANDARD 3-WHEEL										
2-3	03305	1/8 - 2	10 - 63	15.8	400	6.8	3.1	2RBS		
STANDARD 4-WHEEL										
2-4	03335	1/2 - 2	21 - 63	14.3	362	6.8	3.1	2RBS		

*EXCLUSIVE

*2RBCI wheels available for cast iron. 2RBHD heavy-duty wheels available for steel and stainless steel. CUTTER WHEELS ON P. 6 - 7





easiest to line up with the cut-off mark. Wheel change is quick as the ring on the top of the wheel pin makes it convenient to find and center the pin through

the second hole.

2-3

2-1

Convert 2-1 and 2-3 back and forth simply by changing wheels and rollers.



2-4

Pipe Reamer

Pipe Reamers are used to deburr steel pipe before threading. Cone is made from tool steel and hardened for maximum life. Unique cutting edge makes this spiral reamer self-feeding and easy to start and operate.

Catalog No.	Item	Pipe C	apacity	Weight		
	Code	Inches- Nom.	Actual ID Ø mm	lbs	kg	
2-71	06060	1/8 - 2	3 - 50	6.7	3.0	



